

Summary of the Model-Building Results for the Northern Ontario Benthic Invertebrate RCA Biomonitoring Initiative: 2003-2006



May 2006

C.L. Sarrazin-Delay¹, M.F. Bowman^{2,3}, W. Keller^{1,3}, & K.M. Somers^{2,3}
¹Laurentian University, ²University of Toronto, ³Ontario Ministry of Environment

Table of Contents

1. Introduction	1
2. Methods.....	3
2.1 Benthic Invertebrate Sampling.....	3
2.2 Sample Processing	3
2.3 Invertebrate Identification.....	4
2.4 Habitat Characterization.....	4
2.4.1 Reach characteristics.....	5
2.4.2 Substrate characteristics	5
2.4.3 Channel characteristics.....	6
2.4.4 Water Chemistry	6
2.5 Quality Assurance /Quality Control QA/QC	7
3. Model Development.....	8
3.1 Stream Model.....	9
3.2 Lake Model	12
4. References	16
5. Appendices.....	A1
Appendix 1 – Sorting and identification QA/QC results.	A1
Appendix 2 – Site information.	A2
Appendix 3 – Water chemistry.	A8
Appendix 4A – Stream benthic community data.	A20
Appendix 4B – Lake benthic community data.....	A38
Appendix 5 – Reference Group Habitat Characteristics.	A53
Appendix 6 – Test Site Analysis results.	A61

1. Introduction

The reference condition is the condition that is representative of a group of minimally disturbed sites organized by selected physical, chemical, and biological characteristics (Reynoldson et al. 1995; Reynoldson et al. 1997; Bailey et al. 2004). The Reference Condition Approach (RCA) to bioassessment is based on the premise that when a site is to be assessed it is compared to minimally impacted reference sites with similar habitat characteristics (Figure 1). The determination of an “effect” at the test site is based on the differences observed between the reference and test benthic communities.

The Northern Ontario Benthic Invertebrate Reference Condition Approach (RCA) Biomonitoring Network is a collaboration between federal and provincial regulators, industry and scientists with the common goal of assisting the metal mining industry in fulfilling the benthic invertebrate monitoring requirements of Environment Canada’s (EC) Environmental Effects Monitoring (EEM) requirements of the Federal Metal Mining Effluent Regulations (MMER) of Fisheries Act (FA). A number of mines in northern Ontario have collaborated in this study using methods developed by the National Water Research Institute (NWRI), Environment Canada (Reynoldson et al. 2001), and the Ontario Ministry of the Environment (MOE; David et al. 1998). The partners involved in this study include: Goldcorp Inc., Inco Ltd., Newmont Canada Inc., Placer Dome Ltd., Williams Operating Corporation, Environment Canada - Ontario Region, National Water Research Institute, Ontario Ministry of the Environment, Acadia University, University of Toronto, and Laurentian University.

The objective of this study was to develop a large network of reference and test sites to assess and monitor mining effects on surface waters by detecting any impairment in benthic invertebrate communities. To determine the impact of effluent discharges on benthic invertebrate communities, the normal range in variability was defined. A large number of reference sites were sampled in 2003 and 2004 to characterize the types of benthic assemblages that occur in four northern mining areas (Sudbury, Hemlo, Red Lake and Timmins). Reference-site classifications were based on the similarity of their benthic assemblages. Models were developed to select habitat characteristics that could be used to distinguish among reference-site types so that the habitat characteristics of a test site could be used to select an appropriate reference-site benchmark for the test site. These reference sites represent different geographic regions and habitat types and are used to establish the type of invertebrate community expected to occur in the various habitats or regions. Once reference conditions are established, they can be used to assess environmental impacts at any new site (Rosenberg et al. 1998).




Figure 1. Steps in the Reference Condition Approach (RCA) (from Bowman and Somers 2005)

2. Methods

2.1 Benthic Invertebrate Sampling

Field sampling was conducted between September and November of 2003 and 2004. Stream invertebrate sampling was conducted according to Environment Canada's CABIN protocols (http://cabin.cciw.ca/cabin/asp/english/cabin_online_resources.asp; Reynoldson et al.1999). Benthic invertebrates were collected using a traveling kick-and-sweep technique. The substrate was kicked to disturb and dislodge the surface sediment which was swept up with a standard D-frame net with 500 µm mesh. The collector zigzagged from bank to bank for 3 minutes. The content of the kick net was emptied into a 1.5L plastic sample jar and preserved with 10% buffered formalin.

Lake sampling methods were similar to procedures outlined in David et al. (1998) with a few modifications to accommodate the needs of the mining industry. At each inflow and outflow site, three 50 m segments of shore were sampled. The transition zone between the actual lake shore and the beginning of the channel was sampled being sure not to sample within the channel; the flow was minimal. Lake substrate was kicked and swept with a standard D-frame net with 500 µm mesh along a transect perpendicular to shore, emptying the net into bucket whenever it became full of debris. Kick and sweep continued along additional transects down the shoreline (2 m apart), filling the same bucket, for 10 minutes. A random portion of the sample was transferred by hand from the bucket into a 1.5L white snow jar and preserved with 10% formalin. The three 50 m segments were labeled as A, B or C and were individually sampled, documented and processed. The resulting data were pooled prior to analysis.

After a minimum of 72 hours, the contents of each of the sample jars was poured into a 500 µm sieve, rinsed with tap water and returned to the same jar with 70% ethanol added.

2.2 Sample Processing

Samples were randomly sub-sampled using a Marchant box; a clear acrylic box (28 cm x 29 cm x16 cm) divided into 100 equal chambers or cells (Marchant, 1989). The sample was poured into the box with a small amount of water, the lid was secured, the box was inverted, gently shaken, and returned to the upright position. This distributed the sample throughout the box which was then sub-sampled. The cell to be sorted was randomly selected using the results of two ten-sided dice. The two numbers were used to select the cell number using a grid system with 1-10 going horizontally and vertically. The contents of the selected cell were extracted using a combination of forceps and manual vacuum extraction using a 50 ml plastic pipette. Water was added to the cell as needed to ensure that the entire cell was emptied. The cell contents were transferred to a 80 ml plastic jar, and small portions were poured into a Petri dish for sorting. The Petri dish was placed under a stereo microscope (16X magnification) and examined in a grid pattern from left to right, from top to bottom then again left to right with a slight swirling of the dish between each pass. Detected animals were extracted using ultra fine forceps and placed in a labeled plastic vial in 70% ethanol. Consecutive cells were sorted until the 300th animal was found and then the remainder of the material from that cell was also sorted. The tallies for each of the cells are recorded on the bench sheets. The orders Nematoda, Platyhelminthes, Ostracoda, Copepoda, and Cladocera were not included in the 300 organism sub-sample as they are not generally considered to be part of the benthic community as outlined in the CABIN protocol. Up to 50 individuals from each of these groups were nonetheless extracted and placed in a separate vial. The material that remained after sorting was placed in a 500ml jar for future sorting QA/QC.

2.3 Invertebrate Identification

Invertebrates were identified to the family level with each individual of a family placed in a separate 1.5 ml micro-centrifuge tube (snap-cap). The number of individuals in each of the families was tallied on the bench sheet. Waterproof paper labels were inserted into each snap cap with an inscription with site code, family name, and taxonomist name. All the snap caps belonging to one site were then placed in a labeled 500 ml jar or a 100ml jar. Specimens that were too small or damaged to be identified to family were identified to order.

Benthic invertebrate identification was conducted using appropriate taxonomic keys and by comparing our identifications with the RCA study reference specimens verified by Craig Logan of the taxonomy laboratory of Environment Canada's National Water Research Institute. A reference collection containing up to two individuals from each of the families encountered was created and confirmed by Craig Logan of Environment Canada.

2.4 Habitat Characterization

Habitat variables collected for each site included field-measured and remotely sensed (map based) variables (Table 1). Field measures were collected concurrently with benthic sampling. Upon arrival at the site, variables including latitude, longitude, and altitude were obtained using a GPS. The station number, site name, and date were also recorded on the field sheet. Digital photographs of the location were taken as a record of conditions at the site. First, a photograph of the field sheet, with the site number, was taken to identify the subsequent series of photographs. These included: an upstream, downstream and an across the stream or lake photograph. In addition, a photograph of the wet and dry substrate in the area where the invertebrate sample was collected was taken with a ruler positioned in the photograph for scale. Using Ontario Base Maps (OBM), Craig Logan (EC) delineated the catchment areas and determined stream order for the lakes and streams in our study areas. Ontario Flow Assessment Techniques (OFAT) was used to determine landscape and land-use information (Table 1). OFAT was developed by the Ministry of Natural Resources as interactive Geographic Information System (GIS) software to estimate flow information for watersheds in Ontario (Chang et al., 2002).

Table 1. Habitat variables recorded for each site.

Site	Channel	Landscape	Land-use information:
Datum	Stream order	Distance From Source (km)	% water
Altitude (ft)	Dominant Substrate (Cat. 0-10)	Drainage Area (km ²)	% open fen
Latitude	2nd Dominant Substrate (Cat. 0-10)	Ecoregion	% treed fen
Longitude	Surrounding Material (Cat. 0-10)	% Water Wetland	% open bog
Canopy (%)	Embeddedness (Cat. 1-5)	Mean Annual Precip. (mm)	% treed bog
Conifer trees (presence/absence)	Bankfull width (m)	Mean Annual Run-off (mm)	% tundra heath
Deciduous trees (presence/absence)	Channel Width (m)	Mean annual evaporation (mm)	% dense deciduous forest
Grasses (presence/absence)	Channel Depth (Avg) (cm)	Mean annual snowfall (mm)	% dense coniferous forest
Shrubs (presence/absence)	Channel Depth (Max) (cm)	Shape factor	% mixed forest mainly deciduous
Macrophyte cover (%)	Pool (%)	Length of main channel (km)	% mixed forest mainly coniferous
Temp (surface) (°c)	Rapid (%)	Perimeter (km)	% sparse coniferous forest
	Riffle (%)	Base flow index	% sparse deciduous forest
	Run (%)	Slope (m/km)	% recent cutovers
	Velocity (Avg) (m/s)		% recent burns
	Velocity (Max) (m/s)		% old cuts & burns
			% settlement & developed land
			% pastures and abandoned fields

2.4.1 Reach characteristics

Flow state was recorded as a categorical description of whether the area of the stream sampled was predominantly rapids, riffles, a straight run, or a pool. Presence (1) or absence (0) was recorded for each of these parameters. Flow state was not recorded for lakes. Macrophyte coverage was an approximation of the amount of the stream bed or lake bottom to 1 m deep that was covered by macrophyte vegetation. The approximate degree of the wetted channel or littoral lake bottom covered by aquatic plants was recorded as 0%, 1-25%, 26-50%, 51-75% or 76-100%. Canopy coverage was an approximation of the percentage of the stream or lake littoral zone covered by the tree canopy. The percent shading provided by overhanging vegetation was estimated and recorded as 0%, 1-25%, 26-50%, 51-75% or 76-100%. The width of the riparian zone was defined as approximately 10 m from the edge of the bank. The vegetation type found in the riparian zone along the stream or lake sampling site was recorded as presence (1) or absence (0) for each of the riparian vegetation categories: grasses, shrubs, coniferous trees and deciduous trees.

2.4.2 Substrate characteristics

The two dominant substrate types and the surrounding materials were determined by examining the stream or lake bottom where the benthic sample was taken. Scores were assigned to dominant, second dominant and surrounding substrate following Table 2. Embeddedness was determined by randomly selecting and examining ten pieces of substrate found in the sampling area and the percentage of rock buried in the fine material was estimated, avoiding rocks disturbed by sampling. A stain line on the rock often indicated the level of burial and aided in the estimation. The average degree of embeddedness based on scores outline in Table 2 was also recorded. If substrate was predominantly fine / organic, a particle size sample was taken by scraping a container on the bottom.

Table 2. Values for particle sizes and embeddedness used to calculate substrate score.

Particle Type/Size			Embeddedness	
Size (cm)	Category	Score	Category	Score
organic cover		0		
< 1	Silt	1	Completely embedded	1
0.1 – 0.2	Sand	2	3/4 embedded	2
0.2 – 0.5	Gravel	3	1/2 embedded	3
0.5 – 2.5	Small pebbles	4	1/4 embedded	4
2.5 – 5.0	Large pebbles	5	unembedded	5
5.0 – 10.0	Small cobble	6		
10.0 – 25.0	Large cobble	7		
> 25.0	Boulders	8		
	Bedrock	9		

An estimate of the size of the larger substrate was obtained by measuring a randomly selected sample of the substrate. The sampler walked through the area from which the invertebrate sample was taken, stopping at random and selecting a rock. To avoid bias the rock closest to either the left or right toe was selected. The maximum length width and height were recorded for 10 rocks and the average, maximum and minimum values were determined.

2.4.3 Channel characteristics

Two measures of stream width were made, bankfull and wetted. A representative cross section of the channel was chosen and a transect was established at right angles to the flow. A tape measure was used to measure the present (wetted) bankfull width and depth. Bankfull levels were determined by locating points of vegetation change on the stream banks, where algae or marl have been scoured from boulders, or where sediment texture abruptly changed. Detailed determination of bankfull dimensions is described in Newbury and Gaboury (1993) and Harrelson et al. (1994). At every meter of the transect established for stream width measurements, velocity and depth were measured using a Marsh McBirney Flow-mate flow meter. The average and maximum velocity and depth were then calculated.

2.4.4 Water Chemistry

Field measurements included surface temperature, dissolved oxygen and conductivity using a Dissolved Oxygen Meter and a YSI Model 63 multi-meter for conductivity. Prior to disturbing the site, the probes were placed away from the bank at least 10 cm below the surface. The device output was allowed to stabilize before recording the value. Water samples were also taken for metals, total phosphorus, nutrients and alkalinity. Water was taken directly from the water column by submerging the sampling container below the surface of the water. A 2 L bottle was rinsed three times and was filled with the air removed prior to replacing cap. A second smaller 50 ml bottle was used for cyanide analysis. This bottle was filled with water being careful not to spill the preservative. Each container was marked with proper, legible labels, with the appropriate Site Code using a water- and solvent-proof marker. Samples were kept cool using a cooler with ice packs in the field and during shipping and then refrigerated once back at the lab. All water samples were submitted to the Laurentian University, Elliott Lake Research Station (Standard Council of Canada accreditation 463-ISO17025). Cyanide analysis was conducted by and sent to PSC Analytical Services. Examined parameters are outlined in Table 3.

Table 3. Water parameters measured at each site.

Ag (ug/L)	Dissolved Oxygen (mg/L)	Ra(226) (Bq/L)
Al (mg/L)	Dissolved Organic Carbon (mg/L)	S (mg/L)
Alkalinity (mg/L)	Fe (mg/L)	Sb (mg/L)
As (mg/L)	Hardness (mg/L)	Se (ug/L)
B (mg/L)	Hg (ug/L)	Sn (mg/L)
Ba (mg/L)	K (mg/L)	SO4 (mg/L)
Be (mg/L)	Li (mg/L)	Te (mg/L)
Bi (mg/L)	Mg (mg/L)	Temperature (Surface) (°C)
Ca (mg/L)	Mn (ug/L)	Ti (mg/L)
Cd (mg/L)	Mo (mg/L)	Total Organic Carbon(mg/L)
Cl (mg/L)	Na (mg/L)	Total Phosphorus (mg/L)
Cyanide (mg/L)	NH3 (mg/L)	Total Suspended Solids (mg/L)
Co (mg/L)	Ni (mg/L)	V (mg/L)
Conductivity (uS/cm)	NO3 (mg/L)	Zn (mg/L)
Cr (ug/L)	Pb (mg/L)	
Cu (mg/L)	pH (pH)	

2.5 Quality Assurance /Quality Control QA/QC

Quality assurance/quality control procedures (QA/QC) were carried out according to Environment Canada's CABIN protocol (Reynoldson et al. 1999). While in the field, technicians ensured that all data sheets (CABIN field forms modified to include more habitat variables) were accurately and completely filled in. They also determined whether the data were reasonable before leaving the field, and if not, the measurements were repeated before leaving. A partner system was used to verify substrate and habitat classification and to ensure that proper methods were used and samples were correctly labeled. Benthos sampling QA/QC was performed at ten percent of sites. For streams, in addition to the first sample taken, 2 additional QA/QC samples were taken (QA/QC1 and QA/QC2 replicate). For lakes, in addition to the three replicate sample taken (A, B, C), an additional three QA/QC samples were taken (QA/QC1, QA/QC2 and QA/QC3).

Sorting and taxonomic QA/QC were conducted regularly, in order to establish a standard sorting efficiency for the sample processing. To ensure acceptable sorting efficiency of >90% of animals in a sub-sample found, each technician was required to retain the residue (enumerated Marchant box cells only) from all samples sorted. Twenty percent of these sub-samples were re-picked in their entirety and the number of new organisms found was tallied on the bench sheet. Sorting efficiency was calculated as the number of organisms missed divided by the total number of animals picked. The sorting efficiency for this project was 91.9% of organisms successfully extracted from the sub-samples (Appendix 1). Benthic invertebrate identification was conducted using appropriate taxonomic keys and by comparing our identifications with the Cooperative Freshwater Ecology Unit's RCA reference collection which has been verified by Craig Logan. Ten percent of samples identified for this project were sent to NWRI for QA/QC to ensure that identification accuracy was greater than the desired 95%. The identification efficiency for this project was 98.7% of organisms correctly identified and 95.5 % of organisms correctly counted.

Habitat data, water chemistry data and benthic data were all entered into Environment Canada's Benthic Information for Reference Conditions (BIRC) database at <http://cabin.cciw.ca>. Data were exported to an Excel spreadsheet and a line-by-line data verification (QA/QC) was conducted by a different person.

3. Model Development

Two models were created using reference data from the Northern Ontario RCA database. In the first model, 92 reference stream sites were used to define reference condition and 117 reference lake sites were used in the second model (Appendices 2-4). Biological data for the lake sites is a sum of 3 replicates and the habitat data is an average of the three replicates. Reference sites not used in the model development included those re-visited on more than one occasion (only data from the first 2003 visit was used in the models), sorted by the one sorter with a QA/QC error rate > 15% (i.e., HEM68 stream site and TIM20 & TIM51 lake sites), and one anomalous stream site (Golden Creek). Replicates of the lake samples sorted by the individual with a high error rate were also excluded and the average of the remaining 1-2 replicates multiplied by three was used in place of the sum of three replicates.

The four endpoints (density, richness, Simpson's diversity, Bray-Curtis Distance) required for EEM were used to characterize benthic invertebrate communities (Metal Mining EEM Guidance Document 2002). Clustering methods were used to group reference sites with similar benthic communities using these four metrics. Discriminant functions analysis (DFA) based on habitat characteristics were used to distinguish these reference groups. Habitat variables important in distinguishing the reference groups in the DFA model were used to assign a test site to an appropriate group. The metrics for a test site were then compared to the appropriate group using Test Site Analysis (TSA; e.g., Bowman et al. 2006).

An unweighted pair-groups method using arithmetic averages (UPGMA) clustering based on the Euclidean distances between the four standardized EEM metrics was used to cluster reference sites. The 2 - 7 group solutions from the UPGMA were used as the input for K-means clustering. We evaluated the 2 - 7 group solutions from the K-means clustering by comparing the actual data matrix to a distance matrix that was based on each of the grouping solutions (i.e., 2-7) with a Mantel's Test. In the clustering solution matrix, all sites within a group are more similar to one another than to sites in other groups.

3.1 Stream Model

The results of the Mantel's test showed that the 6-group solution was the most highly and significantly correlated (i.e., highest r , lowest p ; Figure 1) to the actual data. Thus the 6-group solution was used in further analyses.




Figure 2. Mantel's statistics for 2-7 group clustering solutions for streams

Based on the 6-group solution, the density was highest in group 6 and least in groups 2 and 5 (Table 4). Group 1 had the lowest family richness and Group 5 the highest. Diversity was lowest in Groups 1 and 6. The values for the Bray-Curtis index were the highest in Group 2.

Table 4. Number of reference sites (Nref) and the mean and standard deviation (SD) of the density, richness, diversity and Bray-Curtis metrics in the stream reference-site groups

	Nref		Density	Richness	Diversity	Bray-Curtis
Group 1	20	mean	4674	17	0.44	0.40
		SD	2489	4	0.11	0.03
Group 2	11	mean	2084	20	0.82	0.75
		SD	2670	3	0.07	0.07
Group 3	21	mean	3647	23	0.67	0.35
		SD	2221	4	0.09	0.05
Group 4	18	mean	4471	23	0.82	0.52
		SD	3492	4	0.04	0.06
Group 5	17	mean	2330	31	0.84	0.50
		SD	1410	3	0.07	0.12
Group 6	5	mean	16063	22	0.47	0.48
		SD	4076	3	0.15	0.08

The 6-group solution and 20 habitat variables (Table 5) were used in the Discriminant Functions Analysis (DFA). An average of 62% (range 50 – 100%) of reference sites were correctly predicted to the group to which they actually belonged (Table 6). Percent correct classification was highest for Group 6 and lowest for Group 4.

Table 5. The 20 habitat variables used in the Discriminant Functions Analysis for streams

Variable	Discriminant Function
% Coniferous Forest	-0.08
% Deciduous Forest	0.02
% Water	0.27
% Wetland	0.10
2nd Dominant Substrate	0.37
Base Flow Index	0.39
Bankfull Width	-1.72
Channel Depth	-0.26
Channel Width	0.76
Constant	-0.87
Distance from Source	-1.46
Dominant Substrate	0.06
Drainage Area	-2.41
Ecoregion	0.43
Embeddedness	-0.11
Mean Annual Precipitation	-0.52
Perimeter	4.27
Slope	0.22
Stream Order	-0.23
Surrounding Material	0.83
Velocity	-1.23

Table 6. Total number of sites and the number and proportion of reference sites correctly assigned to each stream group and in the overall model.

Group	1	2	3	4	5	6	Total
No. sites	20	11	21	18	17	5	92
No. correct	11	9	13	9	10	5	57
Proportion	0.55	0.82	0.62	0.50	0.59	1.00	0.62

The habitat variables with large coefficients in the DFA included: bank-full width, distance from source, drainage area, perimeter, and velocity (Table 5; Appendix 5). Narrowing down the number of habitat predictors with forward or backward selection did not improve the performance of the model.

3.2 Lake Model

The same procedures used to develop the stream model were used to develop the lake model (with the exception of a slightly different list of habitat variables). The 4-group clustering solution was used in the DFA models as it was the most highly and significantly correlated (i.e., highest r , lowest p ; Figure 2) to the original data.




Figure 3. Mantel's statistics for 2-7 group clustering solutions for lakes

Mean density was highest in Group 1 (Table 7). Group 4 had relatively low richness and diversity. The mean Bray-Curtis metric was highest in Group 2.

Table 7. Number of reference sites (Nref) and the mean and standard deviation (SD) of the density, richness, diversity and Bray-Curtis metrics in the lake reference-site groups

	Nref		Density	Richness	Diversity	Bray-Curtis
Group 1	16	mean	26176	26	0.77	0.37
		SD	7231	5	0.09	0.06
Group 2	26	mean	8167	25	0.81	0.51
		SD	5204	4	0.06	0.10
Group 3	57	mean	8547	24	0.75	0.27
		SD	3760	4	0.07	0.05
Group 4	18	mean	8544	15	0.52	0.36
		SD	4314	3	0.15	0.10

When 17 habitat variables (Table 8) were used to discriminate among the 4 groups, an average of 58% (range 50 – 78%) of reference sites were correctly predicted to the group to which they actually belonged (Table 9). The percent correct classification was highest for Group 4.

Table 8. The 17 habitat variables used in the Discriminant Functions Analysis for lakes

Variable	Discriminant Function
% Coniferous	0.29
% Deciduous	0.14
% Water	0.31
% Wetland	-0.06
2nd Dominant Substrate	-0.43
Base Flow Index	-1.44
Constant	-0.70
Distance from Source	1.92
Dominant Substrate	0.09
Drainage Area	0.88
Ecoregion	-0.39
Embeddedness	-0.54
Inflow-Outflow	0.46
Mean Annual Precipitation	-0.83
Perimeter	-2.83
Slope	-0.34
Stream Order	0.73
Surrounding Material	0.30

Table 9. Total number of sites and the number and proportion of reference sites correctly assigned to each lake group and in the overall model.

Group	1	2	3	4	Total
No. sites	16	26	57	18	117
No. correct	8	13	30	14	65
Proportion	0.50	0.50	0.53	0.78	0.58

The habitat variables with large coefficients in the lake DFA included: base-flow index, distance from source, and perimeter (Table 8; Appendix 5). As with the stream DFA, attempts to narrow down the number of predictors with forward or backward selection did not improve the performance of the model.

3.3 Model Validation

Reference sites used in the models, replicate reference sites (for QA/QC), historically impacted, and urban stream sites were evaluated using TSA. Sites were assigned to a reference group using the DFA and the metrics of the site were compared to the metrics of the sites in the assigned reference group. A total of 15% of the stream reference sites used in the model were categorized as impaired (N=92; Table 10; Appendix 6). All of the reference sites that were categorized as impaired were assigned to a different group than in the original cluster model. When these incorrectly assigned reference sites were compared to their original group in the model, only 1% were categorized as impaired. The QA/QC replicate reference stream sites (N=8) were categorized as impaired in half of the cases. As with the reference sites used in the stream model, the re-sampled reference sites that were categorized as impaired were predicted to belong to a different group than in the original clustering model. When these QA/QC sites were compare to the group in which they were expected to be assigned based on the membership of its pair site (eg. LSR06 and LSR06QA/QC1), none were assessed as impaired. A total of 17% of urban sites were categorized as impaired whereas 30% historical impacted stream sites were categorized impaired.

Table 10. Summary of TSAs of stream sites

		Reference	Potentially Impaired	Impaired	Total N
Reference sites compared to their predicted group	N	55	23	14	92
	%	60	25	15	
Reference sites compared to original model group	N	82	9	1	92
	%	89	10	1	
QA/QC Repeat Reference sites compared to their predicted group	N	2	2	4	8
	%	25	25	50	
QA/QC Repeat Reference sites compared to original model group	N	0	2	0	2
	%	0	100	0	
Urban sites compared to their predicted group	N	3	12	3	18
	%	17	67	17	
Historically Impacted sites compared to their predicted group	N	3	4	3	10
	%	30	40	30	

The lake reference sites used in the model were categorized as impaired in 18% of cases (N=117; Table 11; Appendix 6). As in the stream-site analyses, all lake reference sites that were categorized as impaired were assigned to a different group than in the cluster solution. When reference sites were compared to their original group in the model, only 1% was assessed as impaired. The QA/QC replicate reference lake sites were categorized as impaired in 43% of cases. As with the reference sites used in the stream model, the re-sampled lake reference sites that were categorized as impaired were predicted to belong to a different group different than in the original clustering. When these QA/QC sites were compare to the group in which they were expected to be assigned based on the membership of its pair site, none were assessed as impaired. Overall, 19% of all reference sites were assessed as impaired (N=124) whereas 42% historical impacted lake sites (N=12) were categorized impacted.

Table 11. Summary of TSAs of lake sites

		Reference	Potentially Impaired	Impaired	Total N
Reference sites compared to their predicted group	N	62	34	21	117
	%	53	29	18	
Reference sites compared to original model group	N	104	12	1	117
	%	89	10	1	
QA/QC Repeat Reference sites compared to their predicted group	N	0	4	3	7
	%	0	57	43	
QA/QC Repeat Reference sites compared to original model group	N	2	0	0	2
	%	100	0	0	
Historically Impacted sites compared to their predicted group	N	3	4	5	12
	%	25	33	42	

4. References

- Bailey, R. C., R. H. Norris, and T. B. Reynoldson. 2004. Bioassessment of freshwater ecosystems using the reference condition approach. Kluwer Academic Publishers, Boston, Massachusetts.
- Bowman, M.F. and K.M. Somers. 2005. Considerations when using the reference condition approach for bioassessment of freshwater ecosystems. *Canadian Water Quality Journal of Canada* 40(3): 347-360.
- Bowman M. F., K. M. Somers, R. A. Reid, and L. D. Scott. 2006. Temporal response of stream benthic macroinvertebrate communities to the synergistic effects of anthropogenic acidification and natural drought events. *Freshwater Biology* 51:768-782.
- Chang, C., Ashenhurst, F., Damaia, S., and Mann, W. 2002. Ontario Flow Assessment Techniques, Version 1.0 OMNR, Northeast Science & Information, South Porcupine, Ontario. NESI TM-011 122p. + App.
- David, S.M., Somers, K.M., Reid, R.A., Hall, R.J., and Girard, R.E. 1998. Sampling protocols for the rapid bioassessment of streams and lakes using benthic macroinvertebrates, Second edition. Ontario Ministry of the Environment Report, Dorset, Ontario. 29 pp. + appendices.
- Harrelson, C.C., C.L. Rawlins, and J.P.Potyondy. 1994. Stream channel reference sites: an illustrated guide to field technique. General Technical Report RM-245. U.S. Department of Agriculture, Forestry Service, Ft. Collins, Colorado. 61 p.
- Marchant, R. 1989. A subsampler for samples of benthic invertebrates. *Australian Society of Limnology Bulletin* 12: 49-52.
- Newbury, R.W. and M.N. Gaboury. 1993. Stream analysis and fish habitat design. A field manual. Newbury Hydraulics, Gibsons, British Columbia. 256p.
- Metal Mining EEM Guidance Document. 2002. Benthic invertebrate community monitoring. Environment Canada. www.ec.gc.ca/eem
- Reynoldson, T. B., R. C. Bailey, K. E. Day, and R. H. Norris. 1995. Biological guidelines for freshwater sediments based on **B**enthic **A**ssessment of **S**edimen**T** (the BEAST) using a multivariate approach for predicting biological state. *Australian Journal of Ecology* 20:198–219.
- Reynoldson, T. B., R. H. Norris, V. H. Resh, K. E. Day, and D. M. Rosenberg. 1997. The reference condition: a comparison of multimetric and multivariate approaches to assess water-quality impairment using benthic macroinvertebrates. *Journal of the North American Benthological Society* 16:833–852.
- Reynoldson, T.B., Logan, C., Pascoe, T., and Thompson, S.P. 1999. CABIN (Canadian Aquatic Biomonitoring Network) Invertebrate Biomonitoring Field and Laboratory Manual. NWRI Report No. 99-211.
- Reynoldson, T. B., D. M. Rosenberg, and V. H. Resh. 2001. Comparison of models predicting invertebrate assemblages for biomonitoring in the Fraser River catchment, British Columbia. *Canadian Journal of Fisheries and Aquatic Sciences* 58:1395–1410.

5. Appendices

Appendix 1 - Sorting and identification QA/QC results.

SORTING QA/QC

Sorter	number sorted	number to be qa/qc (20%)	number qa/qced	average organisms missed (%)
KF	245	49	49	5.3
CSD	146	29	29	6.1
NB	70	14	17	7.6
EL	53	11	14	5.3
PB	50	10	12	8.8
KC	43	9	9	9.2
RG	32	6	7	14.8
DT	18	4	6	29.8
JD	3	1	0	
Total	660	132	143	
Project average w/o DT				8.1

IDENTIFICATION QA/QC

Identifier	number IDed	number to be qa/qc (10%)	number qa/qced	average organisms misIDed (%)	average organisms misIDed & miscounted (%)
LMW	301	30	26	1.2	5.1
CSD	188	19	7	1.2	3.1
KF	87	9			
KC	84	8	10	1.3	5.3
Total	660	66	43		
Project average				1.3	4.5

Appendix 2 - Site information

Site Code	Site Name	Study	Basin	Year	latitude	longitude	altitude (ft)	Inflow/ Outflow
STREAMS								
Mar-31	Blotter Trib	Hemlo Ref Streams	Lk Superior Basin	2003	48.84611	-85.39445	1119	
Mar-32	Kwinkwaga River	Hemlo Ref Streams	Lk Superior Basin	2003	48.86111	-85.30334	1122	
Mar-46	Unnamed Crk	Hemlo Ref Streams	Lk Superior Basin	2003	48.91472	-85.15195	1211	
Mar-47	Davis Crk	Hemlo Ref Streams	Lk Superior Basin	2003	48.87722	-85.10555	1178	
Mar-48	Plate Crk	Hemlo Ref Streams	Lk Superior Basin	2003	48.84472	-85.09250	1201	
Mar-50	Depew River	Hemlo Ref Streams	Lk Superior Basin	2003	48.53722	-85.17167	1329	
Mar-01	Dorothy Crk	Hemlo Ref Streams	Lk Superior Basin	2003	48.94917	-85.93305	899	
Mar-03	Mickey Crk	Hemlo Ref Streams	Lk Superior Basin	2003	48.93667	-85.92500	935	
Mar-05	Mobert Crk	Hemlo Ref Streams	Lk Superior Basin	2003	48.88805	-85.84528	922	
Mar-17	Summers Crk	Hemlo Ref Streams	Lk Superior Basin	2003	48.82444	-85.85778	1046	
Mar-18	Barbara Stream	Hemlo Ref Streams	Lk Superior Basin	2003	48.79500	-85.84917	1007	
Mar-24	Philips Crk	Hemlo Ref Streams	Lk Superior Basin	2003	48.73444	-85.86723	1020	
Mar-28	Lunch Crk	Hemlo Ref Streams	Lk Superior Basin	2003	48.76111	-85.46167	1161	
Abalard Cr.	Abalard Crk	Red Lake Ref Streams	Nelson River Basin	2003	51.11083	-93.72417	1178	
Balmer Trib	Balmer Lake Trib	Red Lake Ref Streams	Nelson River Basin	2003	51.07583	-93.70167	1174	
Chikuni R.	Chikuni River	Red Lake Ref Streams	Nelson River Basin	2003	51.16667	-93.79083	1178	
CMR01	Sawmill Lake Trib	Sudbury Ref Stream	Lk Huron Basin	2003	46.60056	-81.53416	1289	
DIX01	Dixie Crk	Red Lake Ref Streams	Nelson River Basin	2003	50.83972	-93.51806	1106	
Golden Crk	Golden Crk	Red Lake Ref Streams	Nelson River Basin	2003	51.18945	-93.66084	1174	
HEM08	Unnamed Crk - S. Reagan Rd.	Hemlo Ref Streams	Lk Superior Basin	2003	48.66806	-85.58528	1178	
HEM10	Rein Crk	Hemlo Ref Streams	Lk Superior Basin	2003	48.51528	-85.76639	1132	
HEM116	Shabotik River	Hemlo Ref Streams	Lk Superior Basin	2004	48.95222	-85.26195	1102	
HEM117	Strickland River	Hemlo Ref Streams	Lk Superior Basin	2004	48.92611	-85.02556	1145	
HEM112	Binekan Crk	Hemlo Ref Streams	Lk Superior Basin	2003	48.54556	-85.75027	1079	
HEM120	Barehead Crk	Hemlo Ref Streams	Lk Superior Basin	2004	48.93195	-85.93250	932	
HEM121	Nama Crk	Hemlo Ref Streams	Lk Superior Basin	2004	49.13222	-86.01945	951	
HEM122	Rudder Crk	Hemlo Ref Streams	Lk Superior Basin	2004	49.11833	-85.98000	971	
HEM123	Macutagon Crk	Hemlo Ref Streams	Lk Superior Basin	2004	49.16945	-85.60333	1047	
HEM124	Black River	Hemlo Ref Streams	Lk Superior Basin	2004	49.17222	-85.69417	1060	
HEM126	Black River	Hemlo Ref Streams	Lk Superior Basin	2004	48.68806	-86.21222	728	
HEM127	Pic River	Hemlo Ref Streams	Lk Superior Basin	2004	48.70778	-86.28361	617	
HEM128	Tedder River	Hemlo Ref Streams	Lk Superior Basin	2004	48.61167	-85.06695	1352	
HEM129	Tukanee Crk	Hemlo Ref Streams	Lk Superior Basin	2004	48.61417	-85.23055	1299	
HEM130	White River	Hemlo Ref Streams	Lk Superior Basin	2004	48.58778	-85.30666	1214	
HEM14	Triplet Lake Outflow	Hemlo Ref Streams	Lk Superior Basin	2003	48.58306	-85.69417	1148	
HEM16	Oskabukuta River	Hemlo Ref Streams	Lk Superior Basin	2003	48.59444	-85.67083	1096	
HEM22	East Bremner River	Hemlo Ref Streams	Lk Superior Basin	2003	48.52083	-85.40750	1345	
HEM26	Unnamed Trib Oskabukuta	Hemlo Ref Streams	Lk Superior Basin	2003	48.59111	-85.61389	1142	
HEM36	White River	Hemlo Ref Streams	Lk Superior Basin	2003	48.69333	-85.61056	1100	
HEM48	Unnamed Crk	Hemlo Ref Streams	Lk Superior Basin	2003	48.59083	-85.44750	1217	
HEM54	Whitehead's Crk	Hemlo Ref Streams	Lk Superior Basin	2003	48.55750	-85.30278	1253	
HEM68	Wabikoba Crk	Hemlo Ref Streams	Lk Superior Basin	2003	48.71639	-85.79556	1033	
HEM74	Mink Lake Outflow	Hemlo Ref Streams	Lk Superior Basin	2003	48.61028	-85.08750	1450	
ILD01	Island Crk	Sudbury Ref Stream	Lk Huron Basin	2003	46.67667	-81.24555	1043	

Appendix 2 - Site information (contn)

Site Code	Site Name	Study	Basin	Year	latitude	longitude	altitude (ft)	Inflow/ Outflow
ILD02	Sandcherry Crk	Sudbury Ref Stream	Lk Huron Basin	2003	46.66167	-81.21833	938	
LET01	Leano Lake Trib	Red Lake Ref Streams	Nelson River Basin	2003	50.80556	-94.44778	1319	
LSP02	Sable Trib	Sudbury Ref Stream	Lk Huron Basin	2003	46.28250	-82.17416	843	
LSP03	Sable River - Massey	Sudbury Ref Stream	Lk Huron Basin	2003	46.23306	-82.08556	686	
LSR06	Beaudin Crk	Sudbury Ref Stream	Lk Huron Basin	2003	46.29417	-81.75611	692	
LSR07	Ministic Crk Trib	Sudbury Ref Stream	Lk Huron Basin	2003	46.40778	-81.54916	850	
LSR08	Cameron Crk	Sudbury Ref Stream	Lk Huron Basin	2003	46.48361	-81.52444	978	
OPR02	Windy Lake Trib	Sudbury Ref Stream	Lk Huron Basin	2003	46.60778	-81.47389	1188	
RAP01	Rapid River	Sudbury Ref Stream	Lk Huron Basin	2003	46.72445	-81.03555	1079	
RDL15	Red Lake Inflow	Red Lake Ref Streams	Nelson River Basin	2003	51.05583	-94.04278	1184	
RDL16	Unnamed Crk	Red Lake Ref Streams	Nelson River Basin	2003	51.06778	-94.00916	1280	
RED06	Chukuni Trib	Red Lake Ref Streams	Nelson River Basin	2003	50.92250	-93.47972	1220	
RED09	Peisk Crk	Red Lake Ref Streams	Nelson River Basin	2003	51.12861	-94.24611	1286	
RED10	Dixie Cr. Trib	Red Lake Ref Streams	Nelson River Basin	2003	50.80917	-93.79250	1230	
RED12	Dixie Lake Trib	Red Lake Ref Streams	Nelson River Basin	2003	50.83222	-93.73473	1158	
RED22	Stupeck Outflow Trib	Red Lake Ref Streams	Nelson River Basin	2003	50.99111	-94.17361	1201	
RED26	Hugh's Lake Trib	Red Lake Ref Streams	Nelson River Basin	2003	50.96556	-94.20333	1247	
RED45	Pindar Crk Trib	Red Lake Ref Streams	Nelson River Basin	2003	51.16444	-93.66611	1188	
RED48	Sully Crk	Red Lake Ref Streams	Nelson River Basin	2003	50.96806	-93.76750	1207	
RED50	Killoran Crk	Red Lake Ref Streams	Nelson River Basin	2003	50.98333	-93.78139	1227	
RED59	Unnamed Crk	Red Lake Ref Streams	Nelson River Basin	2003	51.09250	-93.80278	1178	
RED73	Bug River	Red Lake Ref Streams	Nelson River Basin	2003	50.92361	-93.76139	1165	
RLT01	Ranger Lake Trib	Red Lake Ref Streams	Nelson River Basin	2003	50.99250	-93.43777	1256	
RLT02	Ranger Lake Trib 2	Red Lake Ref Streams	Nelson River Basin	2003	50.94167	-93.47750	856	
SUD01	Robert's Crk	Sudbury Ref Stream	Lk Huron Basin	2004	46.86945	-81.06167	1184	
SUD02	Vermillion River - Milnet	Sudbury Ref Stream	Lk Huron Basin	2004	46.83417	-80.96222	1073	
SUD03	Sandcherry Cr. Trib	Sudbury Ref Stream	Lk Huron Basin	2004	46.68389	-81.24111	1050	
SUD05	Sucker Crk	Sudbury Ref Stream	Lk Huron Basin	2004	46.58528	-81.75972	1119	
SUD06	Spanish River	Sudbury Ref Stream	Lk Huron Basin	2004	46.63139	-81.72417	1040	
SUD07	Centre Crk	Sudbury Ref Stream	Lk Huron Basin	2004	46.61945	-81.68417	1073	
SUD08	Pumphouse Crk	Sudbury Ref Stream	Lk Huron Basin	2004	46.60833	-81.67167	1178	
SUD09	Pumphouse Crk	Sudbury Ref Stream	Lk Huron Basin	2004	46.64583	-81.58222	1276	
SUD10	Wingekisinaw River	Sudbury Ref Stream	Lk Huron Basin	2004	46.71695	-81.15667	1070	
SUD11	Nelson River	Sudbury Ref Stream	Lk Huron Basin	2004	46.71305	-81.15472	1060	
SUD12	Rapid River	Sudbury Ref Stream	Lk Huron Basin	2004	46.70139	-81.03250	951	
SUD13	Vermillion River	Sudbury Ref Stream	Lk Huron Basin	2004	46.68583	-81.00889	938	
SUD14	Vermillion River	Sudbury Ref Stream	Lk Huron Basin	2004	46.66833	-81.17000	899	
SUD15	Agnes River	Sudbury Ref Stream	Lk Huron Basin	2004	46.72639	-81.82000	1188	
SUD16	Charcoal Crk	Sudbury Ref Stream	Lk Huron Basin	2004	46.64389	-81.97166	1152	
SUD17	Alces Crk	Sudbury Ref Stream	Lk Huron Basin	2004	46.56055	-81.98583	1053	
SUD18	Wakonassin River	Sudbury Ref Stream	Lk Huron Basin	2004	46.51417	-81.95277	1014	
SUD19	Fleck Crk	Sudbury Ref Stream	Lk Huron Basin	2004	46.46167	-81.94945	906	
SUD20	Cutler Crk	Sudbury Ref Stream	Lk Huron Basin	2004	46.44278	-81.94945	915	
SUD21	West River Aux Sables	Sudbury Ref Stream	Lk Huron Basin	2004	46.46917	-82.22389	1086	
SUD22	River Aux Sables	Sudbury Ref Stream	Lk Huron Basin	2004	46.49750	-82.14722	1109	

Appendix 2 - Site information (contn)

Site Code	Site Name	Study	Basin	Year	latitude	longitude	altitude (ft)	Inflow/ Outflow
SUD23	Onaping River	Sudbury Ref Stream	Lk Huron Basin	2004	46.68250	-81.40528	1106	
SUD24	Bailey Crk	Sudbury Ref Stream	Lk Huron Basin	2004	46.79889	-81.60028	1273	
SUD25	East Spanish River	Sudbury Ref Stream	Lk Huron Basin	2004	47.19695	-81.85944	1214	
USR12	Low Water Crk	Sudbury Ref Stream	Lk Huron Basin	2003	47.11111	-81.67917	1352	
VER01	Vermilion River	Sudbury Ref Stream	Lk Huron Basin	2003	46.81917	-80.95695	1060	
ONP01	Onaping River	Sudbury Urban Streams	Lk Huron Basin	2003	46.66333	-81.39250	1043	
OPR01	High Cliff Crk	Sudbury Urban Streams	Lk Huron Basin	2003	46.62944	-81.40334	1086	
PAN03	Whitefish Lake	Sudbury Urban Streams	Lk Huron Basin	2003	46.42944	-80.94055	761	
PAN04	Unnamed Stream - Hwy 69	Sudbury Urban Streams	Lk Huron Basin	2003	46.43389	-80.96639	850	
RAM01	Lily Crk	Sudbury Urban Streams	Ramsey	2003	46.46861	-81.01250	824	
RMF01	Romford Crk	Sudbury Urban Streams	Lk Huron Basin	2003	46.48472	-80.84834	830	
ROB01	Robinson Lake Trib	Sudbury Urban Streams	Lk Huron Basin	2003	46.45417	-81.03917	820	
TIM12	Mountjoy River	Timmins Urban Streams	Mooser River Basin	2003	48.46889	-81.34917	892	
TIM16	Mattagami River	Timmins Urban Streams	Moose River Basin	2003	48.48806	-81.35694	889	
TIM18	South Porcupine River	Timmins Urban Streams	Moose River Basin	2003	48.47500	-81.20805	909	
TIM56	Mattagami Trib	Timmins Urban Streams	Moose River Basin	2003	48.53083	-81.40639	889	
TIM57	Town Crk	Timmins Urban Streams	Moose River Basin	2003	48.48083	-81.34111	909	
UPV01	Vermillion River	Sudbury Urban Streams	Lk Huron Basin	2003	46.70195	-80.92750	984	
WHR01	Whitson River - Cecile Rd.	Sudbury Urban Streams	Lk Huron Basin	2003	46.62222	-81.00861	928	
WHR02	Whitson Trib - Seguin Rd	Sudbury Urban Streams	Lk Huron Basin	2003	46.60833	-81.13361	906	
WHR03	McKenzie Crk	Sudbury Urban Streams	Lk Huron Basin	2003	46.57028	-81.27222	874	
WHR04	Whitson Trib - Errington	Sudbury Urban Streams	Lk Huron Basin	2003	46.57444	-81.19861	882	
WHR05	Whitewater Lake Trib	Sudbury Urban Streams	Lk Huron Basin	2003	46.54389	-81.09139	882	
WHR50	Whitson River	Sudbury Urban Streams	Lk Huron Basin	2003	46.59917	-81.05055	919	
FST1	Frood-Stobie 1 - Junction Crk	Sudbury Hist. Impacted streams	Lk Huron Basin	2004	46.52917	-80.97861	892	
HIS01	Unnamed - Historically Impacted #1	Red Lk Hist Impacted Streams	Nelson River Basin	2003	51.01167	-93.81861	1178	
JC2	Junction Crk	Sudbury Hist. Impacted streams	Lk Huron Basin	2004	46.52278	-80.97972	866	
NMC	Nolin McNeil	Sudbury Hist. Impacted streams	Lk Huron Basin	2003	46.49917	-81.01444	909	
RED57	Halfway Crk	Red Lk Hist Impacted Streams	Nelson River Basin	2003	50.97972	-93.87250	1243	
RED75	Balmer Crk	Red Lk Hist Impacted Streams	Nelson River Basin	2003	51.04417	-93.73167	1168	
LAKES								
HEM02	Melgund Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.68667	-86.15083	840	Inflow
HEM04	Melgund Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.68500	-86.16611	830	Outflow
HEM06	Unnamed Lake - S. Reagan Rd.	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.66472	-85.58639	1184	Outflow
HEM18	Unnamed Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.59361	-85.65500	1115	Inflow
HEM20	Unnamed Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.59389	-85.65667	1115	Outflow
HEM24	Animons Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.63139	-85.56944	1345	Outflow
HEM28	Nursery Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.70444	-85.53611	1142	Inflow
HEM30	Nursery Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.70889	-85.53861	1122	Outflow
HEM32	Unnamed Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.56583	-85.58833	1171	Inflow
HEM34	Unnamed Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.56055	-85.58833	1201	Outflow
HEM38	Deer Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.69972	-85.65111	1102	Inflow
HEM40	Deer Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.69944	-85.64972	1135	Outflow

Appendix 2 - Site information (contn)

Site Code	Site Name	Study	Basin	Year	latitude	longitude	altitude (ft)	Inflow/ Outflow
HEM44	Unnamed Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.50945	-85.45778	1299	Inflow
HEM46	Unnamed Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.50750	-85.46250	1319	Outflow
HEM50	Whitefish Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.50583	-85.32555	1365	Inflow
HEM52	Whitefish Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.51361	-85.31528	1388	Outflow
HEM56	North Crocker Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.63528	-85.38223	1201	Inflow
HEM58	North Crocker Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.63278	-85.38250	1194	Outflow
HEM70	Tukanee lake	Hemlo Large Ref Lakes	Lk Superior Basin	2003	48.64250	-85.22556	1342	Inflow
HEM72	Tukanee Lake	Hemlo Large Ref Lakes	Lk Superior Basin	2003	48.62889	-85.22639	1312	Outflow
HEM80	Sagina Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.47361	-85.12695	1293	Inflow
HEM82	Sagina Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.47055	-85.13639	1292	Outflow
HEM84	Marion Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.43917	-85.11250	1440	Outflow
LEA01	Leano Lake	Red Lake Large Ref Lakes	Nelson River Basin	2003	50.80972	-94.43472	1237	Inflow
LEA02	Leano Lake	Red Lake Large Ref Lakes	Nelson River Basin	2003	50.79694	-94.45583	1237	Outflow
LEA03	Leano Lake	Red Lake Large Ref Lakes	Nelson River Basin	2003	50.79111	-94.43472	1227	Inflow
LSP01	Bull Lake	Sudbury Small Ref Lakes	Lk Huron Basin	2003	46.43917	-81.20639	1161	Outflow
MARA07	Summers Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.83278	-85.85416	1073	Inflow
MARA09	Summers Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.83139	-85.85528	1073	Outflow
MARA11	Dead Otter Lake	Hemlo Large Ref Lakes	Lk Superior Basin	2003	48.86666	-85.79583	1198	Inflow
MARA13	Dead Otter Lake	Hemlo Large Ref Lakes	Lk Superior Basin	2003	48.86583	-85.77695	1181	Outflow
MARA14	Lunny Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.84000	-85.82250	1188	Outflow
MARA15	Amwri Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.80167	-85.86806	1030	Inflow
MARA16	Amwri Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.79278	-85.87945	1020	Outflow
MARA20	Solong Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.81083	-85.77472	1069	Inflow
MARA21	Solong Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.80695	-85.75305	1046	Outflow
MARA22	Wabigoon Lake	Hemlo Large Ref Lakes	Lk Superior Basin	2003	48.77306	-85.76278	1050	Outflow
MARA23	Wabigoon Lake	Hemlo Large Ref Lakes	Lk Superior Basin	2003	48.79556	-85.73972	1050	Inflow
MARA25	Pakoamaga Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.71305	-85.45194	1132	Inflow
MARA26	Pakoamaga Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.71167	-85.46639	1129	Outflow
MARA29	Skewer Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.76111	-85.44389	1096	Inflow
MARA30	Skewer Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.75722	-85.45583	1165	Outflow
MARA33	Bouchard Lake	Hemlo Large Ref Lakes	Lk Superior Basin	2003	48.79250	-85.44444	1165	Inflow
MARA34	Bouchard Lake	Hemlo Large Ref Lakes	Lk Superior Basin	2003	48.77389	-85.48278	1148	Outflow
MARA35	Unnamed Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.92222	-85.26195	1174	Inflow
MARA36	Unnamed Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.92556	-85.25555	1174	Outflow
MARA37	Kenshoe Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.87778	-85.29000	1161	Inflow
MARA38	Kenshoe Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.86722	-85.30556	1148	Outflow
MARA39	Mikano Lake	Hemlo Large Ref Lakes	Lk Superior Basin	2003	48.85944	-85.33694	1122	Outflow
MARA40	Mikano Lake	Hemlo Large Ref Lakes	Lk Superior Basin	2003	48.85111	-85.34834	1119	Inflow
MARA41	Unnamed Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.94667	-85.20750	1158	Inflow
MARA42	Unnamed Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.94278	-85.21694	1152	Outflow
MARA43	Unnamed Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.93139	-85.16055	1270	Outflow
MARA44	Davis Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.87944	-85.18361	1181	Inflow
MARA45	Davis Lake	Hemlo Small Ref Lakes	Lk Superior Basin	2003	48.88889	-85.16972	1224	Outflow
PAN01	Broder Lake 23	Sudbury Small Ref Lakes	Lk Huron Basin	2003	46.39972	-80.95084	856	Outflow
PAN02	Broder Lake 23	Sudbury Small Ref Lakes	Lk Huron Basin	2003	46.39472	-80.96528	863	Inflow

Appendix 2 - Site information (contn)

Site Code	Site Name	Study	Basin	Year	latitude	longitude	altitude (ft)	Inflow/ Outflow
RED02	Red Lake - Pipestone Bay	Red Lake Large Ref Lakes	Nelson River Basin	2003	51.07972	-94.27444	1174	Inflow
RED03	Red Lake - St. Paul Bay	Red Lake Large Ref Lakes	Nelson River Basin	2003	51.01694	-93.92111	1161	Inflow
RED04	Red Lake	Red Lake Large Ref Lakes	Nelson River Basin	2003	50.91278	-93.53555	1142	Outflow
RED05	Lund Lake	Red Lake Large Ref Lakes	Nelson River Basin	2003	51.10111	-94.29694	1247	Outflow
RED07	Unnamed Lake	Red Lake Small Ref Lakes	Nelson River Basin	2003	51.10333	-94.28333	1234	Inflow
RED08	Tote Lake	Red Lake Small Ref Lakes	Nelson River Basin	2003	50.81445	-93.52306	1204	Outflow
RED11	Unnamed Lake	Red Lake Small Ref Lakes	Nelson River Basin	2003	51.14139	-94.19889	1371	Outflow
RED13	Unnamed Lake	Red Lake Small Ref Lakes	Nelson River Basin	2003	51.13750	-94.18945	1332	Inflow
RED14	Unnamed Lake - near Detour	Red Lake Small Ref Lakes	Nelson River Basin	2003	50.90694	-94.24695	1309	Inflow
RED16	Unnamed Lake - near Detour	Red Lake Small Ref Lakes	Nelson River Basin	2003	50.90611	-94.25445	1302	Outflow
RED18	Johnson Lake	Red Lake Small Ref Lakes	Nelson River Basin	2003	50.99222	-94.19444	1243	Outflow
RED19	Unnamed Lake	Red Lake Small Ref Lakes	Nelson River Basin	2003	51.08556	-94.01222	1286	Outflow
RED20	Johnson Lake	Red Lake Small Ref Lakes	Nelson River Basin	2003	50.99000	-94.20750	1240	Inflow
RED21	Unnamed Lake	Red Lake Small Ref Lakes	Nelson River Basin	2003	51.08972	-94.00333	1302	Outflow
RED23	Unnamed Lake	Red Lake Small Ref Lakes	Nelson River Basin	2003	51.10972	-93.96083	1289	Outflow
RED24	Unnamed Lake	Red Lake Small Ref Lakes	Nelson River Basin	2003	50.91528	-94.28500	1299	Outflow
RED25	Unnamed Lake	Red Lake Small Ref Lakes	Nelson River Basin	2003	51.09945	-94.28500	1224	Outflow
RED27	Whiteass Lake	Red Lake Large Ref Lakes	Nelson River Basin	2003	51.18528	-94.06445	1339	Inflow
RED28	Unnamed Lake near Slay's Bay	Red Lake Small Ref Lakes	Nelson River Basin	2003	50.99445	-94.10083	1188	Outflow
RED29	Whiteass Lake	Red Lake Large Ref Lakes	Nelson River Basin	2003	51.20000	-94.04056	1316	Outflow
RED30	Tack Lake	Red Lake Large Ref Lakes	Nelson River Basin	2003	50.93722	-94.04472	1207	Inflow
RED31	Corallen Lake	Red Lake Large Ref Lakes	Nelson River Basin	2003	51.14750	-93.97694	1243	Inflow
RED32	Tack Lake	Red Lake Large Ref Lakes	Nelson River Basin	2003	50.94389	-94.04111	1201	Outflow
RED33	Corallen Lake	Red Lake Large Ref Lakes	Nelson River Basin	2003	51.16667	-93.93056	1207	Outflow
RED40	Flat Lake	Red Lake Large Ref Lakes	Nelson River Basin	2003	50.96972	-93.96194	1204	Inflow
RED41	Sidace Lake	Red Lake Large Ref Lakes	Nelson River Basin	2003	51.29861	-93.52139	1348	Outflow
RED42	Flat Lake	Red Lake Large Ref Lakes	Nelson River Basin	2003	50.96111	-93.93723	1198	Outflow
RED43	Sidace Lake	Red Lake Large Ref Lakes	Nelson River Basin	2003	51.31722	-93.49139	1365	Inflow
RED44	Snib Lake	Red Lake Large Ref Lakes	Nelson River Basin	2003	51.00361	-93.85639	1174	Outflow
RED46	Snib Lake	Red Lake Large Ref Lakes	Nelson River Basin	2003	50.99500	-93.87583	1174	Inflow
RED51	Spiers Lake	Red Lake Small Ref Lakes	Nelson River Basin	2003	50.97944	-93.97305	1227	Outflow
RED52	Upper Medicine Stone	Red Lake Large Ref Lakes	Nelson River Basin	2003	50.90667	-94.00500	1240	Inflow
RED53	Spiers Lake	Red Lake Small Ref Lakes	Nelson River Basin	2003	50.98389	-93.97667	1247	Inflow
RED54	Upper Medicine Stone	Red Lake Large Ref Lakes	Nelson River Basin	2003	50.91306	-94.04583	1227	Outflow
RED56	Russett Lake	Red Lake Large Ref Lakes	Nelson River Basin	2003	50.96778	-93.93056	1198	Inflow
RED58	Russett Lake	Red Lake Large Ref Lakes	Nelson River Basin	2003	50.97334	-93.94000	1191	Outflow
RED69	Dixie Lake	Red Lake Large Ref Lakes	Nelson River Basin	2003	50.81972	-93.72361	1145	Inflow
RED71	Dixie Lake	Red Lake Large Ref Lakes	Nelson River Basin	2003	50.83306	-93.67889	1145	Outflow
STO01	Stone Lake	Red Lake Large Ref Lakes	Nelson River Basin	2003	50.88528	-93.78528	1201	Inflow
STO02	Stone Lake	Red Lake Large Ref Lakes	Nelson River Basin	2003	50.89528	-93.73556	1201	Outflow
TIM02	Scott Lake	Timmins Small Ref Lakes	Moose River Basin	2003	48.12972	-81.24834	1109	Inflow
TIM04	Scott Lake	Timmins Small Ref Lakes	Moose River Basin	2003	48.14056	-81.25445	1100	Outflow
TIM06	McArthur Lake	Timmins Large Ref Lakes	Moose River Basin	2003	48.20000	-81.22472	1066	Outflow
TIM08	McArthur Lake	Timmins Large Ref Lakes	Moose River Basin	2003	48.19639	-81.21250	1119	Inflow

Appendix 2 - Site information (contn)

Site Code	Site Name	Study	Basin	Year	latitude	longitude	altitude (ft)	Inflow/ Outflow
TIM10	Clear Lake	Timmins Small Ref Lakes	Moose River Basin	2003	48.30528	-81.28944	1014	Outflow
TIM14	Hillary Lake	Timmins Small Ref Lakes	Moose River Basin	2003	48.23056	-81.78472	1184	Outflow
TIM20	Reid Lake	Timmins Small Ref Lakes	Moose River Basin	2003	48.40667	-81.32889	1014	Outflow
TIM50	Levalley Lake	Timmins Small Ref Lakes	Moose River Basin	2003	48.37917	-81.79111	1092	Inflow
TIM51	Levalley Lake	Timmins Small Ref Lakes	Moose River Basin	2003	48.37194	-81.80556	1083	Outflow
TIM52	Jowsey Lake	Timmins Large Ref Lakes	Moose River Basin	2003	48.36778	-81.73333	1086	Outflow
TIM53	Jowsey Lake	Timmins Large Ref Lakes	Moose River Basin	2003	48.37611	-81.72889	1099	Inflow
TIM54	Kamiskotia Lake	Timmins Large Ref Lakes	Moose River Basin	2003	48.57306	-81.61584	932	Outflow
TIM55	Kamiskotia Lake	Timmins Large Ref Lakes	Moose River Basin	2003	48.55750	-81.62805	938	Inflow
TIM58	Kenogamissi Lake	Timmins Large Ref Lakes	Moose River Basin	2003	48.34000	-81.49111	1017	Outflow
TIM59	Kenogamissi Lake	Timmins Large Ref Lakes	Moose River Basin	2003	48.29639	-81.48333	1020	Inflow
TIM60	Big Water	Timmins Large Ref Lakes	Moose River Basin	2003	48.61666	-81.26833	938	Outflow
TIM61	Big Water	Timmins Large Ref Lakes	Moose River Basin	2003	48.61167	-81.29472	932	Inflow
USR01	Dowes Lake	Sudbury Small Ref Lakes	Upper Spanish River	2003	46.74667	-81.58583	1368	Inflow
USR02	Dowes Lake	Sudbury Small Ref Lakes	Upper Spanish River	2003	46.74500	-81.59889	1368	Outflow
USR10	Upper Marquette Lake	Sudbury Small Ref Lakes	Lk Huron Basin	2003	47.16083	-81.72417	1414	Outflow
USR11	Halfway Lake	Sudbury Large Ref Lakes	Lk Huron Basin	2003	46.88250	-81.64584	1329	Outflow
USR13	Halfway Lake	Sudbury Large Ref Lakes	Lk Huron Basin	2003	46.90333	-81.63250	1335	Inflow
HEM60	Frank Lake	Hemlo Hist Impacted Small Lks	Lk Superior Basin	2003	48.65361	-85.84889	1138	Inflow
HEM62	Frank Lake	Hemlo Hist Impacted Small Lks	Lk Superior Basin	2003	48.65111	-85.83167	1122	Outflow
HEM64	Lim Lake	Hemlo Hist Impacted Small Lks	Lk Superior Basin	2003	48.67028	-85.90195	1112	Inflow
HEM66	Lim Lake	Hemlo Hist Impacted Small Lks	Lk Superior Basin	2003	48.66389	-85.89167	1102	Outflow
RED01	Red Lake - Pipestone Bay	Red Lk Hist Impacted Large Lks	Nelson River Basin	2003	51.06917	-94.23333	1181	
RED35	Rowan Lake	Red Lk Hist Impacted Small Lks	Nelson River Basin	2003	51.06250	-94.11694	1181	Outflow
RED37	Balmer Lake	Red Lk Hist Impacted Large Lks	Nelson River Basin	2003	51.06389	-93.73055	1165	Outflow
RED39	Balmer Lake	Red Lk Hist Impacted Large Lks	Nelson River Basin	2003	51.07555	-93.72111	1178	Inflow
RED47	Florin Lake	Red Lk Hist Impacted Small Lks	Nelson River Basin	2003	51.00528	-93.82166	1194	Inflow
RED49	Florin Lake	Red Lk Hist Impacted Small Lks	Nelson River Basin	2003	51.00917	-93.82056	1207	Outflow
RED55	Derlak Lake	Red Lk Hist Impacted Small Lks	Nelson River Basin	2003	50.98333	-93.89528	1270	Outflow
RED61	Red Lake - Impacted site	Red Lk Hist Impacted Large Lks	Nelson River Basin	2003	51.07833	-93.82250	1174	

Appendix 3 - Water Chemistry

Site Code	Year	Al (mg/L)	Alkalinity (mg/L)	As (mg/L)	CN(t) (mg/L)	Ca (mg/L)	Cd (mg/L)	Conductivity (uS/cm)	Cu (mg/L)	DO (mg/L)	DOC (mg/L)	Fe (mg/L)	Hardness (mg/L)	K (mg/L)	Mg (mg/L)
STREAMS															
Mar-31	2003	0.011	106	0.001	0.001	39.05	0.0002	251.0	0.0005	12.8	13.14	0.078	128	0.39	7.30
Mar-32	2003	0.013	80	0.001	0.001	25.05	0.0002	185.9	0.0005	11.2	10.08	0.024	84	0.47	5.14
Mar-46	2003	0.027	71	0.003	0.001	22.95	0.0003	162.6	0.0005	6.5	12.72	0.084	81	0.36	5.63
Mar-47	2003	0.028	59	0.001	0.001	20.10	0.0003	146.2	0.0005	10.3	13.90	0.082	70	0.27	4.86
Mar-48	2003	0.013	92	0.001	0.001	29.51	0.0003	218.0	0.0005	9.4	9.11	0.042	100	0.36	6.40
Mar-48	2004	0.018	114	0.001	0.001	37.54	0.0019	160.5	0.0005	10.1	10.56	0.035	122	0.36	6.93
Mar-50	2003	0.008	71	0.001	0.001	23.54	0.0003	182.4	0.0010	10.3	5.72	0.028	78	0.43	4.57
Mar-01	2003	0.118	99	0.002	0.002	34.13	0.0002	302.0	0.0005	10.6	18.32	0.140	114	0.59	7.11
Mar-03	2003	0.121	75	0.001	0.002	22.14	0.0002	168.0	0.0005	8.7	17.29	0.138	77	0.12	5.29
Mar-05	2003	0.071	57	0.001	0.002	19.05	0.0002	141.2	0.0005	8.3	15.28	0.070	62	0.12	3.51
Mar-17	2003	0.046	86	0.001	0.001	32.53	0.0003	295.0	0.0010	10.5	15.63	0.030	102	0.31	5.11
Mar-18	2003	0.088	41	0.001	0.001	13.44	0.0003	112.2	0.0005	9.9	21.05	0.074	47	0.30	3.14
Mar-18	2004	0.098	45	0.002	0.001	16.58	0.0018	76.6	0.0005	10.1	18.86	0.094	56	0.36	3.49
Mar-24	2003	0.092	34	0.001	0.001	12.20	0.0002	174.3	0.0010	6.8	21.00	0.125	43	0.27	2.93
Mar-28	2003	0.035	64	0.001	0.001	19.61	0.0002	149.1	0.0005	5.7	14.02	0.052	67	0.54	4.39
Abalard Crk	2003	0.110	30	0.025	0.001	10.59	0.0002	72.7	0.0005	5.5	38.10	0.509	40	0.74	3.37
Balmer Trib	2003	0.140	41	0.094	0.001	16.20	0.0025	109.1	0.0005	3.9	52.44	1.430	55	1.14	3.56
Chikuni R.	2003	0.058	26	0.014	0.001	7.88	0.0002	64.3	0.0005	9.9	11.98	0.221	28	0.54	1.89
CMR01	2003	0.134	8	0.001	0.001	3.26	0.0002	42.0	0.0020	5.6	10.93	0.796	13	0.39	1.07
DIX01	2003	0.238	44	0.001	0.001	14.98	0.0002	106.8	0.0005	6.4	28.39	0.454	55	1.00	4.33
Golden Crk	2003	0.214	39	0.003	0.001	13.95	0.0002	96.8	0.0005	7.4	28.39	0.670	49	0.80	3.53
HEM08	2003	0.071	33	0.001	0.002	10.13	0.0002	44.1	0.0010	8.3	16.78	0.074	36	0.47	2.53
HEM10	2003	0.222	18	0.001	0.002	7.37	0.0002	54.8	0.0010	8.3	28.53	0.126	25	0.19	1.58
HEM116	2004	0.049	92	0.001	0.001	28.05	0.0019	119.2	0.0005	10.0	13.66	0.229	94	0.33	5.76
HEM117	2004	0.027	78	0.003	0.001	25.38	0.0019	112.3	0.0005	9.1	27.24	0.152	86	0.30	5.42
HEM112	2003	0.131	41	0.001	0.002	14.18	0.0002	103.9	0.0010	6.7	25.63	0.106	48	0.25	3.14
HEM120	2004	0.173	75	0.001	0.001	27.89	0.0019	131.6	0.0005	11.0	17.04	0.215	91	0.32	5.26
HEM121	2004	0.080	72	0.001	0.001	26.23	0.0019	105.6	0.0005	11.1	16.38	0.229	86	0.30	4.98
HEM122	2004	0.052	126	0.001	0.001	50.27	0.0019	222.0	0.0018	8.4	14.67	0.090	158	0.79	7.93
HEM123	2004	0.029	98	0.002	0.001	33.30	0.0018	145.2	0.0005	9.7	13.58	0.090	108	0.27	5.95
HEM124	2004	0.050	76	0.001	0.001	26.64	0.0019	112.6	0.0005	10.1	14.72	0.147	87	0.23	4.94
HEM126	2004	0.241	76	0.001	0.001	28.79	0.0020	124.4	0.0005	9.6	13.10	0.310	94	0.35	5.33
HEM127	2004	0.609	90	0.001	0.001	35.61	0.0019	131.1	0.0022	9.9	13.00	0.784	115	0.58	6.41
HEM128	2004	0.015	70	0.003	0.001	24.16	0.0019	115.1	0.0005	9.6	7.70	0.054	79	0.34	4.48
HEM129	2004	0.003	30	0.001	0.001	9.97	0.0019	49.0	0.0005	10.1	5.20	0.024	34	0.19	2.24
HEM130	2004	0.040	74	0.001	0.001	21.07	0.0019	112.7	0.0005	11.1	6.20	0.095	70	0.31	4.24
HEM14	2003	0.091	28	0.001	0.001	9.31	0.0002	74.4	0.0005	6.3	13.90	0.057	31	0.37	1.98
HEM16	2003	0.058	43	0.001	0.001	13.71	0.0002	104.2	0.0005	8.0	16.28	0.100	46	0.40	2.85
HEM16	2004	0.032	49	0.001	0.001	14.28	0.0009	75.7	0.0049	9.6	11.76	0.089	47	0.27	2.69
HEM22	2003	0.117	38	0.001	0.001	11.36	0.0002	86.9	0.0005	7.2	13.62	0.122	39	0.19	2.63
HEM26	2003	0.120	30	0.001	0.001	10.89	0.0002	81.7	0.0005	5.8	21.68	0.172	38	0.14	2.51
HEM36	2003	0.086	48	0.001	0.001	15.34	0.0002	95.1	0.0005	8.0	13.10	0.092	52	0.25	3.22
HEM48	2003	0.131	22	0.001	0.001	7.23	0.0002	59.4	0.0005	6.0	11.80	0.159	25	0.04	1.64
HEM54	2003	0.060	52	0.001	0.001	15.76	0.0003	119.6	0.0005	8.2	8.84	0.070	54	0.29	3.43
HEM54	2004	0.046	67	0.001	0.001	21.57	0.0009	99.7	0.0005	9.7	8.72	0.058	71	0.26	4.24
HEM68	2003	0.052	57	0.001	0.001	20.01	0.0002	146.2	0.0005	8.0	10.70	0.068	70	0.36	4.85

Appendix 3 - Water Chemistry (contn)

Site Code	Mo (mg/L)	NH3 (mg/L)	NO3 (mg/L)	Na (mg/L)	Ni (mg/L)	Pb (mg/L)	SO4 (mg/L)	TP(Wat) (mg/L)	TSS (mg/L)	Temp(Air) °C	Temp(Surface) °C	Zn (mg/L)	pH (pH)
STREAMS													
Mar-31	0.0004	0.060	0.04	0.771	0.0002	0.0003	1.38	0.012	0.5	8.5	7.1	0.001	7.7
Mar-32	0.0004	0.039	0.02	0.755	0.0002	0.0003	2.15	0.009	0.5	8.7	8.8	0.001	8.0
Mar-46	0.0087	0.025	0.02	0.626	0.0007	0.0080	1.65	0.010	0.5	19.3	9.7	0.003	7.4
Mar-47	0.0004	0.024	0.01	0.896	0.0007	0.0007	1.83	0.013	0.5	15.7	9.7	0.001	7.4
Mar-48	0.0004	0.023	0.02	0.852	0.0002	0.0009	1.96	0.011	0.5	13.0	9.5	0.001	7.9
Mar-48	0.0004	0.019	0.01	0.639	0.0023	0.0003	2.01	0.011	0.5	2.0	7.6	0.003	8.1
Mar-50	0.0004	0.031	0.01	2.590	0.0002	0.0008	2.79	0.012	0.5	13.5	9.3	0.001	7.7
Mar-01	0.0093	0.026	0.06	8.610	0.0043	0.0006	2.59	0.028	10.0	4.7	5.9	0.020	7.7
Mar-03	0.0076	0.023	0.04	0.842	0.0002	0.0042	2.33	0.016	3.0	5.9	5.3	0.001	7.7
Mar-05	0.0008	0.025	0.04	0.597	0.0002	0.0006	1.99	0.016	7.0	3.7	5.7	0.001	7.7
Mar-17	0.0004	0.029	0.04	9.530	0.0016	0.0003	3.67	0.017	0.5	9.7	6.1	0.003	7.7
Mar-18	0.0004	0.030	0.04	2.020	0.0003	0.0003	2.06	0.010	0.5	5.5	6.4	0.001	7.3
Mar-18	0.0004	0.028	0.01	1.377	0.0019	0.0003	2.20	0.003	0.5	3.0	6.0	0.003	7.4
Mar-24	0.0004	0.033	0.02	1.370	0.0007	0.0003	1.59	0.018	0.5	6.5	5.8	0.004	7.2
Mar-28	0.0004	0.045	0.11	0.799	0.0002	0.0003	1.72	0.012	0.5	0.0	5.5	0.002	7.4
Abalard Crk	0.0004	0.041	0.04	1.120	0.0007	0.0003	0.41	0.037	3.0	4.0	8.9	0.002	6.5
Balmer Trib	0.0004	0.254	0.02	1.360	0.0012	0.0003	0.33	0.135	7.0	3.0	11.2	0.007	6.6
Chikuni R.	0.0004	0.033	0.02	1.150	0.0002	0.0013	1.41	0.024	6.0	7.1	12.4	0.001	7.4
CMR01	0.0004	0.023	0.08	1.310	0.0201	0.0003	4.83	0.086	1.0	19.7	15.4	0.008	6.1
DIX01	0.0004	0.031	0.04	1.520	0.0007	0.0003	0.89	0.027	7.0	2.0	10.4	0.001	6.9
Golden Crk	0.0004	0.018	0.07	1.500	0.0002	0.0003	0.91	0.024	4.0	2.7	9.1	0.001	7.0
HEM08	0.0008	0.029	0.03	0.542	0.0006	0.0006	2.19	0.012	1.0	3.0	6.6	0.002	7.3
HEM10	0.0008	0.026	0.02	0.818	0.0012	0.0012	2.27	0.012	1.0	1.0	5.4	0.001	7.0
HEM116	0.0019	0.022	0.03	0.647	0.0022	0.0003	1.64	0.001	43.0	4.3	8.5	0.005	7.7
HEM117	0.0009	0.021	0.05	0.746	0.0007	0.0003	1.69	0.007	3.0	2.0	8.6	0.003	7.7
HEM12	0.0008	0.028	0.04	0.786	0.0003	0.0009	2.14	0.011	1.0	1.0	5.5	0.001	7.4
HEM120	0.0004	0.019	0.04	3.036	0.0003	0.0003	1.95	0.006	13.0	2.0	6.9	0.003	7.8
HEM121	0.0004	0.023	0.03	0.459	0.0028	0.0003	3.83	0.007	0.5	3.0	6.7	0.008	7.8
HEM122	0.0004	0.022	0.09	6.611	0.0007	0.0003	5.17	0.011	2.0	2.0	4.9	0.002	7.7
HEM123	0.0004	0.016	0.1	0.453	0.0007	0.0003	1.37	0.003	0.5	2.0	5.9	0.002	7.7
HEM124	0.0004	0.020	0.04	0.438	0.0022	0.0006	1.38	0.002	13.0	3.0	5.9	0.005	7.6
HEM126	0.0004	0.020	0.05	1.327	0.0028	0.0003	5.93	0.001	36.0	3.0	8.1	0.007	7.9
HEM127	0.0004	0.017	0.03	0.671	0.0038	0.0003	2.13	0.022	99.0	4.0	7.8	0.005	8.0
HEM128	0.0004	0.015	0.01	2.041	0.0020	0.0003	2.77	0.008	1.0	1.0	9.1	0.003	7.8
HEM129	0.0004	0.016	0.05	0.527	0.0002	0.0003	3.11	0.004	1.0	1.0	5.9	0.005	7.6
HEM130	0.0004	0.016	0.02	2.341	0.0016	0.0003	2.98	0.007	0.5	2.0	7.1	0.002	7.8
HEM14	0.0008	0.026	0.01	0.683	0.0003	0.0007	2.54	0.012	0.5	2.0	6.4	0.001	7.3
HEM16	0.0004	0.043	0.02	0.737	0.0013	0.0003	1.86	0.011	0.5	3.0	7.5	0.001	7.4
HEM16	0.0004	0.032	0.03	0.461	0.0027	0.0003	2.13	0.006	1.0	1.0	9.3	0.003	7.4
HEM22	0.0228	0.044	0.15	0.820	0.0002	0.0013	2.25	0.009	0.5	2.0	7.5	0.001	7.3
HEM26	0.0004	0.036	0.04	0.679	0.0002	0.0003	1.37	0.009	0.5	0.0	4.3	0.001	7.0
HEM36	0.0122	0.034	0.02	1.690	0.0005	0.0066	2.38	0.017	0.5	7.0	6.6	0.001	7.7
HEM48	0.0004	0.023	0.17	0.772	0.0002	0.0011	2.12	0.014	0.5	8.0	6.2	0.001	6.7
HEM54	0.0004	0.032	0.05	0.826	0.0003	0.0003	3.09	0.013	0.5	15.0	8.6	0.001	7.5
HEM54	0.0004	0.021	0.01	0.703	0.0002	0.0003	2.76	0.008	0.5	7.0	8.9	0.003	7.8
HEM68	0.0008	0.039	0.03	1.090	0.0017	0.0011	4.21	0.019	0.5	10.0	8.7	0.001	7.4

Appendix 3 - Water Chemistry (contn)

Site Code	Year	Al (mg/L)	Alkalinity (mg/L)	As (mg/L)	CN(t) (mg/L)	Ca (mg/L)	Cd (mg/L)	Conductivity (uS/cm)	Cu (mg/L)	DO (mg/L)	DOC (mg/L)	Fe (mg/L)	Hardness (mg/L)	K (mg/L)	Mg (mg/L)
HEM74	2003	0.026	76	0.001	0.001	24.62	0.0002	185.9	0.0005	10.2	3.41	0.004	81	0.43	4.67
ILD01	2003	0.138	9	0.004	0.001	3.84	0.0002	43.9	0.0020	7.4	7.06	1.120	14	0.26	1.18
ILD02	2003	0.111	9	0.002	0.001	4.59	0.0002	52.0	0.0010	6.8	5.43	0.649	17	0.32	1.45
ILD02	2004	0.100	15	0.001	0.001	5.34	0.0002	32.7	0.0064	9.1	4.07	0.674	19	0.51	1.49
LET01	2003	0.505	4	0.001	0.001	2.82	0.0002	32.3	0.0010	10.0	37.03	0.721	11	0.58	1.05
LSP02	2003	0.131	11	0.001	0.001	6.33	0.0002	68.3	0.0005	9.2	2.15	0.211	22	0.38	1.51
LSP03	2003	0.029	12	0.003	0.001	4.27	0.0002	48.3	0.0005	7.4	4.42	0.206	15	0.27	1.10
LSR06	2003	0.073	33	0.004	0.001	11.48	0.0002	118.2	0.0005	5.3	10.74	0.896	44	0.71	3.66
LSR06	2004	0.115	38	0.006	0.001	12.76	0.0010	79.3	0.0005	7.2	8.38	1.102	46	0.64	3.48
LSR07	2003	0.380	42	0.006	0.001	12.80	0.0002	131.7	0.0005	7.7	7.33	2.760	52	0.91	4.85
LSR07	2004	0.052	40	0.002	0.001	11.81	0.0010	73.9	0.0005	11.8	5.34	1.898	46	0.59	3.93
LSR08	2003	0.270	24	0.001	0.001	2.85	0.0004	78.7	0.0020	8.3	11.75	1.470	11	0.35	0.84
LSR08	2004	0.033	24	0.001	0.001	6.69	0.0008	45.3	0.0005	10.6	9.22	0.501	26	0.44	2.23
MARA46	2003	0.027	71	0.003	0.001	22.95	0.0003	162.6	0.0005	6.5	12.72	0.084	81	0.36	5.63
OPR02	2003	0.741	7	0.006	0.001	2.05	0.0002	31.3	0.0020	1.8	9.86	6.380	8	0.35	0.62
RAP01	2003	0.097	6	0.001	0.001	2.86	0.0002	38.8	0.0005	9.8	6.36	0.327	11	0.33	0.85
RDL15	2003	0.176	18	0.002	0.001	9.49	0.0002	59.4	0.0005	7.3	29.99	0.297	32	0.48	2.04
RDL16	2003	0.728	6	0.007	0.003	8.80	0.0002	57.1	0.0005	6.3	65.89	0.960	30	0.12	1.82
RED06	2003	0.243	29	0.002	0.002	13.94	0.0002	86.2	0.0005	8.3	37.04	0.398	49	0.63	3.49
RED09	2003	0.250	14	0.001	0.001	2.65	0.0002	25.9	0.0005	6.3	18.95	0.649	10		0.81
RED10	2003	0.122	33	0.006	0.001	11.00	0.0002	83.0	0.0005	7.3	28.70	0.213	42	0.72	3.37
RED12	2003	0.207	25	0.002	0.001	9.01	0.0003	62.9	0.0005	7.1	27.25	0.374	32	0.52	2.22
RED22	2003	0.095	12	0.003	0.001	3.49	0.0002	37.7	0.0005	6.8	12.31	0.133	14	0.58	1.29
RED26	2003	0.587	3	0.006	0.001	3.10	0.0002	34.8	0.0005	4.8	34.19	0.626	13	0.22	1.25
RED45	2003	0.215	20	0.002	0.002	9.74	0.0002	62.9	0.0005	6.9	38.38	0.882	34	0.32	2.37
RED48	2003									8.9					
RED50	2003									8.0					
RED59	2003									8.9					
RED73	2003	0.069	22	0.001	0.001	7.07	0.0002	73.8	0.0005	7.0	12.18	0.232	27	0.54	2.18
RLT01	2003	0.130	37	0.001	0.001	14.70	0.0002	94.8	0.0005	7.4	28.11	0.400	51	0.60	3.47
RLT02	2003	0.317	59	0.001	0.001	18.60	0.0002	142.5	0.0005	7.5	32.79	0.419	70	1.35	5.83
SUD01	2004	0.044	19	0.006	0.001	6.01	0.0002	36.0	0.0005	8.5	5.49	0.513	22	0.33	1.64
SUD02	2004	0.029	21	0.003	0.001	7.59	0.0002	41.4	0.0005	9.6	4.82	0.141	26	0.25	1.69
SUD03	2004	0.113	13	0.005	0.001	5.04	0.0002	32.0	0.0028	8.0	4.26	0.698	18	0.43	1.40
SUD05	2004	0.082	24	0.001	0.001	9.40	0.0002	41.2	0.0005	8.2	13.72	0.471	28	0.37	1.21
SUD06	2004	0.041	16	0.001	0.001	6.01	0.0002	33.7	0.0005	8.5	7.89	0.150	20	0.25	1.28
SUD07	2004	0.042	21	0.001	0.001	7.95	0.0002	36.4	0.0005	9.4	6.89	0.413	25	0.28	1.17
SUD08	2004	0.038	20	0.003	0.001	7.20	0.0002	64.8	0.0005	9.0	5.47	0.451	24	0.54	1.53
SUD09	2004	0.036	18	0.001	0.001	7.89	0.0002	80.8	0.0005	8.5	4.89	0.367	27	0.68	1.74
SUD10	2004	0.157	6	0.001	0.001	2.48	0.0002	20.4	0.0005	9.3	4.45	1.041	9	0.31	0.73
SUD11	2004	0.126	8	0.003	0.001	3.08	0.0002	21.4	0.0005	11.4	7.22	1.326	11	0.34	0.92
SUD12	2004	0.107	13	0.004	0.001	4.64	0.0002	31.0	0.0005	10.3	4.52	0.838	16	0.46	1.18
SUD13	2004	0.023	37	0.003	0.001	13.67	0.0002	109.7	0.0005	9.6	5.42	0.228	46	1.07	2.85
SUD14	2004	0.018	33	0.001	0.001	13.11	0.0002	90.2	0.0005	9.8	4.74	0.284	45	0.79	2.89
SUD15	2004	0.010	9	0.003	0.001	3.44	0.0002	22.8	0.0005	9.2	4.61	0.064	12	0.18	0.82
SUD16	2004	0.025	15	0.003	0.001	4.87	0.0002	31.7	0.0005	9.3	3.55	0.199	18	0.33	1.31
SUD17	2004	0.009	14	0.003	0.001	4.43	0.0002	29.4	0.0005	9.3	2.22	0.042	16	0.28	1.16

Appendix 3 - Water Chemistry (contn)

Site Code	Mo (mg/L)	NH3 (mg/L)	NO3 (mg/L)	Na (mg/L)	Ni (mg/L)	Pb (mg/L)	SO4 (mg/L)	TP(Wat) (mg/L)	TSS (mg/L)	Temp(Air) °C	Temp(Surface) °C	Zn (mg/L)	pH (pH)
HEM74	0.0004	0.022	3.24	2.080	0.0012	0.0003	3.24	0.011	0.5	20.0	9.9	0.001	7.9
ILD01	0.0004	0.056	0.06	1.070	0.0070	0.0003	5.32	0.023	0.5	25.8	18.9	0.001	6.8
ILD02	0.0004	0.030	0.05	1.100	0.0049	0.0003	6.34	0.024	0.5	26.4	17.8	0.002	7.2
ILD02	0.0008	0.026	0.05	2.851	0.0132	0.0096	7.02	0.015	0.5	22.7	18.3	0.023	7.4
LET01	0.0022	0.014	0.04	0.825	0.0007	0.0003	1.27	0.013	3.0	8.3	8.6	0.006	5.1
LSP02	0.0004	0.027	0.11	1.610	0.0013	0.0003	7.29	0.022	17.0	24.3	9.6	0.002	6.6
LSP03	0.0004	0.026	0.02	1.150	0.0102	0.0003	5.14	0.019	0.5	22.1	19.8	0.007	7.1
LSR06	0.0004	0.041	0.03	3.280	0.0017	0.0003	7.05	0.028	4.0	18.8	18.6	0.003	7.4
LSR06	0.0051	0.031	0.01	2.305	0.0032	0.0003	7.67	0.028	6.0	8.8	9.4	0.004	7.1
LSR07	0.0004	0.024	0.12	2.470	0.0039	0.0003	9.81	0.069	39.0	17.2	14.9	0.012	7.4
LSR07	0.0167	0.034	0.08	1.754	0.0043	0.0003	7.69	0.026	6.0	9.7	5.9	0.004	7.3
LSR08	0.0004	0.102	0.05	1.120	0.0219	0.0003	2.72	0.028	4.0	16.6	17.3	0.005	7.2
LSR08	0.0076	0.031	0.05	1.201	0.0018	0.0003	6.84	0.016	1.0	5.9	7.7	0.002	7.2
MARA46	0.0087	0.025	0.02	0.626	0.0007	0.0080	1.65	0.010	0.5	19.3	9.7	0.003	7.4
OPR02	0.0004	0.229	0.03	1.070	0.0264	0.0031	1.77	0.119	121.0	19.1	16.7	0.006	5.6
RAP01	0.0238	0.040	0.06	0.994	0.0086	0.0312	6.24	0.007	0.5	2.9	2.7	0.003	6.2
RDL15	0.0065	0.015	0.03	1.190	0.0004	0.0003	2.14	0.009	1.0	9.2	8.5	0.002	6.7
RDL16	0.0004	0.016	0.01	1.350	0.0015	0.0003	3.98	0.021	0.5	8.6	7.5	0.002	5.0
RED06	0.0066	0.017	0.07	1.440	0.0008	0.0003	0.52	0.023	8.0	4.0	7.5	0.001	7.0
RED09	0.0008	0.015	0.02	0.684	0.0003	0.0003	1.07	0.016	1.0	8.7	8.2	0.002	5.7
RED10	0.0038	0.015	0.03	1.540	0.0004	0.0003	1.22	0.013	0.5	7.1	7.8	0.001	7.0
RED12	0.0008	0.016	0.04	1.200	0.0010	0.0003	0.68	0.021	10.0	7.0	8.1	0.002	6.8
RED22	0.0004	0.019	0.03	0.870	0.0008	0.0062	2.18	0.006	2.0	10.1	11.0	0.005	6.7
RED26	0.0004	0.019	0.02	0.794	0.0017	0.0006	3.05	0.009	0.5	5.7	7.2	0.004	4.9
RED45	0.0008	0.025	0.08	1.260	0.0009	0.0003	0.80	0.022	3.0	5.0	6.4	0.002	6.9
RED48										6.5	6.4		
RED50										6.7	7.3		
RED59										4.8	6.2		
RED73	0.0004	0.110	0.55	2.190	0.0003	0.0003	1.25	0.026	0.5	2.5	4.9	0.001	7.0
RLT01	0.0004	0.014	0.05	1.050	0.0003	0.0003	0.25	0.019	6.0	3.0	9.9	0.001	7.1
RLT02	0.0004	0.021	0.07	1.830	0.0006	0.0003	1.22	0.042	3.0	2.0	8.6	0.002	7.1
SUD01	0.0010	0.038	0.02	0.794	0.0026	0.0003	6.87	0.009	0.5	18.6	16.3	0.002	7.1
SUD02	0.0004	0.029	0.04	0.756	0.0020	0.0003	6.82	0.007	0.5	22.6	17.7	0.002	7.5
SUD03	0.0004	0.023	0.05	1.089	0.0112	0.0039	6.53	0.010	10.0	23.8	17.2	0.024	7.0
SUD05	0.0004	0.022	0.05	0.970	0.0057	0.0003	4.09	0.014	1.0	18.0	12.1	0.009	7.1
SUD06	0.0004	0.032	0.02	1.002	0.0023	0.0003	5.39	0.005	0.5	19.7	17.9	0.002	7.3
SUD07	0.0004	0.032	0.08	0.726	0.0025	0.0003	4.47	0.003	0.5	21.2	15.1	0.003	7.4
SUD08	0.0004	0.024	0.01	4.887	0.0045	0.0003	7.20	0.006	0.5	22.5	16.7	0.004	7.2
SUD09	0.0004	0.021	0.04	6.564	0.0045	0.0003	7.49	0.009	0.5	22.2	17.7	0.003	7.2
SUD10	0.0004	0.027	0.07	0.696	0.0046	0.0003	6.64	0.016	1.0	24.3	14.0	0.003	6.5
SUD11	0.0004	0.070	0.09	0.659	0.0063	0.0015	4.98	0.014	1.0	20.0	13.7	0.005	6.7
SUD12	0.0004	0.055	0.03	0.831	0.0054	0.0003	6.64	0.008	3.0	23.2	16.5	0.004	6.8
SUD13	0.0004	0.786	0.15	5.943	0.0068	0.0003	11.90	0.008	0.5	23.4	16.3	0.005	7.5
SUD14	0.0004	0.122	0.26	3.980	0.0038	0.0003	10.20	0.007	0.5	22.3	16.8	0.003	7.6
SUD15	0.0004	0.044	0.01	0.650	0.0002	0.0003	5.55	0.007	0.5	13.6	14.1	0.005	7.1
SUD16	0.0004	0.039	0.06	0.938	0.0005	0.0003	5.94	0.003	0.5	10.1	13.0	0.002	7.1
SUD17	0.0004	0.028	0.05	0.940	0.0010	0.0003	6.00	0.004	0.5	9.9	11.2	0.002	7.2

Appendix 3 - Water Chemistry (contn)

Site Code	Year	Al (mg/L)	Alkalinity (mg/L)	As (mg/L)	CN(t) (mg/L)	Ca (mg/L)	Cd (mg/L)	Conductivity (uS/cm)	Cu (mg/L)	DO (mg/L)	DOC (mg/L)	Fe (mg/L)	Hardness (mg/L)	K (mg/L)	Mg (mg/L)
SUD18	2004	0.017	14	0.001	0.001	4.92	0.0002	32.0	0.0005	8.9	3.35	0.097	18	0.31	1.33
SUD19	2004	0.074	15	0.001	0.001	4.58	0.0002	30.2	0.0005	8.5	6.71	0.427	17	0.35	1.26
SUD20	2004	0.031	29	0.001	0.001	8.13	0.0002	53.6	0.0005	8.1	4.96	0.658	31	0.55	2.54
SUD21	2004	0.046	14	0.001	0.001	4.81	0.0002	29.7	0.0005	8.0	3.55	0.423	17	0.36	1.10
SUD22	2004	0.022	10	0.005	0.001	3.66	0.0002	24.1	0.0005	9.2	5.76	0.098	12	0.20	0.80
SUD23	2004	0.029	11	0.004	0.001	4.14	0.0002	28.6	0.0005	8.8	7.34	0.225	15	0.27	1.11
SUD24	2004	0.043	8	0.003	0.001	3.55	0.0002	29.0	0.0005	8.5	13.73	0.116	13	0.23	0.92
SUD25	2004	0.108	19	0.002	0.001	7.49	0.0002	41.3	0.0005	8.1	5.21	0.236	26	0.24	1.72
USR12	2003	0.141	16	0.001	0.001	5.30	0.0004	93.2	0.0005	5.0	9.32	0.475	19	0.36	1.49
VER01	2003	0.045	16	0.002	0.001	6.45	0.0002	66.9	0.0005	9.1	4.08	0.198	23	0.42	1.55
ONP01	2003	0.059	10	0.001	0.001	4.42	0.0002	53.2	0.0010	8.6	5.57	0.200	16	0.29	1.22
OPR01	2003	0.044	7	0.002	0.001	7.41	0.0002	40.7	0.0010	6.7	6.51	0.784	29	0.56	2.66
PAN03	2003	0.037	72	0.001	0.001	28.36	0.0002	739.0	0.0030	3.1	6.60	0.632	103	3.31	7.88
PAN04	2003	0.332	39	0.001	0.001	19.80	0.0002	740.0	0.0330	7.5	7.72	0.968	75	3.98	6.27
RAM01	2003	0.264	64	0.001	0.001	26.62	0.0002	800.0	0.0100	3.3	7.70	0.636	98	3.33	7.55
RMF01	2003	0.027	38	0.001	0.001	11.52	0.0002	313.0	0.0220	7.4	7.54	0.191	49	3.66	4.99
ROB01	2003	0.016	40	0.001	0.002	16.13	0.0002	467.0	0.0130	7.2	11.38	0.038	60	1.81	4.80
TIM12	2003	0.032	82	0.001	0.001	24.92	0.0002	206.0	0.0005	7.8	11.46	0.167	89	0.35	6.51
TIM16	2003	0.036	42	0.001	0.001	14.54	0.0002	123.7	0.0010	7.8	8.64	0.110	50	0.25	3.27
TIM18	2003	0.007	159	0.001	0.023	145.70	0.0003	1524.0	0.0120	6.9	7.45	0.041	628	6.43	64.04
TIM56	2003	0.084	69	0.001	0.002	23.08	0.0002	157.9	0.0005	11.2	25.68	0.338	79	0.46	5.22
TIM57	2003	0.021	166	0.003	0.003	153.20	0.0002	1577.0	0.0020	8.8	3.39	0.025	578	3.43	47.41
UPV01	2003	0.029	25	0.001	0.002	9.55	0.0002	92.7	0.0020	6.9	10.12	0.241	33	0.57	2.25
WHR01	2003	0.041	88	0.003	0.001	41.51	0.0002	411.0	0.0030	6.1	16.10	0.845	136	0.90	7.95
WHR02	2003	0.016	232	0.004	0.001	77.06	0.0002	583.0	0.0020	6.2	27.51	0.157	299	0.88	25.78
WHR03	2003	0.049	65	0.004	0.001	22.61	0.0002	164.1	0.0040	4.0	35.64	0.328	81	0.47	5.95
WHR04	2003	0.136	314	0.001	0.001	125.80	0.0003	2060.0	0.0040	3.3	33.93	1.820	449	3.13	32.67
WHR05	2003	0.145	20	0.001	0.001	15.01	0.0002	414.0	0.0510	5.0	10.28	1.740	57	2.08	4.70
WHR50	2003	0.036	70	0.002	0.001	26.22	0.0002	335.0	0.0070	7.6	6.80	0.477	88	1.06	5.52
FST1	2004	0.162	10	0.001	0.001	64.24	0.0042	945.0	0.1835	12.7	3.20	0.218	256	2.45	23.10
FST1	2003	0.237	11			18.70			0.1960	8.8	4.90	0.160		0.97	9.50
HIS01	2003	0.269	55	0.004	0.001	49.54	0.0004	647.0	0.0005	5.4	15.19	0.714	154	3.30	7.23
JC2	2004	0.092	68	0.001	0.001	46.85	0.0027	793.0	0.0381	11.7	4.80	0.774	165	4.13	11.77
JC2	2003	0.133	42			21.90			0.0620	11.3	5.20	0.580		2.00	9.13
Nolin McNeil	2003	0.121	28			333.00			0.0970	11.6	1.30	0.350		12.40	17.70
RED57	2003									9.0					
RED75	2003	0.039	135	0.219	0.041	55.17	0.0003	540.0	0.0110	4.9	19.45	0.342	210	4.35	17.54
LAKES															
HEM02	2003	0.163	86	0.001	0.002	26.35	0.0002	204.0	0.0005	7.5	34.07	0.277		0.23	6.99
HEM04	2003	0.032	121	0.001	0.001	38.04	0.0002	412.0	0.0010	6.6	17.60	0.156		0.43	9.15
HEM06	2003	0.044	33	0.001	0.002	10.09	0.0002	77.5	0.0010	7.2	10.00	0.044		0.46	1.84
HEM18	2003	0.062	35	0.001	0.001	12.20	0.0002	95.6	0.0005	7.3	12.97	0.110		0.40	2.66
HEM20	2003	0.061	38	0.001	0.001	12.27	0.0002	96.9	0.0010	6.8	13.53	0.105		0.38	2.66
HEM24	2003	0.024	29	0.001	0.001	8.64	0.0002	68.3	0.0005	6.3	14.46	0.068		0.26	1.43
HEM28	2003	0.012	98	0.001	0.001	33.74	0.0002	232.0	0.0005	7.6	7.80	0.031		0.51	6.05
HEM30	2003	0.024	96	0.001	0.001	31.89	0.0002	233.0	0.0005	7.4	8.00	0.024		0.49	5.48

Appendix 3 - Water Chemistry (contn)

Site Code	Mo (mg/L)	NH3 (mg/L)	NO3 (mg/L)	Na (mg/L)	Ni (mg/L)	Pb (mg/L)	SO4 (mg/L)	TP(Wat) (mg/L)	TSS (mg/L)	Temp(Air) °C	Temp(Surface) °C	Zn (mg/L)	pH
SUD18	0.0004	0.031	0.04	0.960	0.0008	0.0024	6.09	0.004	0.5	11.7	14.3	0.004	7.3
SUD19	0.0004	0.030	0.04	1.058	0.0016	0.0003	5.04	0.009	0.5	12.6	13.0	0.003	7.0
SUD20	0.0004	0.048	0.02	1.229	0.0002	0.0003	4.96	0.005	0.5	12.6	10.8	0.003	7.1
SUD21	0.0004	0.048	0.01	0.829	0.0002	0.0003	4.98	0.010	0.5	19.8	14.1	0.002	6.9
SUD22	0.0004	0.041	0.02	0.726	0.0002	0.0003	5.65	0.003	0.5	13.0	12.7	0.004	6.9
SUD23	0.0004	0.056	0.03	1.145	0.0034	0.0003	5.79	0.005	0.5	11.1	12.0	0.005	7.1
SUD24	0.0004	0.043	0.02	1.702	0.0042	0.0003	5.75	0.005	1.0	13.9	15.0	0.006	6.8
SUD25	0.0004	0.046	0.07	1.288	0.0026	0.0003	4.19	0.008	0.5	13.5	15.3	0.003	7.1
USR12	0.0004	0.083	0.04	5.040	0.0329	0.0003	4.89	0.015	0.5	12.5	16.6	0.007	6.6
VER01	0.0008	0.025	0.11	1.050	0.0064	0.0003	8.56	0.006	0.5	6.1	5.7	0.002	7.1
ONP01	0.0004	0.031	0.06	1.330	0.0102	0.0003	7.83	0.008	0.5	4.3	4.6	0.003	6.7
OPR01	0.0004	0.027	0.06	1.680	0.0064	0.0003	5.94	0.020	9.0	20.1	17.8	0.002	6.4
PAN03	0.0004	0.025	0.03	62.050	0.0406	0.0007	17.70	0.050	1.0	16.5	14.6	0.009	7.0
PAN04	0.0004	0.023	0.22	66.520	0.1030	0.0003	31.40	0.017	3.0	19.3	15.0	0.037	7.3
RAM01	0.0004	0.102	0.02	88.450	0.0353	0.0003	14.10	0.029	13.0	13.8	15.2	0.005	7.0
RMF01	0.0004	0.039	0.47	22.610	0.1120	0.0003	20.10	0.019	0.5	9.1	5.5	0.005	7.2
ROB01	0.0004	0.035	0.01	37.170	0.0582	0.0003	18.20	0.020	3.0	7.0	7.1	0.003	6.7
TIM12	0.0008	0.017	0.06	2.150	0.0011	0.0003	8.60	0.012	2.0	3.0	5.5	0.001	7.7
TIM16	0.0008	0.026	0.05	1.950	0.0004	0.0003	4.88	0.014	0.5	-1.0	5.7	0.001	7.6
TIM18	0.0008	0.023	2.86	45.000	0.0130	0.0006	470.00	0.014	0.5	-1.0	3.8	0.004	7.6
TIM56	0.0008	0.025	0.07	1.680	0.0014	0.0003	0.59	0.037	4.0	2.4	4.4	0.002	7.3
TIM57	0.0008	0.021	0.29	59.040	0.0038	0.0003	374.00	0.010	1.0	-0.6	4.1	0.004	8.0
UPV01	0.0008	0.026	0.06	2.070	0.0019	0.0003	9.93	0.019	1.0	17.0	17.9	0.001	7.4
WHR01	0.0008	0.032	0.13	20.450	0.0162	0.0003	18.70	0.018	1.0	23.3	13.7	0.002	7.6
WHR02	0.0008	0.035	0.11	3.040	0.0038	0.0003	12.20	0.047	0.5	25.8	14.2	0.002	7.8
WHR03	0.0008	0.041	0.02	1.970	0.0188	0.0003	0.84	0.043	1.0	21.1	15.5	0.003	7.1
WHR04	0.0008	0.130	0.76	220.500	0.0075	0.0003	36.50	0.092	3.0	26.1	11.7	0.011	7.2
WHR05	0.0008	0.022	0.11	31.470	0.1480	0.0012	22.70	0.020	4.0	12.5	13.6	0.005	6.8
WHR50	0.0008	0.125	5.78	16.520	0.0353	0.0003	16.00	0.021	0.5	5.4	5.7	0.002	7.3
FST1	0.0015	0.016	0.09	78.795	1.2846	0.0003	143.00	0.009	0.5	5.0	5.5	0.185	6.4
FST1		0.016	0.5	45.000	0.7560		68.00	0.025	1.5	8.0	8.2	0.144	6.6
HIS01	0.0004	0.017	0.03	43.880	0.0005	0.0003	78.80	0.038	7.0	2.0	8.9	0.024	7.0
JC2	0.0040	0.017	0.01	78.976	0.3481	0.0003	57.10	0.014	2.0	8.5	5.6	0.022	7.8
JC2		0.044	0.5	74.300	0.5490		45.00	0.025	1.5	-1.0	2.5	0.035	7.4
Nolin McNeil		1.540	0.5	77.000	0.3540		890.00	0.065	11.0	-1.0	3.5	0.013	7.3
RED57										4.2	7.7		
RED75	0.0004	0.072	0.04	11.460	0.0146	0.0006	50.90	0.251	6.0	6.8	5.2	0.007	7.3
LAKES													
HEM02	0.0004	0.031	0.05	3.310	0.0002	0.0003	2.56	0.016	0.5	4.8	6.0	0.002	7.7
HEM04	0.0004	0.034	0.03	19.190	0.0002	0.0003	3.37	0.018	0.5	4.8	7.9	0.001	8.0
HEM06	0.0008	0.048	0.02	0.777	0.0003	0.0006	1.94	0.018	1.0	4.0	8.5	0.001	7.5
HEM18	0.0037	0.032	0.02	0.729	0.0003	0.0029	2.25	0.013	0.5	3.0	8.0	0.001	7.5
HEM20	0.0004	0.026	0.03	0.745	0.0003	0.0003	2.28	0.012	0.5	3.0	8.2	0.001	7.3
HEM24	0.0004	0.028	0.02	0.633	0.0002	0.0003	1.88	0.019	0.5	0.0	5.6	0.001	7.3
HEM28	0.0004	0.028	0.01	2.510	0.0002	0.0003	1.96	0.017	0.5	1.0	9.9	0.014	8.0
HEM30	0.0004	0.028	0.01	2.500	0.0002	0.0003	1.92	0.015	1.0	1.0	10.2	0.001	8.0

Appendix 3 - Water Chemistry (contn)

Site Code	Year	Al (mg/L)	Alkalinity (mg/L)	As (mg/L)	CN(t) (mg/L)	Ca (mg/L)	Cd (mg/L)	Conductivity (uS/cm)	Cu (mg/L)	DO (mg/L)	DOC (mg/L)	Fe (mg/L)	Hardness (mg/L)	K (mg/L)	Mg (mg/L)
HEM32	2003	0.055	66	0.001	0.001	20.51	0.0002	161.9	0.0005	8.6	15.13	0.126		0.34	4.62
HEM32	2004	0.025	74	0.001	0.001	23.31	0.0009	115.4	0.0005	7.1	12.73	0.086		0.32	4.57
HEM34	2003	0.099	40	0.001	0.001	13.04	0.0002	100.2	0.0005	9.0	14.87	0.114		0.34	3.00
HEM34	2004	0.051	54	0.001	0.001	16.36	0.0009	75.9	0.0030	8.2	18.50	0.086		0.24	3.48
HEM38	2003	0.018	75	0.001	0.001	22.57	0.0002	188.7	0.0005	6.4	11.58	0.062		0.33	4.98
HEM40	2003	0.020	70	0.004	0.003	23.19	0.0002	194.8	0.0005	8.3	23.42	0.053		0.31	4.87
HEM44	2003	0.178	25	0.001	0.001	9.41	0.0002	70.4	0.0005	7.3	24.55	0.116		0.23	1.98
HEM46	2003	0.157	31	0.001	0.001	10.61	0.0002	81.5	0.0005	7.2	12.99	0.088		0.28	2.24
HEM50	2003	0.028	44	0.001	0.001	15.13	0.0002	115.2	0.0005	8.4	7.78	0.068		0.30	3.34
HEM50	2004	0.022	52	0.001	0.001	17.72	0.0009	84.8	0.0005	10.5	7.97	0.034		0.23	3.65
HEM52	2003	0.048	46	0.001	0.001	14.59	0.0003	121.2	0.0005	9.6	8.12	0.068		0.31	3.24
HEM52	2004	0.023	61	0.001	0.001	18.18	0.0009	85.5	0.0005	10.1	8.45	0.062		0.28	3.81
HEM56	2003	0.018	109	0.001	0.001	34.93	0.0003	251.0	0.0005	7.7	3.32	0.015		0.60	6.52
HEM58	2003	0.020	106	0.001	0.002	31.46	0.0003	235.0	0.0005	8.2	4.19	0.006		0.55	5.89
HEM70	2003	0.056	28	0.001	0.001	9.80	0.0002	79.4	0.0005	7.7	4.98	0.011		0.28	2.30
HEM70	2004	0.048	30	0.001	0.001	10.04	0.0009	48.4	0.0005	9.7	6.99	0.028		0.18	2.21
HEM72	2003	0.048	29	0.001	0.001	9.77	0.0002	80.4	0.0005	7.6	4.67	0.010		0.24	2.33
HEM72	2004	0.063	30	0.001	0.001	9.97	0.0019	46.7	0.0005	8.0	6.83	0.026		0.19	2.22
HEM80	2003	0.017	47	0.001	0.001	15.46	0.0002	126.8	0.0005	7.2	6.64	0.043		0.27	3.56
HEM82	2003	0.020	46	0.001	0.001	15.31	0.0002	132.0	0.0005	7.5	6.59	0.045		0.27	3.58
HEM84	2003	0.054	28	0.003	0.001	12.51	0.0002	510.0	0.0005	7.6	8.12	0.027		0.87	2.26
LEA01	2003	0.150	8	0.001	0.001	2.80	0.0002	31.8	0.0010	8.0	16.54	0.166		0.51	0.99
LEA02	2003	0.147	7	0.001	0.001	2.80	0.0002	30.8	0.0010	7.4	15.35	0.160		0.48	0.98
LEA03	2003	0.075	10	0.001	0.001	3.38	0.0002	36.5	0.0010	7.9	15.68	0.284		0.51	1.16
LSP01	2003	0.007	6	0.006	0.001	3.71	0.0002	40.0	0.0005	7.3	4.01	0.022		0.17	0.66
LSP01	2003	0.007	6	0.006	0.001	3.71	0.0002	40.0	0.0005	7.3	4.01	0.022		0.17	0.66
MARA07	2003	0.033	90	0.001	0.002	32.44	0.0002	242.0	0.0010	12.1	11.97	0.033		0.24	5.21
MARA09	2003	0.057	94	0.001	0.002	32.73	0.0002	357.0	0.0020	9.1	12.98	0.049		0.40	5.43
MARA11	2003	0.023	72	0.001	0.001	24.29	0.0002	173.4	0.0005	6.8	13.64	0.036		0.21	4.63
MARA13	2003	0.054	54	0.001	0.001	18.44	0.0002	139.5	0.0005	8.5	15.85	0.020		0.26	3.74
MARA14	2003	0.089	63	0.002	0.001	24.99	0.0002	173.1	0.0040	8.6	15.30	0.048		0.37	3.79
MARA15	2003	0.049	67	0.001	0.001	23.46	0.0002	199.2	0.0020	7.3	17.96	0.056		0.47	4.55
MARA16	2003	0.046	76	0.001	0.001	28.20	0.0002	228.0	0.0010	10.6	14.46	0.048		0.55	5.19
MARA20	2003	0.018	77	0.001	0.001	21.85	0.0003	169.9	0.0005	6.0	13.19	0.045		0.45	5.28
MARA21	2003	0.018	77	0.001	0.001	22.46	0.0003	175.2	0.0005	10.5	12.52	0.040		0.43	5.28
MARA21	2003	0.018	77	0.001	0.001	22.46	0.0003	175.2	0.0005	10.5	12.52	0.040		0.43	5.28
MARA22	2003	0.032	71	0.001	0.001	21.53	0.0003	170.6	0.0010	7.0	8.92	0.050		0.28	5.19
MARA23	2003	0.039	70	0.001	0.001	22.22	0.0002	174.4	0.0010	8.5	13.07	0.092		0.30	5.30
MARA25	2003	0.019	100	0.001	0.001	33.68	0.0002	243.0	0.0010	6.9	6.82	0.013		0.55	7.21
MARA26	2003	0.051	67	0.001	0.001	19.48	0.0002	165.1	0.0010	11.7	12.83	0.100		0.35	4.14
MARA29	2003	0.104	76	0.001	0.001	23.45	0.0002	166.3	0.0005	9.3	17.52	0.074		0.52	4.73
MARA30	2003	0.078	77	0.001	0.001	27.90	0.0002	188.0	0.0005	9.4	15.45	0.092		0.58	8.28
MARA33	2003	0.010	110	0.001	0.001	32.42	0.0002	227.0	0.0005	9.8	8.00	0.009		0.54	6.29
MARA34	2003	0.004	105	0.001	0.001	32.47	0.0002	222.0	0.0005	9.6	7.08	0.010		0.55	6.13
MARA35	2003	0.024	119	0.001	0.002	34.78	0.0002	245.0	0.0010	8.9	7.85	0.018		0.46	6.64
MARA36	2003	0.011	116	0.005	0.002	38.07	0.0002	270.0	0.0010	10.5	6.46	0.007		0.49	7.35
MARA37	2003	0.003	163	0.001	0.002	47.64	0.0002	317.0	0.0005	7.6	5.91	0.025		0.63	8.18
MARA38	2003	0.011	119	0.008	0.002	37.18	0.0002	256.0	0.0005	10.6	7.00	0.011		0.52	7.07

Appendix 3 - Water Chemistry (contn)

Site Code	Mo (mg/L)	NH3 (mg/L)	NO3 (mg/L)	Na (mg/L)	Ni (mg/L)	Pb (mg/L)	SO4 (mg/L)	TP(Wat) (mg/L)	TSS (mg/L)	Temp(Air) °C	Temp(Surface) °C	Zn (mg/L)	pH (pH)
HEM32	0.0008	0.055	0.04	0.820	0.0002	0.0023	1.93	0.013	2.0	2.0	6.2	0.002	7.6
HEM32	0.0004	0.073	0.02	0.657	0.0002	0.0003	2.04	0.009	0.5	9.0	9.4	0.002	7.9
HEM34	0.0004	0.039	0.01	0.766	0.0002	0.0003	1.83	0.014	0.5	-2.0	4.4	0.002	7.3
HEM34	0.0004	0.033	0.02	0.577	0.0024	0.0006	1.77	0.010	0.5	4.1	7.8	0.003	7.3
HEM38	0.0004	0.022	0.01	3.360	0.0002	0.0003	2.28	0.020	2.0	8.0	9.3	0.004	7.8
HEM40	0.0044	0.024	0.01	3.350	0.0005	0.0003	2.23	0.018	0.5	8.0	9.8	0.004	7.9
HEM44	0.0004	0.041	0.01	0.839	0.0002	0.0003	2.10	0.015	0.5	8.0	6.2	0.003	7.0
HEM46	0.0004	0.039	0.03	0.919	0.0009	0.0014	2.21	0.013	0.5	8.0	6.4	0.006	7.2
HEM50	0.0004	0.040	0.03	0.763	0.0011	0.0011	2.16	0.012	0.5	18.0	8.0	0.001	7.5
HEM50	0.0004	0.031	0.01	0.647	0.0004	0.0003	2.67	0.009	1.0	13.1	10.0	0.004	7.8
HEM52	0.0004	0.040	0.04	0.758	0.0003	0.0003	2.27	0.015	0.5	15.0	7.9	0.003	7.6
HEM52	0.0004	0.033	0.01	0.711	0.0024	0.0011	2.64	0.008	0.5	13.1	10.7	0.006	7.7
HEM56	0.0004	0.064	0.05	3.400	0.0013	0.0011	3.31	0.016	0.5	18.0	9.9	0.001	7.8
HEM58	0.0004	0.071	0.02	2.100	0.0013	0.0007	3.10	0.013	1.0	18.0	8.2	0.001	7.9
HEM70	0.0004	0.023	0.04	0.924	0.0011	0.0009	3.83	0.009	0.5	21.0	11.8	0.001	7.5
HEM70	0.0004	0.015	0.05	0.520	0.0015	0.0003	3.13	0.006	1.0	2.0	9.8	0.000	7.6
HEM72	0.0004	0.021	0.04	0.779	0.0003	0.0003	2.93	0.014	0.5	21.0	10.4	0.001	7.4
HEM72	0.0033	0.023	0.03	0.520	0.0021	0.0003	3.09	0.006	1.0	1.7	10.5	0.002	7.6
HEM80	0.0004	0.022	0.01	2.180	0.0006	0.0014	2.90	0.016	0.5	10.0	9.9	0.001	7.5
HEM82	0.0004	0.025	0.01	2.790	0.0002	0.0003	2.69	0.013	0.5	8.0	9.0	0.001	7.5
HEM84	0.0011	0.043	0.01	51.280	0.0010	0.0013	4.46	0.016	0.5	10.0	9.7	0.001	7.4
LEA01	0.0004	0.022	0.05	0.852	0.0003	0.0003	1.57	0.011	1.0	8.2	12.9	0.003	6.3
LEA02	0.0004	0.022	0.03	0.775	0.0005	0.0003	1.54	0.015	1.0	7.6	13.1	0.002	6.3
LEA03	0.0004	0.023	0.02	0.884	0.0008	0.0003	1.47	0.011	2.0	7.2	6.0	0.002	6.6
LSP01	0.0004	0.021	0.02	1.040	0.0006	0.0003	3.44	0.013	0.5	21.3	20.7	0.001	7.3
LSP01	0.0004	0.021	0.02	1.040	0.0006	0.0003	3.44	0.013	0.5	21.3	20.7	0.001	7.3
MARA07	0.0008	0.037	0.08	3.480	0.0002	0.0006	3.72	0.027	49.0	6.2	6.6	0.001	7.7
MARA09	0.0008	0.057	0.03	16.500	0.0003	0.0006	3.58	0.015	4.0	6.4	7.0	0.001	7.9
MARA11	0.0008	0.025	0.01	0.704	0.0003	0.0003	2.22	0.009	1.0	1.5	4.4	0.001	7.5
MARA13	0.0004	0.026	0.04	0.656	0.0006	0.0003	2.48	0.008	0.5	3.9	7.5	0.001	7.8
MARA14	0.0004	0.030	0.06	0.788	0.0003	0.0014	3.17	0.011	0.5	5.8	5.4	0.001	7.5
MARA15	0.0004	0.030	0.04	4.460	0.0003	0.0003	2.99	0.009	0.5	5.4	5.8	0.002	7.6
MARA16	0.0004	0.027	0.03	4.670	0.0009	0.0003	2.95	0.015	2.0	3.5	6.8	0.001	7.8
MARA20	0.0057	0.023	0.005	0.806	0.0002	0.0244	1.97	0.024	3.0	0.3	7.1	0.001	8.0
MARA21	0.0097	0.028	0.01	0.712	0.0002	0.0006	2.00	0.024	2.0	2.9	6.1	0.001	8.0
MARA21	0.0097	0.028	0.01	0.712	0.0002	0.0006	2.00	0.024	2.0	2.9	6.1	0.001	8.0
MARA22	0.0004	0.025	0.01	0.713	0.0011	0.0003	2.61	0.034	17.0	2.2	6.0	0.002	7.9
MARA23	0.0191	0.021	0.02	0.667	0.0002	0.0162	2.76	0.018	2.0	4.4	7.5	0.005	8.0
MARA25	0.0004	0.026	0.005	0.999	0.0002	0.0003	3.32	0.014	0.5	5.7	7.8	0.001	8.1
MARA26	0.0004	0.041	0.04	3.050	0.0026	0.0003	2.71	0.020	1.0	6.3	6.7	0.003	7.8
MARA29	0.0004	0.032	0.02	0.802	0.0004	0.0003	0.90	0.016	0.5	5.3	6.2	0.001	7.5
MARA30	0.0004	0.041	2.12	0.801	0.0002	0.0003	1.34	0.009	3.0	7.9	7.5	0.001	7.5
MARA33	0.0004	0.029	0.02	0.940	0.0002	0.0006	2.23	0.017	0.5	7.3	8.7	0.001	8.0
MARA34	0.0004	0.025	0.01	0.910	0.0002	0.0008	2.27	0.015	0.5	10.3	9.0	0.001	8.1
MARA35	0.0004	0.043	0.01	0.985	0.0004	0.0008	2.62	0.016	2.0	13.3	8.7	0.001	7.7
MARA36	0.0053	0.160		0.881	0.0002	0.0006	2.69	0.015	1.0	15.0	7.5	0.001	8.0
MARA37	0.0008	0.044	0.01	0.975	0.0003	0.0006	1.56	0.011	1.0	14.5	9.4	0.001	7.7
MARA38	0.0008	0.034	0.01	0.814	0.0004	0.0006	2.07	0.011	1.0	13.7	10.1	0.003	8.0

Appendix 3 - Water Chemistry (contn)

Site Code	Year	Al (mg/L)	Alkalinity (mg/L)	As (mg/L)	CN(t) (mg/L)	Ca (mg/L)	Cd (mg/L)	Conductivity (uS/cm)	Cu (mg/L)	DO (mg/L)	DOC (mg/L)	Fe (mg/L)	Hardness (mg/L)	K (mg/L)	Mg (mg/L)
MARA39	2003	0.010	83	0.001	0.002	25.38	0.0002	184.7	0.0005	9.2	8.40	0.027		0.50	5.33
MARA40	2003	0.014	66	0.001	0.001	23.22	0.0002	164.4	0.0005	9.4	13.28	0.044		0.40	4.93
MARA41	2003	0.008	75	0.001	0.001	22.22	0.0002	162.7	0.0005	8.6	13.16	0.056		0.33	5.11
MARA42	2003	0.012	79	0.001	0.001	23.06	0.0002	173.9	0.0005	10.2	10.67	0.065		0.41	5.50
MARA43	2003	0.069	35	0.001	0.001	12.12	0.0002	99.3	0.0005	6.8	10.86	0.023		0.54	3.04
MARA44	2003	0.013	76	0.002	0.001	22.79	0.0002	163.2	0.0005	8.4	13.93	0.060		0.25	5.36
MARA45	2003	0.010	65	0.001	0.001	20.21	0.0003	156.8	0.0005	9.6	10.18	0.041		0.35	4.89
PAN01	2003	0.004	4	0.001	0.001	2.75	0.0002	39.6	0.0050	6.7	3.86	0.017		0.30	1.00
PAN01	2004	0.022	5	0.001	0.001	2.65	0.0010	21.1	0.0094	9.3	4.06	0.046		0.31	0.87
PAN02	2003	0.063	7	0.003	0.001	3.22	0.0002	44.4	0.0060	5.8	5.30	0.568		0.29	1.25
PAN02	2004	0.013	5	0.006	0.001	2.60	0.0010	20.4	0.0046	8.5	4.01	0.029		0.27	0.86
RED02	2003	0.009	33	0.002	0.002	8.39	0.0002	79.0	0.0005	8.0	6.99	0.010		0.59	2.83
RED03	2003	0.135	36	0.007	0.002	13.25	0.0002	106.2	0.0005	6.5	15.28	0.192		0.76	3.27
RED04	2003	0.019	33	0.007	0.002	11.79	0.0002	98.1	0.0005	6.2	10.95	0.034		0.68	2.78
RED05	2003	0.007	13	0.002	0.002	4.07	0.0002	36.9	0.0005	6.7	10.21	0.030		0.44	1.01
RED07	2003	0.144	6	0.001	0.001	4.84	0.0002	37.3	0.0005	5.5	24.92	0.891		0.38	1.26
RED08	2003	0.006	11	0.001	0.002	2.69	0.0002	30.6	0.0005	7.5	13.21	0.014		0.84	0.80
RED08	2003	0.006	11	0.001	0.002	2.69	0.0002	30.6	0.0005	7.5	13.21	0.014		0.84	0.80
RED11	2003	0.069	10	0.002	0.001	2.08	0.0003	24.7	0.0005	7.1	10.42	0.372		0.35	0.77
RED13	2003	0.113	6	0.001	0.001	2.13	0.0003	24.3	0.0005	10.9	10.90	0.449		0.35	0.77
RED14	2003	0.135	11	0.001	0.002	3.50	0.0003	36.6	0.0005	5.5	16.08	0.647		0.66	1.07
RED16	2003	0.199	9	0.006	0.001	3.82	0.0003	38.3	0.0010	5.6	16.62	0.901		0.77	1.14
RED18	2003	0.008	33	0.002	0.001	12.00	0.0002	90.0	0.0010	8.3	8.64	0.013		0.69	1.99
RED19	2003	0.015	14	0.004	0.001	3.92	0.0002	41.0	0.0010	7.2	8.54	0.041		0.39	1.10
RED20	2003	0.018	24	0.001	0.001	7.03	0.0002	62.5	0.0010	7.5	9.86	0.063		0.53	1.48
RED21	2003	0.101	10	0.001	0.001	2.80	0.0002	32.7	0.0010	6.7	10.82	0.825		0.34	1.01
RED23	2003	0.336	5	0.008	0.001	1.93	0.0002	25.8	0.0005	6.6	16.86	1.120		0.47	0.82
RED24	2003	0.239	21	0.013	0.001	7.77	0.0002	60.6	0.0005	5.4	28.66	0.627		1.04	2.08
RED25	2003	0.168	13	0.003	0.001	4.69	0.0002	37.7	0.0005	6.7	22.00	1.150		0.40	1.17
RED25	2003	0.168	13	0.003	0.001	4.69	0.0002	37.7	0.0005	6.7	22.00	1.150		0.40	1.17
RED27	2003	0.502	6	0.004	0.001	3.90	0.0002	32.9	0.0005	7.7	35.65	2.030		0.31	1.07
RED28	2003	0.052	18	0.008	0.002	5.58	0.0002	52.8	0.0005	6.7	14.10	0.085		0.50	1.51
RED29	2003	0.003	10	0.002	0.002	3.05	0.0002	30.8	0.0005	8.6	8.46	0.013		0.38	0.76
RED29	2003	0.003	10	0.002	0.002	3.05	0.0002	30.8	0.0005	8.6	8.46	0.013		0.38	0.76
RED30	2003	0.032	16	0.002	0.002	6.02	0.0002	53.9	0.0005	7.1	9.58	0.043		0.51	1.30
RED31	2003	0.106	17	0.002	0.002	5.15	0.0002	47.3	0.0005	5.3	10.47	0.403		0.58	1.48
RED32	2003	0.050	16	0.006	0.002	6.26	0.0002	54.5	0.0005	7.5	11.61	0.191		0.50	1.44
RED33	2003	0.013	16	0.040	0.002	4.76	0.0002	46.1	0.0005	8.3	11.33	0.061		0.55	1.35
RED40	2003									4.7					
RED41	2003	0.014	15	0.005	0.001	4.25	0.0002	38.8	0.0005	8.6	8.93	0.093		0.34	0.96
RED42	2003									5.1					
RED43	2003	0.032	13	0.004	0.001	4.29	0.0002	37.9	0.0005	10.5	11.01	0.188		0.32	0.95
RED44	2003									6.3					
RED46	2003									6.1					
RED51	2003									7.2					
RED52	2003	0.039	13	0.001	0.001	4.38	0.0002	44.7	0.0005	6.1	10.04	0.026		0.49	1.16
RED53	2003	0.013	21	0.001		5.57	0.0002	57.3	0.0010	7.0	9.12	0.179		0.50	1.83
RED54	2003	0.028	14	0.001	0.001	4.34	0.0002	45.5	0.0010	4.8	8.01	0.017		0.48	1.17

Appendix 3 - Water Chemistry (contn)

Site Code	Mo (mg/L)	NH3 (mg/L)	NO3 (mg/L)	Na (mg/L)	Ni (mg/L)	Pb (mg/L)	SO4 (mg/L)	TP(Wat) (mg/L)	TSS (mg/L)	Temp(Air) °C	Temp(Surface) °C	Zn (mg/L)	pH (pH)
MARA39	0.0008	0.030	0.02	0.868	0.0002	0.0006	2.63	0.017	1.0	15.1	9.6	0.001	7.8
MARA40	0.0008	0.022	0.02	0.827	0.0002	0.0003	2.04	0.009	0.5	20.0	8.4	0.002	7.6
MARA41	0.0004	0.042	0.03	0.794	0.0002	0.0003	2.20	0.025	0.5	12.1	8.4	0.002	7.2
MARA42	0.0004	0.038	0.01	0.783	0.0006	0.0012	2.03	0.011	0.5	19.0	8.9	0.001	7.8
MARA43	0.0004	0.031	0.01	0.741	0.0003	0.0003	2.56	0.176	0.5	15.9	10.9	0.001	7.4
MARA44	0.0004	0.027	0.03	0.825	0.0003	0.0009	1.20	0.010	0.5	18.8	8.3	0.001	7.4
MARA45	0.0004	0.050	0.005	0.795	0.0003	0.0015	1.48	0.014	0.5	14.3	12.6	0.001	7.7
PAN01	0.0004	0.066	0.02	0.884	0.0384	0.0003	8.00	0.004	0.5	19.7	20.5	0.002	6.6
PAN01	0.0027	0.031	0.005	0.674	0.0510	0.0007	8.13	0.006	0.5	10.6	14.6	0.008	7.1
PAN02	0.0004	0.129	0.01	1.070	0.0389	0.0003	7.19	0.015	5.0	19.4	20.3	0.003	6.4
PAN02	0.0004	0.031	0.01	0.605	0.0499	0.0003	8.30	0.002	0.5	8.9	14.6	0.004	6.6
RED02	0.0004	0.018	0.01	1.080	0.0002	0.0006	2.20	0.009	5.0	7.4	12.2	0.001	7.5
RED03	0.0004	0.015	0.01	1.670	0.0016	0.0006	4.33	0.013	10.0	8.4	9.5	0.001	7.1
RED04	0.0004	0.018	0.01	1.910	0.0013	0.0006	5.29	0.028	4.0	7.4	11.2	0.001	7.3
RED05	0.0004	0.019	0.01	0.853	0.0002	0.0006	0.87	0.016	2.0	7.3	9.4	0.001	7.3
RED07	0.0023	0.049	0.05	0.978	0.0007	0.0003	0.32	0.019	2.0	7.3	9.4	0.001	6.4
RED08	0.0008	0.031	0.05	1.090	0.0003	0.0003	1.04	0.021	6.0	4.0	8.6	0.001	6.9
RED08	0.0008	0.031	0.05	1.090	0.0003	0.0003	1.04	0.021	6.0	4.0	8.6	0.001	6.9
RED11	0.0008	0.017	0.01	0.678	0.0003	0.0003	1.42	0.011	1.0	7.5	10.7	0.001	6.8
RED13	0.0004	0.016	0.02	0.681	0.0002	0.0003	1.45	0.012	1.0	6.6	10.2	0.001	6.5
RED14	0.0004	0.053	0.02	0.954	0.0008	0.0011	1.27	0.012	0.5	7.7	10.1	0.002	6.4
RED16	0.0004	0.087	0.02	0.950	0.0075	0.0011	1.06	0.015	0.5	7.7	9.9	0.006	6.4
RED18	0.0004	0.023	0.06	1.350	0.0002	0.0015	1.94	0.021	6.0	10.2	10.9	0.005	7.4
RED19	0.0004	0.022	0.02	1.120	0.0002	0.0009	2.02	0.009	3.0	1.7	7.6	0.001	7.1
RED20	0.0004	0.023	0.02	1.780	0.0006	0.0003	2.43	0.010	1.0	10.1	10.5	0.001	7.4
RED21	0.0004	0.040	0.02	1.030	0.0002	0.0007	1.75	0.021	5.0	4.9	6.5	0.002	6.5
RED23	0.0004	0.060	0.06	1.670	0.0002	0.0003	1.33	0.027	5.0	4.5	8.8	0.005	5.9
RED24	0.0004	0.172	0.06	1.250	0.0009	0.0010	1.71	0.012	0.5	3.2	7.2	0.006	6.7
RED25	0.0004	0.086	0.04	0.932	0.0002	0.0003	0.33	0.025	3.0	7.2	9.5	0.002	6.5
RED25	0.0004	0.086	0.04	0.932	0.0002	0.0003	0.33	0.025	3.0	7.2	9.5	0.002	6.5
RED27	0.0004	0.017	0.02	0.684	0.0002	0.0008	1.07	0.012	2.0	9.2	11.3	0.007	5.2
RED28	0.0004	0.019	0.03	1.290	0.0002	0.0007	2.25	0.006	0.5	8.7	9.7	0.001	7.0
RED29	0.0004	0.018	0.02	0.856	0.0002	0.0006	1.45	0.019	17.0	9.1	10.7	0.001	7.0
RED29	0.0004	0.018	0.02	0.856	0.0002	0.0006	1.45	0.019	17.0	9.1	10.7	0.001	7.0
RED30	0.0004	0.019	0.07	0.982	0.0002	0.0006	4.65	0.008	1.0	6.5	11.7	0.001	7.1
RED31	0.0004	0.035	0.04	0.829	0.0010	0.0006	1.57	0.019	6.0	9.0	10.1	0.001	7.0
RED32	0.0004	0.025	0.02	0.997	0.0006	0.0006	3.78	0.008	1.0	6.5	11.0	0.001	6.9
RED33	0.0004	0.027	0.03	0.941	0.0002	0.0017	1.70	0.019	3.0	9.6	11.6	0.002	7.3
RED40										1.1	10.3		
RED41	0.0008	0.065	0.02	0.864	0.0003	0.0006	1.56	0.033	14.0	5.6	9.9	0.001	7.1
RED42										1.1	9.8		
RED43	0.0008	0.037	0.02	0.922	0.0003	0.0017	1.34	0.013	6.0	5.6	11.1	0.001	7.0
RED44										5.9	10.3		
RED46										5.7	9.8		
RED51										2.9	9.1		
RED52	0.0004	0.037	0.07	1.220	0.0009	0.0003	2.78	0.016	2.0	-2.0	7.6	0.003	7.1
RED53	0.0004	0.070	0.25	1.080	0.0002	0.0003	1.99	0.022	2.0	3.7	8.4	0.001	7.2
RED54	0.0004	0.030	0.03	1.000	0.0005	0.0003	2.76	0.011	0.5	-2.0	10.0	0.001	7.1

Appendix 3 - Water Chemistry (contn)

Site Code	Year	Al (mg/L)	Alkalinity (mg/L)	As (mg/L)	CN(t) (mg/L)	Ca (mg/L)	Cd (mg/L)	Conductivity (uS/cm)	Cu (mg/L)	DO (mg/L)	DOC (mg/L)	Fe (mg/L)	Hardness (mg/L)	K (mg/L)	Mg (mg/L)
RED56	2003	0.010	37	0.004	0.001	13.95	0.0002	134.2	0.0020	5.4	10.01	0.008		1.12	3.09
RED58	2003	0.002	38	0.006	0.001	13.80	0.0002	131.3	0.0010	5.2	7.23	0.014		1.10	3.09
RED69	2003	0.113	27	0.001	0.001	8.51	0.0002	74.1	0.0005	7.3	17.64	0.370		0.67	2.74
RED71	2003	0.133	35	0.001	0.001	11.60	0.0002	96.8	0.0005	9.4	12.64	0.256		0.87	3.30
STO01	2003	0.096	20	0.001	0.002	6.37	0.0002	57.1	0.0005	6.9	14.97	0.282		0.52	1.78
STO02	2003	0.086	20	0.001	0.002	6.42	0.0002	58.5	0.0005	7.2	13.19	0.267		0.55	1.81
TIM02	2003	0.003	136	0.002	0.001	37.24	0.0002	275.0	0.0005	6.3	2.64	0.001		0.52	8.59
TIM04	2003	0.003	128	0.002	0.001	36.79	0.0002	279.0	0.0005	5.9	2.70	0.011		0.53	8.51
TIM06	2003	0.002	40	0.002	0.001	10.82	0.0002	96.0	0.0005	9.2	6.42	0.011		0.27	3.35
TIM08	2003	0.007	42	0.002	0.001	11.04	0.0002	98.7	0.0005	5.9	7.18	0.023		0.31	3.43
TIM10	2003	0.002	42	0.001	0.001	10.22	0.0002	87.5	0.0005	6.9	4.06	0.015		0.29	2.55
TIM14	2003	0.011	21	0.001	0.001	6.74	0.0002	57.1	0.0005	6.6	6.70	0.009		0.18	1.47
TIM20	2003	0.012	57	0.002	0.001	16.46	0.0003	131.3	0.0010	8.3	8.57	0.030		0.22	3.67
TIM50	2003	0.039	56	0.001	0.001	18.14	0.0003	129.5	0.0010	8.9	14.14	0.166		0.18	3.34
TIM51	2003	0.002	56	0.001	0.001	18.42	0.0003	133.2	0.0010	10.6	9.75	0.039		0.14	3.26
TIM52	2003	0.011	41	0.002	0.001	13.57	0.0003	104.3	0.0005	10.0	7.65	0.049		0.18	2.74
TIM53	2003	0.012	41	0.001	0.001	13.63	0.0002	102.8	0.0005	6.9	7.81	0.057		0.21	2.72
TIM54	2003	0.038	42	0.001	0.001	15.83	0.0002	145.1	0.0150	9.2	12.70	0.105		0.30	3.74
TIM55	2003	0.054	38	0.001	0.001	15.03	0.0002	121.7	0.0080	7.7	16.76	0.157		0.28	3.55
TIM58	2003	0.024	34	0.001	0.002	12.09	0.0002	109.6	0.0005	7.4	7.77	0.083		0.25	2.68
TIM59	2003	0.134	24	0.001	0.002	9.54	0.0002	75.8	0.0005	4.8	16.76	0.303		0.15	2.43
TIM60	2003	0.016	57	0.001	0.002	20.40	0.0002	205.0	0.0005	8.4	9.74	0.075		0.53	3.75
TIM61	2003	0.032	55	0.001	0.002	19.93	0.0002	247.0	0.0005	16.1	10.11	0.117		0.56	3.75
USR01	2003	0.026	12	0.001	0.001	5.62	0.0002	77.1	0.0005	7.2	9.01	0.281		0.29	1.32
USR01	2004	0.022	11	0.001	0.001	5.41	0.0009	45.9	0.0005	8.9	5.86	0.285		0.35	1.14
USR02	2003	0.021	13	0.001	0.001	5.61	0.0002	75.5	0.0005	6.6	7.48	0.290		0.28	1.31
USR02	2004	0.031	12	0.004	0.001	5.53	0.0009	46.3	0.0005	8.1	6.46	0.330		0.30	1.18
USR10	2003	0.221	3	0.002	0.001	1.86	0.0002	29.3	0.0005	8.4	9.90	0.412		0.38	0.64
USR11	2003	0.032	9	0.001	0.001	4.45	0.0002	82.5	0.0005	5.5	4.44	0.128		0.04	1.26
USR11	2004	0.020	10	0.001	0.001	4.55	0.0009	48.9	0.0005	7.7	5.21	0.081		0.24	1.25
USR13	2003	0.029	15	0.001	0.001	6.51	0.0002	122.5	0.0005	6.8	5.87	0.476		0.33	1.91
USR13	2004	0.078	10	0.004	0.001	4.56	0.0002	51.7	0.0005	8.9	3.98	0.331		0.29	1.26
HEM60	2003	0.076	34	0.001	0.002	292.10	0.0003	2390.0	0.0040	6.2	7.48	0.049		43.10	4.34
HEM62	2003	0.056	36	0.004	0.002	288.80	0.0003	2430.0	0.0040	6.3	7.52	0.033		43.50	4.40
HEM64	2003	0.042	19	0.003	0.002	373.60	0.0002	2760.0	0.0110	7.8	4.60	0.019		41.68	7.25
HEM66	2003	0.037	17	0.016	0.002	377.90	0.0002	2820.0	0.0100	7.8	4.07	0.023		52.55	7.06
RED01	2003	0.006	33	0.002	0.002	8.41	0.0002	78.5	0.0005	7.4	7.85	0.011		0.60	2.92
RED35	2003	0.009	42	0.040	0.002	12.89	0.0002	103.8	0.0005	6.0	10.82	0.024		0.73	2.78
RED37	2003	0.008	88	0.446	0.053	142.60	0.0143	1098.0	0.0260	6.1	17.63	0.032		7.19	21.40
RED39	2003	0.325	39	0.071	0.008	26.72	0.0002	211.0	0.0005	4.5	32.08	0.888		1.75	4.93
RED47	2003	0.043	40	0.006	0.001	18.29	0.0002	234.0	0.0005	7.5	15.77	0.446		1.39	3.40
RED49	2003	0.011	39	0.004	0.001	18.81	0.0002	234.0	0.0005	6.1	14.56	0.371		1.43	3.44
RED55	2003	0.048	63	0.238		76.32	0.0002	626.0	0.0100	7.1	25.88	0.122		6.33	6.37
RED61	2003	0.022	29	0.003		8.61	0.0002	75.0	0.0010	7.2	12.01	0.044		0.55	2.15

Appendix 3 - Water Chemistry (contn)

Site Code	Mo (mg/L)	NH3 (mg/L)	NO3 (mg/L)	Na (mg/L)	Ni (mg/L)	Pb (mg/L)	SO4 (mg/L)	TP(Wat) (mg/L)	TSS (mg/L)	Temp(Air) °C	Temp(Surface) °C	Zn (mg/L)	pH
RED56	0.0004	0.064	0.08	3.070	0.0033	0.0003	9.32	0.043	1.0	-1.0	10.1	0.001	7.4
RED58	0.0004	0.050	0.02	3.060	0.0037	0.0003	9.39	0.026	0.5	-1.0	9.9	0.001	7.3
RED69	0.0004	0.046	0.05	1.450	0.0007	0.0003	0.85	0.028	0.5	0.8	5.5	0.001	6.7
RED71	0.0004	0.086	0.03	1.480	0.0012	0.0016	1.21	0.043	10.0	2.1	6.2	0.001	7.3
STO01	0.0004	0.018	0.09	1.050	0.0002	0.0003	1.56	0.012	1.0	9.0	12.7	0.001	7.1
STO02	0.0004	0.017	0.08	1.120	0.0002	0.0003	1.78	0.015	1.0	8.7	12.6	0.001	7.2
TIM02	0.0008	0.017	0.02	1.450	0.0003	0.0019	6.25	0.015	1.0	-1.0	8.1	0.001	8.2
TIM04	0.0008	0.014	0.01	1.330	0.0004	0.0008	6.21	0.019	0.5	-1.0	8.5	0.002	8.2
TIM06	0.0008	0.015	0.04	0.797	0.0017	0.0012	4.33	0.010	0.5	0.0	6.4	0.001	7.6
TIM08	0.0008	0.016	0.02	0.871	0.0026	0.0008	3.83	0.008	0.5	-1.0	6.6	0.001	7.4
TIM10	0.0008	0.018	0.02	0.691	0.0009	0.0008	2.03	0.017	0.5	3.0	7.9	0.001	7.4
TIM14	0.0008	0.142	0.03	0.605	0.0006	0.0003	2.05	0.013	1.0	-1.0	5.3	0.001	7.6
TIM20	0.0008	0.023	0.06	1.050	0.0007	0.0006	3.69	0.016	0.5	0.0	6.3	0.001	7.6
TIM50	0.0008	0.021	0.02	0.911	0.0003	0.0006	1.58	0.020	1.0	1.0	3.3	0.001	7.2
TIM51	0.0008	0.022	0.01	0.988	0.0008	0.0006	2.10	0.020	7.0	1.1	3.7	0.001	7.7
TIM52	0.0008	0.021	0.01	0.706	0.0004	0.0006	1.82	0.023	0.5	4.6	6.0	0.001	7.6
TIM53	0.0008	0.018	0.01	0.732	0.0004	0.0003	1.85	0.022	0.5	2.8	6.6	0.001	7.6
TIM54	0.0008	0.017	0.01	3.370	0.0009	0.0003	8.37	0.021	0.5	6.1	5.6	0.023	7.5
TIM55	0.0008	0.016	0.005	2.450	0.0004	0.0003	5.47	0.029	3.0	3.6	5.1	0.012	7.3
TIM58	0.0008	0.045	0.05	1.710	0.0003	0.0003	4.66	0.009	0.5	0.5	5.4	0.001	7.6
TIM59	0.0008	0.043	0.05	0.986	0.0014	0.0003	3.81	0.015	2.0	0.8	3.2	0.001	7.0
TIM60	0.0008	0.036	0.01	7.130	0.0004	0.0003	2.25	0.020	5.0	2.8	4.9	0.001	7.7
TIM61	0.0008	0.035	0.01	12.340	0.0005	0.0003	1.99	0.025	7.0	3.4	4.4	0.001	7.5
USR01	0.0004	0.022	0.01	4.550	0.0060	0.0003	4.91	0.014	0.5	15.9	18.3	0.002	7.1
USR01	0.0004	0.030	0.03	3.295	0.0066	0.0003	5.64	0.006	0.5	17.0	12.3	0.003	7.4
USR02	0.0004	0.023	0.02	4.120	0.0064	0.0003	4.82	0.012	0.5	20.2	19.0	0.002	7.0
USR02	0.0004	0.016	0.03	3.212	0.0075	0.0004	5.50	0.008	1.0	22.2	14.9	0.002	7.2
USR10	0.0008	0.023	0.02	0.669	0.0008	0.0003	4.15	0.010	0.5	13.6	17.6	0.004	5.9
USR11	0.0004	0.027	0.04	4.460	0.0116	0.0003	5.85	0.011	0.5	12.9	16.8	0.001	7.0
USR11	0.0004	0.023	0.005	4.469	0.0002	0.0003	5.70	0.008	1.0	13.0	13.8	0.002	7.0
USR13	0.0004	0.029	0.01	7.480	0.0034	0.0003	5.22	0.013	0.5	12.4	15.7	0.002	6.8
USR13	0.0004	0.041	0.05	4.570	0.0050	0.0003	5.75	0.013	13.0	16.0	16.8	0.004	7.1
HEM60	0.3140	4.660	12	127.700	0.0649	0.0006	932.00	0.009	1.0	8.4	9.5	0.004	7.1
HEM62	0.3140	4.780	12.04	126.800	0.0629	0.0006	946.00	0.009	1.0	8.4	9.4	0.004	7.2
HEM64	0.0713	11.700		132.200	0.1220	0.0006	1185.00	0.013	1.0	10.0	10.4	0.022	7.0
HEM66	0.0762	10.700	9.1	134.500	0.1240	0.0008	1174.00	0.013	1.0	10.0	9.7	0.020	6.9
RED01	0.0004	0.015	0.26	1.140	0.0002	0.0006	2.30	0.005	1.0	7.4	12.7	0.001	7.5
RED35	0.0004	0.551	1.13	1.050	0.0002	0.0011	1.63	0.011	3.0	8.5	9.2	0.001	7.3
RED37	0.0004	0.042	3.87	29.400	0.0459	0.0007	305.00	0.215	11.0	3.8	9.6	0.010	7.8
RED39	0.0008	0.094	0.04	4.760	0.0094	0.0014	33.40	0.151	29.0	4.8	7.3	0.006	7.2
RED47	0.0008	0.043	0.02	11.930	0.0003	0.0003	6.00	0.025	0.5	4.8	10.4	0.001	7.4
RED49	0.0004	0.100	0.02	11.360	0.0004	0.0017	6.52	0.026	2.0	4.8	10.5	0.002	7.4
RED55	0.0004	0.041	0.34	14.550	0.0102	0.0003	96.30	0.101	2.0	2.9	5.4	0.003	7.5
RED61	0.0004	0.031	0.09	1.200	0.0004	0.0003	2.41	0.032	11.0	3.4	10.7	0.002	7.5

Appendix 4A - Stream benthic community data.

site	Sample #	year	# cells	Total	Aeshnidae	Ancylidae	Anisitsiellidae	Arrenuridae	Asellidae	Athericidae	Aturidae	Baetidae	Baetiscidae	Belostomatidae	Brachycentridae	Caenidae	Calopterygidae	Cambaridae	Capniidae	Ceratopogonidae	Chironomidae	Chloroperlidae	Chrysomelidae	Coenagrionidae
Mar-31	1	2003	13	269	1	0	2	0	0	0	0	10	0	0	0	2	0	0	0	3	161	0	0	0
Mar-32	1	2003	14	381	0	0	0	0	0	0	0	2	0	0	0	17	0	0	0	6	25	0	0	0
Mar-46	1	2003	9	318	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	4	132	0	0	0
Mar-47	1	2003	16	309	1	0	0	0	0	0	0	0	0	0	0	2	0	0	0	3	90	0	0	0
Mar-48	1	2003	10	357	0	0	0	0	0	0	0	7	0	0	0	0	0	0	0	3	112	1	0	0
Mar-48	QA/QC1	2004	6	354	2	0	0	0	0	0	0	13	0	0	0	0	0	0	1	3	134	0	0	0
Mar-50	1	2003	2	321	0	0	0	0	0	0	0	16	0	0	0	0	1	0	0	2	187	1	0	0
Mar-01	1	2003	26	332	0	0	0	0	0	0	0	9	0	0	0	0	0	0	6	29	101	0	0	0
Mar-03	1	2003	12	323	0	0	0	0	0	0	0	4	0	0	0	57	0	1	0	11	124	0	0	0
Mar-05	1	2003	15	278	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	20	172	0	0	0
Mar-17	1	2003	5	304	0	0	0	0	0	0	0	8	0	0	0	5	0	0	0	5	61	0	0	0
Mar-18	1	2003	14	331	1	0	0	0	0	0	0	15	0	0	0	37	0	0	2	4	68	0	0	0
Mar-18	QA/QC1	2004	4	330	2	0	0	0	0	0	0	9	0	0	0	1	0	0	10	2	117	0	0	0
Mar-24	1	2003	10	296	0	0	7	1	0	0	0	0	0	0	0	10	0	0	0	17	119	0	0	0
Mar-28	1	2003	10	382	0	0	0	0	0	0	0	10	0	0	0	0	0	0	0	11	90	0	0	0
Abalard Cr.	1	2003	13	345	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	21	205	0	0	0
Balmer Trib	1	2003	4	356	0	3	0	0	0	0	0	0	0	0	0	13	0	0	0	6	107	0	0	0
Chikuni R.	1	2003	12	294	0	0	0	0	0	0	0	4	0	0	0	1	0	0	0	0	34	0	0	0
CMR01	1	2003	10	308	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	203	0	0	0
DIX01	1	2003	4	463	1	17	0	0	0	0	0	22	0	0	0	28	0	0	0	14	201	0	0	22
HEM08	1	2003	31	293	0	0	0	0	0	0	0	0	0	0	0	0	0	0	15	5	178	0	0	0
HEM10	1	2003	46	324	0	0	0	0	0	0	0	1	0	0	0	3	0	0	0	0	46	0	0	0
HEM116	1	2004	3	325	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	17	101	0	0	0
HEM117	1	2004	16	342	0	0	15	0	0	0	1	5	0	0	0	0	0	0	0	11	195	0	1	0
HEM12	1	2003	11	334	0	0	0	0	0	0	0	14	0	0	0	0	0	0	2	5	87	0	0	0
HEM120	1	2004	55	293	0	0	1	0	0	0	0	28	0	0	0	5	0	0	1	14	42	0	0	0
HEM121	1	2004	34	306	1	0	1	0	0	0	0	5	0	0	0	23	0	0	5	2	59	0	0	0
HEM122	1	2004	3	537	0	0	0	1	0	0	0	9	0	0	0	0	0	0	2	1	310	0	0	0
HEM123	1	2004	9	302	0	0	1	0	0	0	0	12	0	0	0	9	0	0	0	11	134	0	0	0
HEM124	1	2004	7	341	0	0	1	0	0	0	0	5	0	0	0	0	0	0	0	17	254	0	0	0
HEM126	1	2004	62	306	1	0	0	0	0	0	0	6	0	0	0	0	0	0	1	78	58	0	0	0
HEM127	1	2004	71	307	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	43	16	0	0	0
HEM128	1	2004	9	284	0	0	0	0	0	0	0	11	0	0	0	0	0	0	0	10	89	0	0	0
HEM129	1	2004	4	325	1	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	95	0	0	0
HEM130	1	2004	33	291	1	0	0	0	0	0	0	20	0	0	0	0	0	0	3	15	68	8	0	0
HEM14	1	2003	29	353	0	0	0	0	0	0	0	11	0	0	0	0	0	0	0	24	160	0	0	0
HEM16	1	2003	9	328	1	0	0	0	0	0	0	0	0	0	0	2	0	0	1	10	86	0	0	0
HEM16	QA/QC1	2004	4	354	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	2	273	0	0	0
HEM22	1	2003	18	354	0	1	0	0	0	0	0	3	0	0	0	0	0	0	0	10	60	3	0	0
HEM26	1	2003	29	300	0	0	0	0	0	0	0	23	0	0	0	0	0	0	0	6	128	0	0	0
HEM36	1	2003	47	95	0	0	0	0	0	0	0	8	0	0	0	0	0	0	0	2	0	0	0	0
HEM48	1	2003	30	307	1	0	1	0	0	0	0	5	0	0	0	0	0	0	0	16	163	0	1	0
HEM54	1	2003	10	332	0	0	5	0	0	0	0	23	0	0	0	34	0	0	0	35	98	0	0	0
HEM54	QA/QC1	2004	5	351	0	0	1	0	0	0	0	9	0	0	0	2	0	0	0	23	225	0	0	0

Appendix 4A - Stream benthic community data (contn)

site	Sample #	year	Cordulegastriidae	Corduliidae	Corixidae	Corydalidae	Crangonyctidae	Culicidae	Curculionidae	Dixidae	Dolichopodidae	Dryopidae	Dugesidae	Dytiscidae	Elmidae	Empididae	Enchytraeidae	Entomobryidae	Ephemeroptera	Ephemeroptera	Erpobdellidae	Gammaridae	Gerridae	Glossiphoniidae
Mar-31	1	2003	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	0	0	0	0
Mar-32	1	2003	0	0	1	0	0	0	0	0	0	0	0	5	7	0	1	0	4	0	2	4	0	0
Mar-46	1	2003	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0
Mar-47	1	2003	0	0	0	2	0	0	0	0	0	0	0	0	0	0	6	0	20	0	0	0	0	0
Mar-48	1	2003	3	0	0	2	0	0	0	0	0	0	0	0	22	8	2	0	37	0	0	0	0	10
Mar-48	QA/QC1	2004	0	0	0	0	0	0	0	0	0	0	0	0	27	5	0	0	22	0	0	0	0	0
Mar-50	1	2003	1	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	14	1	0	0	0	0
Mar-01	1	2003	5	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	4	3	0	0	0	0
Mar-03	1	2003	12	0	0	0	0	0	0	0	0	0	0	0	17	1	1	0	7	0	0	0	0	1
Mar-05	1	2003	0	0	0	0	0	0	0	5	0	0	0	0	0	2	10	0	2	0	0	0	0	0
Mar-17	1	2003	0	0	0	0	0	0	0	1	0	0	0	0	27	2	1	0	29	4	0	0	0	1
Mar-18	1	2003	0	0	0	0	0	0	0	0	3	0	0	0	30	0	10	0	52	0	0	0	0	0
Mar-18	QA/QC1	2004	0	0	0	0	0	0	0	0	0	0	0	0	13	4	0	0	26	0	0	0	0	0
Mar-24	1	2003	0	1	1	0	0	0	0	0	0	0	0	0	40	0	2	0	8	0	0	0	0	1
Mar-28	1	2003	0	0	2	0	0	0	0	0	0	0	0	0	1	2	5	0	5	0	0	0	0	0
Abalard Cr.	1	2003	0	0	0	0	0	0	0	0	1	0	0	0	0	0	3	0	0	0	1	0	0	0
Balmer Trib	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	0	0	0	1	0	0	4
Chikuni R.	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	10	0	0	7	0	1	0	0	14
CMR01	1	2003	2	0	2	0	0	0	0	0	0	0	0	1	0	0	2	0	2	0	0	0	0	0
DIX01	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	4	0	1	0	0	0
HEM08	1	2003	0	0	0	0	0	0	0	0	0	0	0	1	1	2	17	0	0	0	0	0	0	1
HEM10	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	25	0	42	0	0	0	0	0
HEM116	1	2004	0	0	11	0	0	0	0	0	0	0	0	6	4	1	2	0	0	1	0	0	0	0
HEM117	1	2004	0	0	1	0	0	0	0	0	0	0	0	0	14	10	1	0	7	0	0	0	0	0
HEM12	1	2003	4	0	0	0	0	0	0	0	0	0	0	0	0	3	7	0	8	0	0	0	0	0
HEM120	1	2004	1	0	1	0	0	0	0	0	1	1	0	0	17	1	40	0	1	2	0	0	0	0
HEM121	1	2004	2	0	0	0	0	0	0	0	0	0	0	0	14	8	1	0	29	2	0	0	0	0
HEM122	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	69	0	2	0	33	0	0	0	0	0
HEM123	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	27	0	1	0	5	1	1	0	0	0
HEM124	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	5	0	1	0	0	0	0	0	0	0
HEM126	1	2004	0	0	77	0	0	0	0	0	1	0	0	1	4	0	6	0	3	29	0	0	0	0
HEM127	1	2004	0	0	55	0	0	0	0	1	0	0	0	2	4	0	20	0	0	0	0	0	0	0
HEM128	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0
HEM129	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	2	11	0	0	79	0	0	0	0	0
HEM130	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	15	3	0	0	11	0	0	0	0	0
HEM14	1	2003	0	0	0	0	0	0	0	1	2	0	1	0	9	0	3	0	2	0	0	0	0	6
HEM16	1	2003	0	0	0	1	0	0	0	0	0	0	0	0	15	7	6	0	53	0	0	0	0	0
HEM16	QA/QC1	2004	0	3	0	0	0	0	0	0	0	0	0	0	4	4	0	0	24	0	0	0	0	0
HEM22	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	1	0	10	0	88	0	0	0	0	0
HEM26	1	2003	0	1	0	0	0	0	0	0	0	0	0	0	11	5	0	0	2	0	0	0	0	0
HEM36	1	2003	0	0	1	0	0	0	0	0	0	0	0	0	5	38	0	3	0	0	0	0	0	0
HEM48	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	1	0	0	7
HEM54	1	2003	1	0	11	0	0	0	0	0	0	0	0	0	31	1	0	0	25	4	0	0	0	0
HEM54	QA/QC1	2004	1	0	0	0	0	0	0	0	0	0	0	1	8	2	2	0	8	2	0	0	0	0

Appendix 4A - Stream benthic community data (contn)

site	Sample #	year	Glossomatidae	Gomphidae	Gyrinidae	Halicanidae	Halipidae	Helicopsychidae	Heptageniidae	Hyalellidae	Hydraenidae	Hydrobiidae	Hydrodromidae	Hydrophilidae	Hydropsychidae	Hydroptilidae	Hydrozetidae	Hydryphantidae	Hygrobatidae	Hypogasturidae	Isonychiidae	Isotomidae	Krendowskidae	Lebertidae
Mar-31	1	2003	0	0	0	0	0	0	0	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mar-32	1	2003	0	0	0	0	0	0	1	101	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mar-46	1	2003	0	0	0	0	0	0	0	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mar-47	1	2003	0	0	0	0	0	0	5	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mar-48	1	2003	0	15	0	0	0	0	6	0	0	0	0	0	9	0	0	1	0	0	1	0	0	0
Mar-48	QA/QC1	2004	10	3	0	0	0	1	6	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
Mar-50	1	2003	0	5	0	0	0	4	2	1	0	1	0	0	17	0	0	0	0	0	0	0	0	0
Mar-01	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Mar-03	1	2003	0	0	0	0	0	0	5	3	0	0	0	0	40	1	0	1	1	0	0	0	0	0
Mar-05	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
Mar-17	1	2003	0	0	0	0	0	1	0	17	0	12	0	0	0	54	0	0	0	0	0	0	0	0
Mar-18	1	2003	0	1	0	0	0	0	17	16	0	0	0	1	0	3	0	0	1	0	0	0	0	0
Mar-18	QA/QC1	2004	0	6	0	0	0	0	15	0	0	0	0	0	31	3	0	0	0	0	11	0	0	1
Mar-24	1	2003	0	0	0	0	0	0	0	19	0	0	0	0	0	32	0	0	4	0	0	0	0	0
Mar-28	1	2003	0	0	1	0	0	0	2	172	0	0	0	1	4	11	0	0	0	0	0	0	0	1
Abalard Cr.	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Balmer Trib	1	2003	0	0	0	0	0	0	0	16	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Chikuni R.	1	2003	0	60	0	0	0	0	2	0	0	0	0	0	30	0	0	0	0	0	0	0	0	0
CMR01	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	2	0	0
DIX01	1	2003	0	0	0	1	0	0	0	77	0	9	0	0	1	0	0	0	0	0	0	0	0	0
HEM08	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	8	0	0	0	0	0	0	1	0	0
HEM10	1	2003	0	0	0	0	0	0	32	0	0	0	0	0	21	3	0	0	0	0	15	0	0	0
HEM116	1	2004	0	0	1	0	0	0	0	22	0	7	0	0	7	0	0	0	0	0	0	0	0	0
HEM117	1	2004	0	2	0	0	1	0	5	25	0	1	3	0	8	0	0	3	0	0	0	0	0	1
HEM12	1	2003	0	3	0	0	0	0	2	6	0	0	0	0	20	1	0	0	3	0	0	0	0	0
HEM120	1	2004	0	1	0	0	0	0	0	0	0	0	0	0	2	11	0	0	1	0	0	0	0	1
HEM121	1	2004	0	5	0	0	0	0	13	0	0	2	0	0	23	11	0	0	0	0	0	0	0	2
HEM122	1	2004	0	0	0	0	0	0	1	0	0	0	0	0	18	2	0	0	1	0	0	0	0	17
HEM123	1	2004	0	0	0	0	0	0	0	27	0	1	0	0	10	0	0	1	0	0	1	0	1	1
HEM124	1	2004	0	1	0	0	0	0	0	9	0	8	0	0	0	0	0	0	0	0	0	0	0	0
HEM126	1	2004	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
HEM127	1	2004	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0
HEM128	1	2004	0	2	0	0	1	0	0	3	0	26	0	0	3	2	0	0	0	0	0	0	0	0
HEM129	1	2004	0	1	0	0	0	1	14	0	0	0	0	0	32	0	0	0	0	0	0	0	0	0
HEM130	1	2004	0	0	0	0	0	0	76	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0
HEM14	1	2003	0	0	0	0	0	0	0	15	0	0	0	0	0	0	1	0	0	0	0	0	0	0
HEM16	1	2003	0	2	0	0	0	0	11	3	0	1	0	0	4	1	0	0	0	0	0	0	0	0
HEM16	QA/QC1	2004	0	0	0	0	0	0	20	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEM22	1	2003	0	0	0	0	0	0	11	1	0	0	0	0	6	5	0	0	0	0	5	0	0	0
HEM26	1	2003	0	0	0	0	0	0	0	1	0	0	0	0	7	12	0	0	0	0	0	0	0	1
HEM36	1	2003	0	0	0	0	0	0	1	6	0	0	0	0	1	0	0	0	0	0	0	0	0	0
HEM48	1	2003	0	0	0	0	0	0	0	22	0	0	0	0	0	3	0	0	1	0	0	0	0	1
HEM54	1	2003	0	0	0	0	0	0	0	1	0	1	0	0	0	20	0	0	0	0	0	0	0	2
HEM54	QA/QC1	2004	1	0	0	0	0	0	0	3	0	0	0	0	8	0	0	0	0	0	0	0	0	1

Appendix 4A - Stream benthic community data (contn)

site	Sample #	year	Lepidostomatidae	Leptoceridae	Leptophlebiidae	Leptophlebiidae	Leuctridae	Libellulidae	Limnephilidae	Limnephilidae	Limnephilidae	Limnephilidae	Lumbricidae	Lymnaeidae	Macromiidae	Metretopodidae	Molannidae	Muscidae	Naididae	Nemouridae	Neocaridae	Nepidae	Notonectidae	Odontoceridae	Onychiuridae
Mar-31	1	2003	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	31	0	0	0	0	0	0	
Mar-32	1	2003	0	1	0	181	0	0	2	0	0	4	3	0	0	0	0	1	0	0	0	0	0	0	
Mar-46	1	2003	0	0	0	0	0	0	1	0	0	3	0	0	0	0	0	16	0	0	0	0	0	0	
Mar-47	1	2003	7	0	0	52	0	0	59	0	0	0	0	0	0	0	0	19	0	0	0	0	0	0	
Mar-48	1	2003	38	0	0	42	3	0	0	0	0	1	0	0	0	0	0	4	0	0	0	0	0	0	
Mar-48	QA/QC1	2004	29	1	0	22	2	0	3	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
Mar-50	1	2003	11	6	0	3	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
Mar-01	1	2003	10	0	0	1	10	0	2	0	0	0	3	0	0	0	0	1	0	0	0	0	0	0	
Mar-03	1	2003	0	0	0	8	3	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
Mar-05	1	2003	0	0	0	1	2	0	2	0	0	1	0	0	0	0	4	7	0	0	0	0	0	1	
Mar-17	1	2003	1	7	0	25	4	0	3	0	0	0	0	0	0	3	0	3	0	0	0	0	0	0	
Mar-18	1	2003	0	0	0	50	0	0	0	1	0	1	0	0	0	1	0	2	0	0	0	0	0	0	
Mar-18	QA/QC1	2004	6	1	0	26	1	0	3	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	
Mar-24	1	2003	0	2	0	7	0	0	2	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	
Mar-28	1	2003	0	1	0	18	0	0	5	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
Abalard Cr.	1	2003	0	0	0	18	0	0	0	0	0	1	0	0	0	0	0	7	0	0	0	0	0	0	
Balmer Trib	1	2003	0	0	0	4	0	0	0	0	0	4	0	0	0	0	0	132	0	0	0	0	0	0	
Chikuni R.	1	2003	1	17	0	18	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	
CMR01	1	2003	0	0	0	52	2	0	0	0	0	4	0	0	0	0	0	2	0	0	0	0	0	0	
DIX01	1	2003	0	1	0	3	0	0	5	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	
HEM08	1	2003	0	0	0	6	0	0	0	0	0	0	1	0	0	0	0	2	0	0	0	0	0	0	
HEM10	1	2003	28	1	0	23	0	0	3	0	0	32	0	0	0	0	0	2	0	0	0	0	0	0	
HEM116	1	2004	0	0	0	52	0	0	8	0	0	0	0	0	1	0	0	5	0	0	0	0	0	0	
HEM117	1	2004	0	3	0	6	0	1	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	
HEM12	1	2003	0	0	0	20	5	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	
HEM120	1	2004	0	1	0	10	3	0	6	0	0	4	0	0	0	1	0	6	0	0	0	0	0	0	
HEM121	1	2004	8	0	0	2	4	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
HEM122	1	2004	2	2	0	1	1	0	0	0	0	0	1	0	0	0	0	5	0	0	0	0	0	0	
HEM123	1	2004	3	3	0	9	2	0	0	0	0	1	0	0	0	0	0	12	0	0	0	0	0	0	
HEM124	1	2004	0	0	0	6	0	0	3	0	0	2	0	0	0	1	0	8	0	0	0	0	0	0	
HEM126	1	2004	0	0	0	2	0	0	2	0	0	0	0	0	10	0	0	0	0	0	0	0	0	0	
HEM127	1	2004	0	0	0	8	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
HEM128	1	2004	14	7	0	1	0	0	1	0	0	3	8	0	0	0	0	4	0	0	0	0	0	0	
HEM129	1	2004	21	1	0	47	1	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
HEM130	1	2004	0	1	0	30	0	3	0	0	0	14	0	0	0	0	0	0	0	0	0	0	0	0	
HEM14	1	2003	9	2	0	26	0	0	7	1	0	3	1	0	0	0	1	0	0	0	0	0	0	0	
HEM16	1	2003	1	1	0	5	0	0	22	0	0	0	0	0	0	0	0	2	0	0	0	0	0	1	
HEM16	QA/QC1	2004	0	2	0	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
HEM22	1	2003	0	3	0	11	0	0	11	0	0	0	0	0	0	0	1	4	0	0	0	0	0	0	
HEM26	1	2003	3	0	0	18	1	0	10	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	
HEM36	1	2003	3	0	0	18	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	
HEM48	1	2003	0	0	0	20	10	1	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	
HEM54	1	2003	0	2	0	4	0	0	6	0	0	1	7	0	0	0	0	2	0	0	0	0	0	0	
HEM54	QA/QC1	2004	1	0	0	6	0	0	0	0	0	1	1	0	0	0	0	40	0	0	0	0	0	0	

Appendix 4A - Stream benthic community data (contn)

site	Sample #	year	Oxidae	Perilidae	Perlodidae	Philopotamidae	Phoridae	Phrygaenidae	Physidae	Pionidae	Planorbidae	Poduridae	Polycentropodidae	Psephenidae	Psychodidae	Psychomyiidae	Pteronarcyidae	Pyralidae	Rhyacophilidae	Sarcophagidae	Sciomyzidae	Sericostomatidae	Stalidae	Simuliidae
Mar-31	1	2003	0	0	0	0	0	1	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0
Mar-32	1	2003	0	0	0	0	0	3	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0
Mar-46	1	2003	0	0	0	0	0	0	0	0	19	0	1	0	0	0	0	0	0	0	0	0	0	0
Mar-47	1	2003	0	1	0	0	0	1	0	0	2	0	0	0	0	1	0	0	0	0	0	0	0	10
Mar-48	1	2003	0	3	1	1	0	0	2	0	1	0	3	0	0	0	0	0	3	0	0	0	0	0
Mar-48	QA/QC1	2004	0	2	1	0	0	0	0	0	1	0	4	0	0	0	0	0	2	0	0	0	0	0
Mar-50	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	0	0	0	0	0
Mar-01	1	2003	0	0	0	0	0	0	3	0	3	0	0	0	0	1	0	0	0	0	0	0	2	5
Mar-03	1	2003	0	0	0	0	0	0	1	0	7	0	0	0	4	0	0	0	1	0	0	0	0	1
Mar-05	1	2003	0	0	0	0	0	0	2	0	6	0	2	0	3	0	0	0	0	0	0	0	0	0
Mar-17	1	2003	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mar-18	1	2003	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0
Mar-18	QA/QC1	2004	0	4	0	5	0	0	0	0	0	0	2	0	0	0	0	0	8	0	0	0	0	0
Mar-24	1	2003	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mar-28	1	2003	0	0	0	0	0	2	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	3
Abalard Cr.	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
Balmer Trib	1	2003	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0
Chikuni R.	1	2003	0	3	0	9	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CMR01	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
DIX01	1	2003	1	0	0	0	0	1	0	0	22	0	8	0	0	0	0	0	0	0	0	0	1	0
HEM08	1	2003	0	0	0	1	0	0	4	0	2	0	5	0	0	0	0	1	1	0	0	0	0	1
HEM10	1	2003	0	1	0	3	0	0	4	0	4	0	0	0	0	0	0	5	0	0	0	0	0	5
HEM116	1	2004	0	0	0	0	0	1	2	0	3	0	3	0	0	0	0	0	0	0	0	0	2	0
HEM117	1	2004	0	0	2	0	0	0	0	0	1	0	5	0	0	0	1	0	0	0	0	0	0	3
HEM12	1	2003	0	0	3	1	0	0	0	0	0	0	1	0	0	0	0	3	0	0	0	0	0	111
HEM120	1	2004	1	0	0	0	0	1	3	0	0	0	1	0	7	0	0	0	0	0	0	0	0	20
HEM121	1	2004	0	2	3	1	0	0	0	0	3	0	1	0	0	0	0	0	0	0	0	0	0	22
HEM122	1	2004	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0	0	0	0	0	0	23
HEM123	1	2004	0	0	0	0	0	0	0	0	9	0	1	0	0	0	0	1	0	0	0	0	2	4
HEM124	1	2004	0	0	0	0	0	1	1	1	2	0	0	0	0	0	0	0	0	0	0	0	0	1
HEM126	1	2004	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	1	1
HEM127	1	2004	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
HEM128	1	2004	0	0	0	0	0	4	0	0	6	0	11	0	0	0	0	0	0	0	0	0	0	0
HEM129	1	2004	0	6	2	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
HEM130	1	2004	0	2	6	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEM14	1	2003	0	0	0	0	0	0	0	0	2	0	5	0	0	0	0	0	0	0	0	0	0	12
HEM16	1	2003	0	1	1	2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	55
HEM16	QA/QC1	2004	0	1	1	0	0	0	0	0	0	0	6	0	0	0	0	0	1	0	0	0	0	1
HEM22	1	2003	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	104
HEM26	1	2003	0	0	0	0	0	2	0	0	6	0	1	0	0	1	0	0	0	0	0	0	0	23
HEM36	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEM48	1	2003	0	0	0	0	0	0	0	0	0	0	6	0	0	0	0	0	0	0	0	0	0	1
HEM54	1	2003	0	0	0	0	0	1	0	0	5	0	1	0	0	0	0	0	0	0	0	0	0	0
HEM54	QA/QC1	2004	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0

Appendix 4A - Stream benthic community data (contn)

site	Sample #	year	Sisyridae	Siphonuridae	Sminthuridae	Sperchontidae	Sphaeriidae	Staphylinidae	Stratiomyidae	Tabanidae	Taeniopterygidae	Tanyderidae	Tetraentommatidae	Tipulidae	Torrenticolidae	Trhypachthoniidae	Tubificidae	Unionicolidae	Unionidae	Valvatidae
Mar-31	1	2003	0	0	0	0	8	0	0	0	0	0	0	0	0	10	0	0	0	
Mar-32	1	2003	0	0	0	0	4	0	0	0	0	0	0	1	0	0	2	0	0	1
Mar-46	1	2003	0	0	0	0	109	0	0	0	0	0	0	1	0	0	1	0	0	11
Mar-47	1	2003	0	0	0	0	22	0	0	0	1	0	0	3	0	0	1	0	0	0
Mar-48	1	2003	0	0	0	0	12	0	0	0	0	0	0	4	0	0	0	0	0	0
Mar-48	QA/QC1	2004	0	0	0	0	52	0	0	0	1	0	0	4	0	0	0	0	0	0
Mar-50	1	2003	0	0	0	0	34	0	0	0	0	0	0	0	0	0	1	0	0	0
Mar-01	1	2003	0	0	0	0	100	0	0	28	0	0	0	1	0	0	1	0	0	0
Mar-03	1	2003	0	0	0	0	4	0	0	0	0	0	0	3	0	0	2	0	0	0
Mar-05	1	2003	0	0	0	0	17	0	0	2	1	0	0	3	0	0	10	0	0	0
Mar-17	1	2003	0	0	0	0	3	0	0	3	0	0	0	5	0	0	0	0	0	18
Mar-18	1	2003	0	0	0	0	0	0	1	1	0	0	0	5	0	0	5	0	0	0
Mar-18	QA/QC1	2004	0	0	0	0	17	0	0	0	2	0	0	1	1	0	0	0	0	0
Mar-24	1	2003	0	0	0	0	4	0	0	2	0	0	0	0	0	0	0	13	0	0
Mar-28	1	2003	0	0	0	0	17	0	0	0	0	0	0	1	0	0	12	0	0	0
Abalard Cr.	1	2003	0	0	0	0	39	0	0	0	0	0	0	0	0	0	36	0	0	2
Balmer Trib	1	2003	0	0	0	1	16	0	0	0	0	0	0	0	0	0	35	0	0	0
Chikuni R.	1	2003	0	0	0	0	75	0	0	0	0	0	0	3	0	0	0	0	0	0
CMR01	1	2003	0	0	0	0	19	0	0	2	0	0	0	0	0	0	10	0	0	0
DIX01	1	2003	0	0	0	0	0	0	1	0	0	0	0	0	0	0	5	1	0	12
HEM08	1	2003	0	0	0	2	33	0	0	0	0	0	0	4	0	0	1	0	0	0
HEM10	1	2003	0	0	0	0	9	0	4	0	9	0	0	3	0	0	0	0	0	0
HEM116	1	2004	0	0	0	0	51	0	0	0	1	0	0	0	0	0	9	0	0	6
HEM117	1	2004	0	0	0	0	3	0	0	0	1	0	0	0	0	0	3	0	0	1
HEM12	1	2003	0	1	0	0	1	0	0	0	2	0	0	3	0	1	12	0	0	0
HEM120	1	2004	0	0	0	3	11	0	0	0	18	0	0	3	0	0	9	0	0	13
HEM121	1	2004	0	0	0	1	44	0	0	0	2	0	0	3	0	0	0	0	0	1
HEM122	1	2004	0	0	0	5	23	0	0	0	0	0	0	1	0	0	1	0	0	1
HEM123	1	2004	0	0	0	0	1	0	0	1	0	0	0	1	0	0	5	0	0	4
HEM124	1	2004	0	0	0	0	3	0	0	0	0	0	0	2	0	0	8	0	0	1
HEM126	1	2004	0	0	0	0	5	0	0	1	0	0	0	0	0	0	15	0	0	0
HEM127	1	2004	0	0	0	0	1	0	0	0	10	0	0	0	0	0	140	0	0	0
HEM128	1	2004	0	0	0	0	73	0	0	0	0	0	0	0	0	0	0	0	0	3
HEM129	1	2004	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0
HEM130	1	2004	0	0	0	0	4	0	0	0	1	0	0	0	0	0	6	0	0	0
HEM14	1	2003	0	0	1	0	43	0	1	1	0	0	0	2	0	0	1	0	0	0
HEM16	1	2003	0	0	0	0	2	0	0	0	1	0	0	29	0	0	0	0	0	0
HEM16	QA/QC1	2004	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
HEM22	1	2003	0	0	0	0	2	0	0	0	8	0	0	5	0	0	0	0	0	0
HEM26	1	2003	0	0	0	5	29	0	0	0	0	0	0	1	0	0	0	0	0	0
HEM36	1	2003	0	0	0	0	0	0	0	0	0	0	0	2	0	5	0	0	0	0
HEM48	1	2003	0	0	0	4	31	0	0	0	0	0	0	1	0	0	3	0	0	0
HEM54	1	2003	0	0	0	0	6	0	0	2	1	0	0	0	0	0	0	0	0	2
HEM54	QA/QC1	2004	0	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0

Appendix 4A - Stream benthic community data (contn)

site	Sample #	year	# cells	Total	Aeshnidae	Ancylidae	Anisitsiellidae	Arrenuridae	Asellidae	Athericidae	Aturidae	Baetidae	Baetiscidae	Belostomatidae	Brachycentridae	Caenidae	Calopterygidae	Cambaridae	Capniidae	Ceratopogonidae	Chironomidae	Chloroperlidae	Chrysomelidae	Coenagrionidae
HEM74	1	2003	5	317	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	81	1	0	0
ILD01	1	2003	57	315	2	0	0	0	0	0	0	6	0	0	0	0	0	0	38	7	55	0	0	2
ILD02	1	2003	51	294	0	0	0	0	0	0	0	2	0	0	0	3	3	0	11	7	105	5	0	1
ILD02	QA/QC1	2004	30	304	1	1	0	0	0	0	0	3	0	0	0	1	1	0	3	9	104	0	0	0
LET01	1	2003	13	332	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	238	0	0	0
LSP02	1	2003	12	334	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	27	176	0	0	0
LSP03	1	2003	36	275	0	0	2	0	0	0	0	3	0	0	0	3	0	0	0	9	77	0	0	27
LSR06	1	2003	17	332	0	1	1	0	0	0	0	0	0	0	0	14	0	0	0	2	121	0	0	2
LSR06	QA/QC1	2004	4	304	0	0	1	0	1	0	0	1	0	0	0	21	0	0	0	1	60	0	0	0
LSR07	1	2003	4	300	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10	244	0	0	0
LSR07	QA/QC1	2004	6	324	0	0	0	0	0	0	0	6	0	0	0	0	0	0	3	2	274	0	0	0
LSR08	1	2003	5	357	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	3	211	0	0	0
LSR08	QA/QC1	2004	2	516	0	0	0	0	0	0	0	6	0	0	0	0	0	0	2	8	381	0	0	0
OPR02	1	2003	26	334	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	81	0	0	0
RAP01	1	2003	7	302	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14	2	57	0	0	0
RDL15	1	2003	15	267	0	1	0	0	0	0	0	10	0	0	0	0	0	0	5	8	132	0	0	0
RDL16	1	2003	28	247	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	26	74	0	0	0
RED06	1	2003	49	269	0	0	0	0	0	0	0	6	0	0	0	0	1	0	0	11	26	0	0	0
RED09	1	2003	12	304	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	35	105	0	0	0
RED10	1	2003	9	356	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	19	290	0	0	0
RED12	1	2003	100	46	0	0	0	0	0	0	0	2	0	0	0	1	0	0	0	5	7	0	0	0
RED22	1	2003	13	293	1	0	0	0	0	0	0	7	0	0	0	0	0	0	0	2	125	0	0	0
RED26	1	2003	30	278	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14	226	0	0	0
RED45	1	2003	32	283	0	0	1	0	0	0	0	5	0	0	0	1	0	0	6	12	40	0	0	0
RED48	1	2003	6	353	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	294	0	0	0
RED50	1	2003	7	361	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	16	286	0	0	0
RED59	1	2003	7	340	0	0	0	0	0	0	0	4	0	0	0	55	0	0	0	16	166	0	0	1
RED73	1	2003	13	304	0	0	1	0	0	0	0	29	0	0	0	20	0	0	0	1	140	0	0	1
RLT01	1	2003	7	288	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	33	172	0	0	0
RLT02	1	2003	4	321	0	0	0	0	0	0	0	0	0	0	0	6	0	0	0	28	213	0	0	0
SUD01	1	2004	4	362	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	64	0	0	0
SUD02	1	2004	7	338	0	0	0	0	0	0	0	5	0	0	0	0	0	0	4	1	149	1	0	0
SUD03	1	2004	4	363	0	0	0	0	0	0	0	5	0	0	0	0	0	0	3	11	260	0	0	0
SUD05	1	2004	10	304	0	0	0	0	0	0	0	4	0	0	0	0	0	0	3	2	108	2	0	0
SUD06	1	2004	9	400	0	1	9	0	0	0	0	0	0	0	0	0	0	0	0	0	286	0	0	0
SUD07	1	2004	7	338	0	0	1	0	0	0	0	1	0	0	0	4	0	0	7	6	185	0	0	0
SUD08	1	2004	3	309	0	0	0	1	0	0	0	1	0	0	0	0	0	0	2	0	263	0	0	0
SUD09	1	2004	4	406	0	0	1	0	0	0	0	3	0	0	0	19	0	0	1	3	313	0	0	0
SUD10	1	2004	10	310	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	3	258	0	0	0
SUD11	1	2004	8	347	0	0	0	0	0	0	0	3	0	0	0	0	1	0	1	0	253	0	0	0
SUD12	1	2004	9	371	1	0	1	0	0	0	0	11	0	0	0	0	0	0	7	3	191	2	0	0
SUD13	1	2004	2	425	0	0	0	0	0	0	0	1	0	0	25	0	0	0	0	0	340	0	0	0
SUD14	1	2004	3	449	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0	365	0	0	0
SUD15	1	2004	6	392	0	0	0	0	0	0	1	0	2	0	0	0	0	0	1	11	276	0	0	0
SUD16	1	2004	9	352	0	0	1	0	0	0	0	2	1	0	0	2	1	0	0	4	261	0	0	0
SUD17	1	2004	9	323	0	0	1	0	0	0	0	0	3	0	0	0	0	0	2	5	232	1	0	0

Appendix 4A - Stream benthic community data (contn)

site	Sample #	year	Cordulegastridae	Corduliidae	Corixidae	Corydalidae	Crangonyctidae	Culicidae	Curculionidae	Dixidae	Dolichopodidae	Dryopidae	Dugesidae	Dytiscidae	Elmidae	Empididae	Enchytraeidae	Entomobryidae	Ephemeroptera	Ephemeroptera	Erpobdellidae	Gammaridae	Gerridae	Glossiphoniidae
HEM74	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	84	0	0	0	0	0
ILD01	1	2003	3	0	0	0	0	0	0	0	0	0	0	0	13	6	0	0	3	0	0	0	0	0
ILD02	1	2003	5	0	0	0	0	0	0	0	0	0	0	0	5	7	0	0	5	0	0	0	0	0
ILD02	QA/QC1	2004	2	0	0	0	0	0	0	0	0	0	0	0	4	12	1	0	3	0	0	0	0	0
LET01	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6	0	0	0	0	0	0	1
LSP02	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	7	0	0	0	0	0	0	0
LSP03	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10	0	0	0	0	0
LSR06	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	18	0	0	0	4	0	0	0	0	0
LSR06	QA/QC1	2004	0	0	0	0	0	0	0	0	0	0	0	0	17	0	0	0	0	0	0	0	0	0
LSR07	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	8	0	0	0	0
LSR07	QA/QC1	2004	0	0	0	0	0	0	0	0	0	0	0	0	0	6	1	0	1	2	0	0	0	0
LSR08	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	17	9	0	0	8	0	0	0	0	0
LSR08	QA/QC1	2004	0	0	0	0	0	0	0	0	0	0	0	0	5	24	3	0	16	0	0	0	0	0
OPR02	1	2003	0	4	3	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0
RAP01	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	8	0	0	0	0	0	0	0	0
RDL15	1	2003	2	0	0	0	0	0	0	0	0	0	0	0	0	6	1	0	25	0	0	0	0	0
RDL16	1	2003	0	0	0	0	0	0	0	0	1	0	0	0	0	4	31	0	0	0	0	0	0	0
RED06	1	2003	0	2	45	0	0	0	0	0	2	0	0	2	0	0	33	0	13	0	0	0	0	0
RED09	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14	0	0	0	0	0	0	3
RED10	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	5	3	1	0	0	0	0	0	0	2
RED12	1	2003	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
RED22	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	2	29	6	0	62	0	1	0	0	0
RED26	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
RED45	1	2003	0	2	0	0	0	0	0	0	0	0	0	0	9	2	39	0	7	2	4	0	0	4
RED48	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	13	1	1	0	0	0	0	0	0	0
RED50	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	1	5	1	0	0	0	0	0	0
RED59	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
RED73	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
RLT01	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	19	1	2	0	0	20	1	0	0	1
RLT02	1	2003	0	0	0	0	0	0	0	0	3	0	0	0	0	0	5	0	0	0	0	0	0	2
SUD01	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0	0
SUD02	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	13	9	0	0	2	0	0	0	0	0
SUD03	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	1	9	0	0	11	0	0	0	0	0
SUD05	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	31	3	0	0	32	0	0	0	0	0
SUD06	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	0	1	0	1	0	0	0
SUD07	1	2004	1	0	0	0	0	0	0	0	0	0	0	0	10	2	0	1	25	0	0	0	0	0
SUD08	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	3	0	0	0	0	0
SUD09	1	2004	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	1
SUD10	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	4	0	0	0	0	0
SUD11	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	2	5	0	0	9	0	0	0	0	0
SUD12	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	1	15	0	0	6	0	0	0	0	0
SUD13	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	2	9	0	0	0	0	0	0	0	0
SUD14	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0	0	0	0	0
SUD15	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	0	7	0	0	21	0	0	0	0	0
SUD16	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	5	7	0	0	2	0	0	0	0	0
SUD17	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	9	1	0	0	12	0	0	0	0	0

Appendix 4A - Stream benthic community data (contn)

site	Sample #	year	Glossosomatidae	Gomphidae	Gyrinidae	Haicariidae	Halplidae	Helicopsychidae	Heptageniidae	Hyalellidae	Hydraenidae	Hydrobiidae	Hydrotrichidae	Hydrophilidae	Hydropsychidae	Hydroptilidae	Hydrozetidae	Hydryphantidae	Hygrobatidae	Hypogasturidae	Isonychidae	Isotomidae	Krendowskidae	Lebertidae
HEM74	1	2003	0	14	0	0	0	0	7	0	0	0	0	0	42	0	0	0	0	0	0	0	0	0
ILD01	1	2003	4	25	0	0	0	0	43	0	0	0	0	0	15	0	1	0	0	0	0	0	0	0
ILD02	1	2003	1	22	0	0	0	0	45	2	0	0	0	0	2	3	0	0	1	0	0	0	0	8
ILD02	QA/QC1	2004	1	10	0	0	0	0	55	1	0	0	0	0	2	4	0	0	1	0	0	0	0	5
LET01	1	2003	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
LSP02	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LSP03	1	2003	0	10	0	0	0	0	0	0	0	28	0	0	0	29	0	0	0	0	0	0	0	0
LSR06	1	2003	0	0	0	0	0	0	0	27	0	5	0	0	0	4	1	0	7	0	0	0	0	1
LSR06	QA/QC1	2004	0	0	0	0	0	0	0	53	0	4	0	0	0	12	0	0	7	0	0	0	0	0
LSR07	1	2003	0	0	0	0	0	0	3	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
LSR07	QA/QC1	2004	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
LSR08	1	2003	0	7	0	0	0	0	0	0	0	0	0	0	0	66	0	0	6	0	0	0	0	1
LSR08	QA/QC1	2004	1	2	0	0	0	0	0	0	0	0	0	0	0	32	0	0	1	0	0	0	0	1
OPR02	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
RAP01	1	2003	0	5	0	0	0	0	7	0	0	0	0	0	29	0	0	0	0	0	8	0	0	1
RDL15	1	2003	5	7	0	0	0	0	2	0	0	0	0	0	10	0	0	0	0	0	0	0	0	0
RDL16	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	0	0	0	0	0	1
RED06	1	2003	0	0	0	0	0	0	2	20	0	0	0	0	0	0	0	0	0	0	0	1	0	0
RED09	1	2003	0	0	0	0	2	0	0	0	0	0	0	0	0	9	0	0	1	0	0	0	0	2
RED10	1	2003	0	1	0	0	0	0	0	2	0	0	0	0	0	0	0	0	5	1	0	0	0	2
RED12	1	2003	0	0	0	0	0	0	10	2	0	0	0	0	3	0	0	0	0	0	0	0	0	0
RED22	1	2003	0	1	0	0	0	0	1	0	0	0	0	0	14	2	0	0	1	0	0	0	0	2
RED26	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0
RED45	1	2003	0	0	0	0	0	0	20	2	0	0	1	0	32	1	0	0	1	0	0	0	0	0
RED48	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
RED50	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	1
RED59	1	2003	0	0	0	0	0	0	0	36	0	10	0	0	0	0	0	0	0	0	0	0	0	0
RED73	1	2003	0	0	0	0	0	0	0	79	0	1	0	0	0	1	0	0	1	0	0	0	0	0
RLT01	1	2003	0	0	0	0	0	0	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
RLT02	1	2003	0	0	0	0	0	0	0	10	1	0	0	2	0	15	0	0	0	0	0	0	0	0
SUD01	1	2004	0	0	0	0	0	0	6	0	0	0	0	0	110	0	1	0	0	0	1	0	0	1
SUD02	1	2004	0	2	0	0	0	0	22	1	0	0	0	0	6	4	0	0	1	0	1	0	0	1
SUD03	1	2004	0	0	0	0	0	0	1	0	0	0	0	0	2	0	0	0	4	0	0	0	0	3
SUD05	1	2004	0	2	0	0	0	0	13	0	0	0	0	0	11	1	0	0	0	0	0	0	0	0
SUD06	1	2004	0	2	0	0	0	0	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SUD07	1	2004	0	6	0	0	0	0	2	1	0	0	0	0	0	19	0	0	0	0	0	0	0	1
SUD08	1	2004	0	0	0	0	0	0	1	0	0	0	0	0	0	10	0	0	0	0	0	0	0	0
SUD09	1	2004	0	0	0	0	0	0	0	5	0	0	0	0	0	7	0	0	0	0	0	0	0	1
SUD10	1	2004	0	0	0	0	0	0	1	0	0	0	0	0	0	14	0	0	0	0	0	0	0	0
SUD11	1	2004	0	2	0	1	0	0	4	0	0	0	0	0	0	23	0	0	0	0	0	0	0	1
SUD12	1	2004	0	0	0	0	0	0	41	0	0	0	0	0	16	8	0	0	2	0	4	0	0	0
SUD13	1	2004	0	1	0	0	0	0	0	1	0	3	0	0	1	7	0	0	0	0	0	0	0	1
SUD14	1	2004	0	1	0	0	0	0	2	0	0	0	0	0	12	6	0	0	9	0	0	0	0	0
SUD15	1	2004	0	11	0	1	0	0	14	0	0	1	0	0	2	2	0	0	1	0	0	0	0	0
SUD16	1	2004	0	3	0	0	0	0	0	1	0	0	0	0	0	34	0	0	1	0	0	0	0	1
SUD17	1	2004	0	1	0	0	0	0	0	0	0	0	0	0	0	13	0	0	1	0	0	0	0	0

Appendix 4A - Stream benthic community data (contn)

site	Sample #	year	Lepidostomatidae	Leptoceridae	Leptohyphidae	Leptophlebiidae	Leuctridae	Libellulidae	Limnephilidae	Limnysiidae	Limnococharidae	Lumbriculidae	Lymnaeidae	Macromiidae	Metretropodidae	Molannidae	Muscidae	Naididae	Nemouridae	Neocaridae	Nepidae	Notonectidae	Odontoceridae	Onychiuridae
HEM74	1	2003	0	2	0	5	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
ILD01	1	2003	3	0	0	5	21	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
ILD02	1	2003	2	4	0	2	2	0	1	0	0	7	0	0	0	0	0	5	0	0	0	0	0	0
ILD02	QA/QC1	2004	2	2	0	0	2	0	1	0	0	7	0	0	0	0	0	3	0	0	0	0	0	0
LET01	1	2003	0	0	0	0	0	0	3	0	0	6	0	0	0	0	0	9	1	0	0	0	0	0
LSP02	1	2003	4	1	0	0	0	0	4	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
LSP03	1	2003	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	22	0	0	3	0	0	0
LSR06	1	2003	0	1	0	1	0	0	0	3	0	0	0	0	0	0	0	57	0	0	0	0	0	0
LSR06	QA/QC1	2004	0	3	0	3	0	0	0	3	0	0	0	0	1	0	0	88	0	0	0	0	0	0
LSR07	1	2003	0	0	0	8	0	0	0	0	0	1	0	0	0	1	0	3	0	0	0	0	0	0
LSR07	QA/QC1	2004	0	0	0	11	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
LSR08	1	2003	0	4	0	5	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0
LSR08	QA/QC1	2004	0	5	0	2	0	0	1	0	0	0	0	0	0	0	0	13	0	0	0	0	0	0
OPR02	1	2003	1	0	0	0	0	3	0	0	0	0	0	0	0	0	0	12	0	0	0	0	0	0
RAP01	1	2003	3	0	0	0	20	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
RDL15	1	2003	13	0	0	7	5	0	0	0	0	5	0	0	0	0	0	4	0	0	0	0	0	0
RDL16	1	2003	0	0	0	1	0	0	0	0	0	1	0	0	0	0	3	0	0	0	0	0	0	0
RED06	1	2003	0	0	0	91	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0	0
RED09	1	2003	0	0	0	5	0	0	3	0	0	4	0	0	0	0	0	43	0	0	0	0	0	0
RED10	1	2003	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0
RED12	1	2003	0	0	0	3	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0
RED22	1	2003	0	4	0	4	0	1	1	0	1	0	0	0	0	0	0	12	0	0	0	0	0	0
RED26	1	2003	0	0	0	0	0	1	0	0	0	7	0	0	0	0	0	19	0	0	0	0	0	0
RED45	1	2003	12	0	0	35	6	0	0	0	0	0	0	0	0	1	1	2	0	0	0	0	0	1
RED48	1	2003	0	0	0	15	0	0	0	1	0	0	0	0	0	0	0	3	0	0	0	0	0	0
RED50	1	2003	0	0	0	11	0	0	0	0	0	0	0	0	0	0	0	16	0	0	0	0	0	0
RED59	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10	0	0	0	0	0	0
RED73	1	2003	0	0	0	3	0	0	0	0	0	2	0	0	0	0	0	4	0	0	0	0	0	0
RLT01	1	2003	0	0	0	8	0	0	2	0	0	5	1	0	0	0	2	0	0	0	0	0	0	0
RLT02	1	2003	0	0	0	12	0	0	1	1	0	2	1	0	0	0	0	3	0	0	0	0	0	0
SUD01	1	2004	0	0	0	24	0	0	1	0	0	0	0	0	0	0	0	25	0	0	0	0	0	0
SUD02	1	2004	0	0	0	11	0	0	0	0	0	2	0	0	0	0	0	5	0	0	0	0	1	0
SUD03	1	2004	0	5	0	3	0	0	1	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0
SUD05	1	2004	24	0	0	25	1	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0
SUD06	1	2004	0	13	0	11	0	0	4	0	0	10	0	2	0	0	0	14	0	0	0	0	0	0
SUD07	1	2004	0	17	1	29	1	0	0	0	0	1	0	0	0	0	0	5	0	0	0	0	0	0
SUD08	1	2004	0	5	0	0	0	0	0	1	0	0	0	0	0	0	0	16	0	0	0	0	0	0
SUD09	1	2004	0	21	0	3	0	0	0	0	0	1	0	0	0	0	0	8	0	0	0	0	0	0
SUD10	1	2004	0	5	0	1	1	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0
SUD11	1	2004	0	17	0	3	1	0	0	0	0	3	0	0	0	0	0	1	0	0	0	0	0	0
SUD12	1	2004	0	23	0	5	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
SUD13	1	2004	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0
SUD14	1	2004	0	3	1	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0
SUD15	1	2004	0	0	0	16	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0
SUD16	1	2004	0	4	0	1	1	0	0	0	0	1	0	0	0	0	0	6	0	0	0	0	0	0
SUD17	1	2004	0	13	0	4	0	0	0	0	0	1	0	0	0	0	0	8	0	0	0	0	0	0

Appendix 4A - Stream benthic community data (contn)

site	Sample #	year	Oxidae	Peritidae	Perlodidae	Philopotamidae	Phoridae	Phrygaenidae	Physidae	Pionidae	Planorbidae	Poduridae	Polycentropodidae	Psephenidae	Psychodidae	Psychoomyiidae	Pteronarcyidae	Pyralidae	Rhyacophilidae	Sarcophagidae	Sciomyiidae	Sericostomatidae	Stalidae	Simuliidae
HEM74	1	2003	0	2	0	5	0	0	0	0	0	0	11	0	0	0	0	0	1	0	0	0	0	0
ILD01	1	2003	0	6	3	2	0	0	0	0	0	0	1	0	0	0	0	0	10	0	0	0	0	13
ILD02	1	2003	0	1	0	3	0	0	0	0	1	0	4	0	0	0	0	0	2	0	0	0	0	0
ILD02	QA/QC1	2004	0	1	1	7	0	0	0	0	0	0	3	0	0	0	0	0	9	0	0	0	0	0
LET01	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LSP02	1	2003	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LSP03	1	2003	0	0	0	0	0	0	0	0	11	0	3	0	0	0	0	4	0	0	0	0	1	0
LSR06	1	2003	0	0	0	0	0	0	0	4	1	0	0	0	0	0	0	2	0	0	0	0	0	0
LSR06	QA/QC1	2004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LSR07	1	2003	0	0	0	0	0	0	0	0	0	0	8	0	0	0	0	0	0	0	0	0	0	0
LSR07	QA/QC1	2004	0	0	0	1	0	0	0	0	0	0	2	0	0	0	0	0	2	0	0	0	0	0
LSR08	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
LSR08	QA/QC1	2004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OPR02	1	2003	0	0	0	0	0	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
RAP01	1	2003	0	10	0	74	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	39
RDL15	1	2003	0	1	1	8	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
RDL16	1	2003	0	0	0	0	0	0	0	0	14	0	0	0	0	0	0	0	0	0	0	0	0	0
RED06	1	2003	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
RED09	1	2003	0	0	0	0	0	1	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0
RED10	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
RED12	1	2003	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
RED22	1	2003	0	0	0	1	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	2
RED26	1	2003	0	0	0	0	0	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
RED45	1	2003	0	0	1	0	0	1	0	0	0	0	0	0	5	3	0	0	0	0	0	0	0	0
RED48	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
RED50	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
RED59	1	2003	0	0	0	0	0	0	0	0	6	0	1	0	0	0	0	0	0	0	0	0	0	0
RED73	1	2003	1	0	0	0	0	0	0	0	1	0	3	0	0	0	0	0	0	0	0	0	1	0
RLT01	1	2003	0	0	0	0	0	1	0	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0
RLT02	1	2003	0	0	0	0	0	1	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	1
SUD01	1	2004	0	4	25	76	0	0	0	0	0	0	1	0	0	0	0	0	7	0	0	0	0	2
SUD02	1	2004	0	4	0	51	0	0	0	0	0	0	0	2	0	0	0	0	4	0	0	0	0	0
SUD03	1	2004	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
SUD05	1	2004	0	3	2	12	0	0	0	0	0	0	1	0	0	0	0	0	5	0	0	0	0	0
SUD06	1	2004	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SUD07	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	1	0	0	0	2	0
SUD08	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SUD09	1	2004	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
SUD10	1	2004	0	0	0	0	0	0	0	0	0	0	2	0	0	1	0	0	1	0	0	0	0	0
SUD11	1	2004	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SUD12	1	2004	0	7	3	9	0	0	0	0	0	0	3	0	0	0	0	0	3	0	0	0	0	0
SUD13	1	2004	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SUD14	1	2004	0	0	3	3	0	0	0	0	0	0	7	0	0	0	0	0	1	0	0	0	0	1
SUD15	1	2004	0	2	0	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0
SUD16	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SUD17	1	2004	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0

Appendix 4A - Stream benthic community data (contn)

site	Sample #	year	Sisyridae	Siphonuridae	Sminthuridae	Sperchontidae	Sphaeriidae	Staphylinidae	Stratiomyidae	Tabanidae	Taeniopterygidae	Tanyderidae	Tetrastemmatidae	Tipulidae	Torrenticolidae	Trhypachthoniidae	Tubificidae	Unionicolidae	Unionidae	Valvatidae
HEM74	1	2003	0	0	0	0	57	0	0	0	0	0	0	0	0	0	0	0	0	0
ILD01	1	2003	0	0	0	7	7	0	0	0	8	0	0	4	0	0	0	0	0	0
ILD02	1	2003	0	0	0	2	0	0	0	0	7	6	0	1	1	0	0	0	0	0
ILD02	QA/QC1	2004	0	0	0	6	0	0	0	0	33	0	0	2	0	0	1	0	0	0
LET01	1	2003	0	0	0	0	45	0	0	2	0	0	0	1	0	1	8	0	0	0
LSP02	1	2003	0	0	0	0	89	0	0	1	0	0	0	0	0	0	23	0	0	0
LSP03	1	2003	0	0	1	0	15	0	0	0	1	0	0	0	0	0	12	0	0	2
LSR06	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	34	9	0	12
LSR06	QA/QC1	2004	0	0	0	0	1	0	0	0	0	0	0	0	0	0	26	1	0	0
LSR07	1	2003	0	0	0	0	7	0	1	2	0	0	0	0	0	0	0	1	0	0
LSR07	QA/QC1	2004	0	0	0	0	3	0	0	0	0	0	0	2	0	0	0	0	0	0
LSR08	1	2003	0	0	0	1	1	0	0	1	5	0	0	1	0	0	6	0	0	0
LSR08	QA/QC1	2004	0	0	0	0	1	0	0	0	3	0	0	3	0	0	6	0	0	0
OPR02	1	2003	0	0	0	0	219	0	0	0	0	0	0	0	0	0	3	0	0	0
RAP01	1	2003	0	0	0	1	2	0	0	0	20	0	0	0	0	0	0	0	0	0
RDL15	1	2003	0	0	0	0	7	0	0	0	0	0	0	0	1	0	0	0	0	0
RDL16	1	2003	0	0	0	0	6	0	0	0	0	0	0	52	0	8	19	0	0	1
RED06	1	2003	0	0	0	0	4	0	0	0	0	0	0	2	0	0	4	0	0	0
RED09	1	2003	0	0	0	0	71	0	0	1	1	0	0	0	0	0	2	0	0	0
RED10	1	2003	0	0	0	0	16	0	0	0	0	0	0	0	0	0	2	0	0	0
RED12	1	2003	0	0	0	0	2	0	0	0	0	0	0	2	0	0	2	0	0	0
RED22	1	2003	0	0	0	0	3	0	0	0	5	0	0	0	0	0	0	0	0	0
RED26	1	2003	0	0	0	0	1	0	0	0	0	0	0	0	0	0	3	0	0	0
RED45	1	2003	0	0	0	0	19	0	0	0	0	0	0	4	0	0	1	0	0	0
RED48	1	2003	0	0	0	0	16	0	0	0	0	0	0	0	0	0	0	0	0	0
RED50	1	2003	0	0	0	0	8	0	0	0	0	0	0	0	0	0	8	0	0	0
RED59	1	2003	0	0	0	0	23	0	0	0	0	0	0	0	0	0	1	2	0	7
RED73	1	2003	0	0	0	0	3	0	0	0	0	0	0	0	0	0	3	7	0	1
RLT01	1	2003	0	0	0	0	8	0	0	1	0	0	0	1	0	0	1	0	0	0
RLT02	1	2003	0	0	0	0	5	0	2	0	0	0	0	0	0	0	5	0	0	0
SUD01	1	2004	0	0	0	0	0	0	0	0	4	0	0	2	0	0	1	0	0	0
SUD02	1	2004	0	0	0	4	23	0	0	0	1	0	0	7	1	0	0	0	0	0
SUD03	1	2004	0	0	0	13	0	0	0	0	12	0	0	2	9	0	0	0	0	0
SUD05	1	2004	0	0	0	10	3	0	0	0	0	0	0	4	0	0	0	0	0	0
SUD06	1	2004	0	0	0	0	32	0	0	0	0	0	0	1	0	0	4	0	0	0
SUD07	1	2004	0	0	0	0	3	0	0	0	0	0	0	1	0	0	2	0	0	0
SUD08	1	2004	0	0	0	0	3	0	0	0	0	0	0	0	2	0	0	0	0	0
SUD09	1	2004	0	0	0	0	12	0	0	0	0	0	0	0	1	0	2	0	0	0
SUD10	1	2004	0	0	0	0	4	0	0	0	0	0	0	0	0	0	3	0	0	0
SUD11	1	2004	0	0	0	1	1	0	0	0	4	0	0	3	2	0	4	0	0	0
SUD12	1	2004	0	0	0	1	0	0	0	0	6	0	0	0	0	0	0	0	0	0
SUD13	1	2004	0	0	0	0	4	0	0	0	3	1	0	1	0	0	0	0	0	0
SUD14	1	2004	0	0	0	0	1	0	0	0	21	5	0	0	0	0	0	0	0	0
SUD15	1	2004	0	0	0	0	12	0	0	0	1	0	0	0	1	0	0	0	0	0
SUD16	1	2004	0	0	0	1	4	0	0	0	4	0	0	0	0	0	4	0	0	0
SUD17	1	2004	0	0	0	0	12	0	0	0	0	0	0	0	1	0	0	0	0	0

Appendix 4A - Stream benthic community data (contn)

site	Sample #	year	# cells	Total	Aeshnidae	Ancyliidae	Anisitsiellidae	Arrenuridae	Asellidae	Athericidae	Aturidae	Baetidae	Baetiscidae	Belostomatidae	Brachycentridae	Caenidae	Calopterygidae	Cambaridae	Capniidae	Ceratopogonidae	Chironomidae	Chloroperidae	Chrysomelidae	Coenagrionidae
SUD18	1	2004	13	309	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	2	100	2	0	0
SUD19	1	2004	7	307	0	0	0	0	0	0	0	13	0	0	2	0	0	0	3	0	85	0	0	0
SUD20	1	2004	9	322	0	0	0	0	0	0	0	10	0	0	0	0	0	0	0	18	237	0	0	0
SUD21	1	2004	4	332	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	8	196	0	0	0
SUD22	1	2004	4	323	0	0	0	0	0	0	0	9	0	0	0	1	0	0	1	2	137	0	0	0
SUD23	1	2004	16	310	0	0	1	0	0	0	0	5	0	0	0	2	0	0	1	6	207	0	0	0
SUD24	1	2004	10	319	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	7	164	0	0	0
SUD25	1	2004	5	301	0	0	0	0	0	2	1	6	0	0	0	0	0	0	0	0	106	1	0	0
USR12	1	2003	5	309	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	2	144	0	0	0
VER01	1	2003	20	320	0	0	0	0	0	0	0	7	0	0	0	0	0	0	26	3	111	0	0	0
Test19	1	2003	15	301	0	0	0	0	0	0	0	2	0	0	0	0	0	0	1	1	172	0	0	0
Test20	1	2003	25	297	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	18	114	0	0	0
Test21	1	2003	7	338	0	0	0	0	0	0	0	0	0	0	0	37	0	0	0	1	182	0	0	1
Test22	1	2003	18	303	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	18	0	0	0
Test23	1	2003	9	361	0	3	2	0	0	0	0	1	0	0	0	25	0	0	0	7	144	0	1	19
Test24	1	2003	18	292	0	0	0	0	0	0	0	0	0	0	0	48	0	0	0	1	113	0	0	9
Test25	1	2003	19	287	0	0	0	0	0	0	0	0	0	0	0	35	0	0	0	4	160	0	0	1
Test33	1	2003	6	292	1	1	0	0	0	0	0	3	0	0	0	0	0	0	0	7	64	0	0	1
Test34	1	2003	8	300	0	0	2	0	0	0	0	0	0	0	0	1	0	0	0	12	120	0	0	0
Test35	1	2003	8	354	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	1	191	0	0	1
Test36	1	2003	6	342	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	25	168	0	0	1
Test37	1	2003	4	289	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	129	0	0	0
Test26	1	2003	18	357	0	0	0	0	0	1	0	42	0	0	0	0	0	0	0	0	25	0	0	0
Test27	1	2003	17	321	0	0	1	0	0	0	0	5	0	0	0	26	1	0	0	3	246	0	0	0
Test28	1	2003	11	488	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	4	343	0	0	0
Test29	1	2003	7	335	0	8	0	0	0	0	0	4	0	0	0	39	0	0	0	0	139	0	0	12
Test30	1	2003	19	320	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	1	110	0	0	0
Test31	1	2003	8	336	0	0	0	0	0	0	0	0	0	0	0	68	1	0	0	0	179	0	0	2
Test32	1	2003	12	314	1	0	0	0	0	0	0	1	0	0	0	1	0	0	0	9	233	0	0	0
Test16-03	1	2003	25	57	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	4	47	0	0	0
Test16-04	1	2004	53	298	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	26	218	0	0	24
Test13-1	1	2003	15	278	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	42	170	0	0	0
Test13-2	1	2003	10	295	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16	234	0	0	0
Test13-3	1	2003	19	316	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	19	239	0	0	0
Test17-03	1	2003	25	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	25	0	0	0
Test17-04	1	2004	21	330	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	267	0	0	0
Test18	1	2003	40	301	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	128	0	0	2
Test14	1	2003	11	299	0	0	0	0	0	0	0	0	0	0	0	8	0	0	0	14	145	0	0	0
Test15	1	2003	11	292	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	8	157	0	0	2

Appendix 4A - Stream benthic community data (contn)

site	Sample #	year	Cordulegastriidae	Corduliidae	Corixidae	Corydalidae	Crangonyctidae	Culicidae	Curculionidae	Dixidae	Dolichopodidae	Dryopidae	Dugesidae	Dytiscidae	Elmidae	Empididae	Enchytraeidae	Entomobryidae	Ephemereleidae	Ephemeridae	Erpobdellidae	Gammaridae	Gerridae	Glossiphoniidae
SUD18	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	4	12	1	0	26	0	0	0	0	0
SUD19	1	2004	0	0	0	2	0	0	0	0	0	0	0	0	18	8	1	0	34	0	0	0	0	0
SUD20	1	2004	2	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0
SUD21	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	9	0	0	0	4	0	0	0	0	0
SUD22	1	2004	2	0	0	0	0	0	0	0	0	0	0	0	1	4	0	0	5	0	0	0	0	0
SUD23	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	1	4	0	0	4	0	0	0	0	0
SUD24	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10	0	5	0	1	0	0	0
SUD25	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	0	6	0	0	57	0	0	0	0	0
USR12	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	8	0	0	0	0	0
VER01	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	9	12	0	0	3	0	0	0	0	0
Test19	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0	0
Test20	1	2003	0	0	0	0	0	0	0	0	0	0	0	2	0	1	12	0	0	0	0	0	0	0
Test21	1	2003	0	0	2	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0
Test22	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	45	1	0	0	0	0	0	0	0
Test23	1	2003	0	0	1	1	0	0	0	0	0	0	0	0	16	0	0	0	0	0	0	0	0	0
Test24	1	2003	0	2	38	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Test25	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Test33	1	2003	0	0	2	0	0	0	1	0	0	0	0	3	0	0	4	0	0	0	0	0	0	0
Test34	1	2003	0	0	1	0	0	0	0	0	0	0	0	0	31	0	7	0	3	0	0	0	0	0
Test35	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	12	1	0	0	0	0	0	0	0	0
Test36	1	2003	0	0	4	0	0	0	0	0	0	0	0	1	17	0	0	0	0	0	0	0	0	0
Test37	1	2003	0	0	1	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0
Test26	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	19	5	0	0	13	0	0	0	0	0
Test27	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
Test28	1	2003	0	0	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Test29	1	2003	0	0	0	2	0	0	0	0	0	0	0	0	25	0	0	0	13	0	0	1	0	0
Test30	1	2003	1	0	0	0	0	1	0	1	0	0	0	11	3	0	6	0	0	0	2	0	2	3
Test31	1	2003	0	0	0	0	0	0	0	0	0	0	0	1	0	7	1	0	0	0	0	0	0	0
Test32	1	2003	2	0	4	0	0	0	0	0	0	0	0	3	2	3	1	0	0	0	0	0	0	0
Test16-03	1	2003	0	0	0	0	0	0	0	0	0	0	0	2	0	1	1	0	0	0	0	0	0	0
Test16-04	1	2004	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0
Test13-1	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	3
Test13-2	1	2003	1	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0
Test13-3	1	2003	1	0	0	0	0	0	0	0	0	0	0	0	0	2	3	0	0	0	0	1	0	0
Test17-03	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	13	0	0	0	0	0	0	0	0
Test17-04	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	0	18	0	0	0	0	0	0	0	0
Test18	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	2	84	4	7	0	0	0	0	0	0
Test14	1	2003	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Test15	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2

Appendix 4A - Stream benthic community data (contn)

site	Sample #	year	Glossosomatidae	Gomphidae	Gyrinidae	Halicaridae	Halipidae	Helicopsychidae	Heptageniidae	Hyalellidae	Hydraenidae	Hydrobiidae	Hydrodromidae	Hydrophilidae	Hydropsychidae	Hydroptilidae	Hydrozetidae	Hydryphantidae	Hygrobatidae	Hypogasturidae	Isonychidae	Isotomidae	Krendowskiidae	Lebertiidae
SUD18	1	2004	13	15	0	0	0	0	34	0	0	0	0	0	8	0	0	0	0	0	5	0	0	0
SUD19	1	2004	0	5	0	0	0	0	38	0	0	0	0	0	8	2	0	0	0	0	0	0	0	1
SUD20	1	2004	0	1	0	0	0	0	0	0	0	0	0	0	1	10	0	0	0	0	0	0	0	0
SUD21	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0	4	0	0	0	0	0
SUD22	1	2004	0	7	0	0	0	0	33	0	0	0	0	0	0	2	0	0	3	0	2	0	0	1
SUD23	1	2004	0	4	0	0	0	0	15	0	0	0	0	0	1	6	0	0	0	0	0	0	0	1
SUD24	1	2004	0	1	0	0	0	0	1	0	0	5	0	0	0	23	0	0	0	0	0	0	0	0
SUD25	1	2004	2	13	0	1	0	0	14	0	0	0	0	0	42	0	0	0	0	0	0	0	0	0
USR12	1	2003	0	6	0	0	0	0	11	48	0	0	0	0	1	2	0	0	1	0	0	0	0	0
VER01	1	2003	0	6	0	0	0	0	28	0	0	0	0	0	18	14	0	0	0	0	6	0	0	1
Test19	1	2003	0	0	0	0	0	0	6	0	0	0	0	0	0	24	0	0	0	0	3	0	0	0
Test20	1	2003	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	5	0	0
Test21	1	2003	0	0	0	0	1	0	0	23	0	0	0	0	0	0	0	6	0	0	0	0	0	0
Test22	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	209	0	0	0	0	0	0	0	0	0
Test23	1	2003	0	0	0	0	4	0	0	8	0	0	3	0	0	0	0	24	0	0	0	0	0	0
Test24	1	2003	0	0	0	0	2	0	0	3	0	0	0	0	0	11	0	0	7	0	0	0	0	0
Test25	1	2003	0	2	0	1	0	0	0	24	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Test33	1	2003	0	0	2	0	0	0	0	96	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Test34	1	2003	0	0	0	0	3	0	0	62	0	4	0	0	0	0	0	0	0	0	0	0	0	0
Test35	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	0	4	0	0	0	0	0
Test36	1	2003	0	0	0	0	1	0	0	44	0	3	0	0	0	4	0	0	0	0	0	0	0	0
Test37	1	2003	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Test26	1	2003	0	4	0	0	0	0	33	0	0	0	0	0	71	3	0	0	0	0	34	0	0	0
Test27	1	2003	0	0	0	0	0	0	1	4	0	0	0	0	0	0	1	0	8	0	0	0	0	4
Test28	1	2003	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Test29	1	2003	0	0	0	0	1	0	0	20	0	0	0	0	0	6	0	0	5	0	0	0	0	12
Test30	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	12	0	0
Test31	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	3	52	0	0	0	0	0	0	0	0
Test32	1	2003	0	0	0	0	0	0	1	0	0	0	0	0	5	2	0	0	6	0	0	0	0	1
Test16-03	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Test16-04	1	2004	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	15	0	0
Test13-1	1	2003	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Test13-2	1	2003	0	0	0	1	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0
Test13-3	1	2003	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Test17-03	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	17	0	0	0	0	0	0	0	0	1
Test17-04	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	27	0	0	0	0	0	0	0	0	4
Test18	1	2003	0	2	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	1	0	2	0	0
Test14	1	2003	0	0	0	0	0	0	0	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Test15	1	2003	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Appendix 4A - Stream benthic community data (contn)

site	Sample #	year	Lepidostomatidae	Leptoceridae	Leptohyphidae	Leptophlebiidae	Leuctridae	Libellulidae	Limnephilidae	Limnesiidae	Limnocharidae	Lumbriculidae	Lymnaeidae	Macromiidae	Metropodidae	Molannidae	Muscidae	Naididae	Nemouridae	Neocaridae	Nepidae	Notonectidae	Odontoceridae	Onychiuridae
SUD18	1	2004	11	3	0	9	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0
SUD19	1	2004	0	1	0	5	5	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
SUD20	1	2004	0	6	0	1	1	0	0	0	0	0	0	0	1	0	14	0	0	0	0	0	0	0
SUD21	1	2004	0	1	0	0	0	0	1	0	0	0	0	0	3	0	0	75	0	0	0	0	0	0
SUD22	1	2004	3	3	0	4	1	0	0	0	0	2	0	0	0	0	0	3	0	0	0	0	0	0
SUD23	1	2004	0	8	1	0	0	0	0	0	0	2	0	0	0	0	0	6	0	0	0	0	0	0
SUD24	1	2004	0	6	0	1	0	0	2	0	0	0	0	0	0	0	0	14	0	0	0	0	0	0
SUD25	1	2004	4	3	0	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
USR12	1	2003	0	3	0	52	0	1	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0
VER01	1	2003	2	2	0	12	3	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	1	0
Test19	1	2003	1	0	0	1	0	0	1	0	0	0	0	0	0	0	0	50	0	0	0	0	0	0
Test20	1	2003	0	0	0	0	0	0	0	0	0	12	0	0	0	0	0	0	0	0	0	0	0	2
Test21	1	2003	0	0	0	17	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
Test22	1	2003	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0
Test23	1	2003	0	3	0	3	0	0	0	1	0	0	0	0	0	0	0	3	0	0	0	0	2	0
Test24	1	2003	0	8	0	3	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	1	0	0
Test25	1	2003	0	3	0	1	0	1	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	1
Test33	1	2003	0	0	0	75	0	0	7	0	0	0	0	0	0	0	0	1	0	0	2	1	0	0
Test34	1	2003	0	1	0	16	0	0	1	0	0	0	0	0	0	0	0	17	0	0	0	0	0	0
Test35	1	2003	0	0	0	6	0	0	2	0	0	0	1	0	0	0	0	47	0	0	0	0	0	0
Test36	1	2003	0	1	0	0	0	0	2	1	0	0	0	0	0	0	0	23	0	0	0	0	0	0
Test37	1	2003	0	0	0	0	0	0	0	0	0	0	7	0	0	0	0	12	0	0	0	0	0	0
Test26	1	2003	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0
Test27	1	2003	0	0	0	3	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0
Test28	1	2003	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	77	0	0	0	0	0	0
Test29	1	2003	0	0	0	5	0	1	0	5	0	1	0	0	0	0	0	8	0	0	0	0	0	0
Test30	1	2003	0	0	0	1	0	0	0	0	0	23	1	0	0	0	0	0	0	0	0	0	0	0
Test31	1	2003	0	1	0	2	0	0	0	0	0	0	0	0	0	0	0	7	0	0	0	0	0	0
Test32	1	2003	0	0	0	13	0	0	6	0	0	0	0	0	0	0	0	3	0	0	1	0	0	0
Test16-03	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Test16-04	1	2004	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Test13-1	1	2003	0	0	0	7	0	0	0	1	0	2	2	0	0	0	0	3	0	0	0	0	0	0
Test13-2	1	2003	0	0	0	5	0	0	0	1	0	0	0	0	0	0	0	4	0	0	0	0	0	0
Test13-3	1	2003	0	0	0	11	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0
Test17-03	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Test17-04	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Test18	1	2003	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	0	0	0	0	0	0
Test14	1	2003	0	0	0	3	0	0	0	0	0	5	0	0	0	0	0	10	0	0	0	0	0	0
Test15	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	0	0	0	0	0	0

Appendix 4A - Stream benthic community data (contn)

site	Sample #	year	Oxidae	Perilidae	Perlodidae	Philopotamidae	Phoridae	Phrygaenidae	Physidae	Pionidae	Plecoptera	Poduridae	Polycentropodidae	Psephenidae	Psychodidae	Psychomyiidae	Pteronarcyidae	Pyralidae	Rhyacophilidae	Sarcophagidae	Sciomyzidae	Sericostomatidae	Stalidae	Simuliidae
SUD18	1	2004	0	15	0	32	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	2	
SUD19	1	2004	0	4	2	0	0	0	0	0	0	0	0	0	0	1	0	0	40	0	0	0	1	1
SUD20	1	2004	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
SUD21	1	2004	1	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0
SUD22	1	2004	0	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SUD23	1	2004	0	3	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SUD24	1	2004	0	0	0	0	0	0	0	0	0	0	41	0	0	0	0	0	0	0	0	0	0	0
SUD25	1	2004	0	0	5	2	0	0	0	0	0	0	15	0	0	0	0	0	0	0	0	0	0	1
USR12	1	2003	0	0	0	0	0	1	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0
VER01	1	2003	0	9	0	1	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	2
Test19	1	2003	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Test20	1	2003	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
Test21	1	2003	0	0	0	0	0	1	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0
Test22	1	2003	0	0	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	11
Test23	1	2003	0	0	0	0	0	2	0	2	24	0	2	0	0	0	0	0	0	0	0	0	1	0
Test24	1	2003	1	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Test25	1	2003	0	0	0	0	0	1	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0
Test33	1	2003	0	0	0	1	0	2	1	1	1	0	3	0	0	0	0	0	0	0	0	0	1	0
Test34	1	2003	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Test35	1	2003	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0
Test36	1	2003	0	0	0	0	0	1	0	0	10	0	0	0	0	0	0	0	0	0	0	0	0	0
Test37	1	2003	0	0	0	0	0	0	9	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0
Test26	1	2003	0	10	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	11
Test27	1	2003	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Test28	1	2003	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0
Test29	1	2003	0	0	0	0	0	2	0	0	19	0	0	0	0	0	0	0	0	0	0	0	1	0
Test30	1	2003	0	0	0	0	0	0	0	0	12	0	0	0	1	0	0	0	0	0	0	0	0	0
Test31	1	2003	0	0	0	0	0	1	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0
Test32	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6
Test16-03	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Test16-04	1	2004	0	0	0	0	0	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Test13-1	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5
Test13-2	1	2003	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Test13-3	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Test17-03	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Test17-04	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	12
Test18	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Test14	1	2003	0	0	0	0	0	0	0	0	2	0	0	0	1	0	0	0	0	0	0	0	0	0
Test15	1	2003	0	0	0	0	0	0	1	2	5	0	1	0	0	0	0	0	0	0	0	0	0	0

Appendix 4A - Stream benthic community data (contn)

site	Sample #	year	Sisyridae	Siphonuridae	Sminthuridae	Sperchontidae	Sphaeriidae	Staphylinidae	Stratiomyidae	Tabanidae	Taeniopterygidae	Tanyderidae	Tetrastemmatidae	Tipulidae	Torricolidae	Trhypachthoniida	Tubificidae	Unionicoidae	Unionidae	Valvatidae
SUD18	1	2004	0	0	0	3	0	0	0	0	1	1	0	1	0	0	1	0	0	0
SUD19	1	2004	0	0	0	5	5	0	0	0	6	0	0	7	1	0	2	0	0	0
SUD20	1	2004	0	0	0	0	6	0	0	0	0	3	0	5	1	0	1	0	0	0
SUD21	1	2004	0	0	0	0	5	0	0	0	0	0	0	0	0	0	13	4	0	0
SUD22	1	2004	0	0	0	2	76	0	0	0	15	0	0	0	0	0	0	0	0	0
SUD23	1	2004	0	0	0	1	18	0	0	0	7	0	1	1	2	0	0	0	0	0
SUD24	1	2004	0	0	0	0	35	0	0	0	2	0	0	0	0	0	0	0	0	0
SUD25	1	2004	0	0	0	0	13	0	0	0	2	0	0	1	1	0	0	0	0	0
USR12	1	2003	0	0	0	0	8	0	0	1	0	0	0	0	1	0	6	0	0	1
VER01	1	2003	0	0	0	2	2	0	0	0	27	0	0	4	0	0	3	0	0	0
Test19	1	2003	0	0	0	0	0	0	0	0	31	0	0	0	0	0	0	0	0	0
Test20	1	2003	0	0	0	0	69	1	1	0	0	0	0	6	0	0	44	0	0	0
Test21	1	2003	0	0	0	0	21	0	0	2	0	0	0	0	0	0	37	0	0	0
Test22	1	2003	0	0	0	5	0	0	0	0	0	0	0	3	0	0	0	0	0	0
Test23	1	2003	0	0	0	0	3	0	0	0	0	0	0	1	0	0	55	0	0	0
Test24	1	2003	0	0	0	0	1	0	0	0	0	0	0	0	0	0	33	4	0	0
Test25	1	2003	0	0	0	0	35	0	0	0	0	0	0	0	0	0	13	0	0	0
Test33	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	7	2	0	2
Test34	1	2003	0	0	0	0	1	0	0	0	0	0	0	0	0	0	8	7	0	1
Test35	1	2003	0	0	0	0	5	0	0	0	0	0	0	1	0	0	32	0	0	1
Test36	1	2003	0	0	0	0	10	0	0	0	0	0	0	0	0	0	21	4	0	0
Test37	1	2003	0	0	0	0	2	0	0	0	0	0	0	0	0	0	121	0	0	0
Test26	1	2003	0	0	0	0	62	0	0	0	1	0	0	1	0	0	0	0	0	0
Test27	1	2003	0	0	0	1	2	0	0	0	0	0	0	0	1	0	7	0	0	0
Test28	1	2003	0	0	0	0	3	0	0	0	0	0	0	0	0	0	45	5	0	0
Test29	1	2003	1	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0
Test30	1	2003	0	0	0	0	0	0	0	0	0	0	0	4	0	0	123	0	0	0
Test31	1	2003	0	0	0	1	0	0	0	0	0	0	0	0	0	0	8	0	0	0
Test32	1	2003	0	0	0	0	0	0	0	0	9	0	0	0	0	0	1	0	0	0
Test16-03	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Test16-04	1	2004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0
Test13-1	1	2003	0	0	0	0	21	0	0	0	0	0	0	1	0	0	16	0	0	0
Test13-2	1	2003	0	0	0	0	13	0	0	0	0	0	0	1	0	0	7	0	0	0
Test13-3	1	2003	0	0	0	0	15	0	0	0	0	0	0	0	0	0	18	0	0	0
Test17-03	1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Test17-04	1	2004	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
Test18	1	2003	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0
Test14	1	2003	0	0	0	0	42	0	0	1	0	0	0	1	0	0	52	0	0	1
Test15	1	2003	0	0	0	1	1	0	0	0	0	0	0	0	0	0	46	0	0	0

Appendix 4B - Lake benthic community data.

Site	Year	# cells sorted	Total # benthos	Aeolosomatidae	Aeshnidae	Ancylidae	Anisitsiellidae	Arrenuridae	Athericidae	Aturidae	Baetidae	Baetiscidae	Belostomatidae	Caenidae	Calopterygidae	Cambaridae	Capniidae	Ceratopogonidae	Chironomidae	Chloroperlidae	Chrysomelidae	Coenagrionidae	Cordulegastridae
Reference lakes																							
HEM02	2003	6	487	0	0	0	0	0	0	0	12	0	0	61	0	0	0	82	249	0	0	0	0
HEM04	2003	3	260	0	0	0	0	0	0	0	39	0	0	28	0	0	0	13	266	0	0	3	0
HEM06	2003	13	342	0	2	0	1	0	0	0	0	0	0	15	0	0	0	2	125	0	0	0	0
HEM18	2003	16	357	0	0	0	0	1	0	0	2	0	0	8	0	0	0	0	258	0	0	4	0
HEM20	2003	16	326	0	0	4	1	1	0	0	0	0	0	17	0	0	0	0	205	0	0	0	0
HEM24	2003	17	315	0	0	0	0	0	0	0	0	0	0	41	0	0	0	5	202	0	0	0	0
HEM28	2003	11	339	0	0	0	1	3	0	0	1	0	0	58	0	0	0	7	119	0	0	0	0
HEM30	2003	12	358	0	0	0	2	0	0	0	2	0	0	67	0	0	0	7	115	0	0	0	0
HEM32	2003	9	339	0	0	0	2	2	0	0	7	0	0	51	0	0	0	8	175	0	0	4	0
HEM34	2003	19	340	0	0	0	2	0	0	0	4	0	0	35	0	0	0	7	217	0	0	0	0
HEM38	2003	11	279	0	0	1	0	0	0	0	5	0	0	27	0	0	0	12	119	0	0	1	0
HEM40	2003	10	393	0	0	0	1	0	0	0	3	0	0	95	0	0	0	9	108	0	0	0	0
HEM44	2003	21	340	0	1	0	0	0	0	0	0	0	0	82	0	0	0	3	179	0	0	0	0
HEM46	2003	23	384	0	0	0	0	1	0	0	0	0	0	69	0	0	0	21	187	0	0	3	0
HEM50	2003	12	431	0	0	0	1	0	0	0	86	0	0	58	0	0	0	10	156	0	0	1	0
HEM52	2003	7	522	0	0	0	1	0	0	0	18	0	0	22	0	0	0	16	198	0	0	0	0
HEM52QA/QC1	2003	4	413	0	0	0	1	0	0	0	18	0	0	12	0	0	0	7	154	0	0	0	0
HEM56	2003	42	282	0	0	0	0	0	0	0	3	0	0	39	0	0	0	6	87	0	0	0	0
HEM58	2003	10	363	0	0	0	0	0	0	0	0	0	0	82	0	0	0	7	62	0	0	0	1
HEM70	2003	7	343	0	0	0	1	0	0	0	1	0	0	20	0	0	1	31	73	0	0	0	0
HEM72	2003	11	209	0	0	0	0	0	0	0	0	0	0	8	0	0	1	21	103	0	0	0	0
HEM80	2003	13	395	0	0	0	3	0	0	0	25	0	0	1	1	0	0	11	102	0	0	2	0
HEM82	2003	7	422	0	0	0	0	0	0	0	32	0	0	5	0	0	0	48	111	0	0	0	0
HEM84	2003	14	367	0	0	0	0	1	0	0	0	0	0	26	0	0	0	34	145	0	0	0	0
LEA01	2003	13	387	0	0	0	1	1	0	0	0	0	0	31	0	0	0	8	244	0	0	1	0
LEA02	2003	15	357	0	0	0	0	1	0	0	2	0	0	4	0	0	0	15	195	0	0	0	0
LEA03	2003	10	385	0	0	0	0	2	0	0	10	0	0	16	0	0	0	3	205	0	0	0	0
LSP01	2003	20	281	0	0	0	0	0	0	0	0	0	0	0	0	0	0	11	204	0	1	23	0
LSP01QA/QC1	2003	10	366	0	0	0	0	1	0	0	0	0	0	2	0	0	0	8	174	0	0	16	0
MARA07	2003	87	319	0	0	0	0	0	0	0	1	0	0	1	0	0	0	13	89	0	0	0	0
MARA09	2003	64	325	0	0	0	1	0	0	0	3	0	0	4	0	0	0	21	121	0	0	0	0
MARA11	2003	31	338	0	0	0	0	0	0	0	2	0	0	1	0	0	0	68	144	0	0	0	0
MARA13	2003	10	335	0	0	0	0	0	0	0	0	0	0	0	0	0	0	43	37	0	0	0	0
MARA14	2003	11	319	0	0	0	1	0	0	0	0	0	0	16	0	0	0	4	270	0	0	3	0
MARA15	2003	7	338	0	0	0	0	1	0	0	11	0	0	1	0	0	0	100	63	0	0	1	0
MARA16	2003	14	245	0	0	0	0	0	0	0	32	0	0	15	0	0	0	18	84	0	0	0	0
MARA20	2003	14	324	0	0	0	0	0	0	0	5	0	0	80	0	0	0	20	94	0	0	2	0
MARA21	2003	32	217	0	0	0	1	0	0	0	0	0	0	58	0	0	0	27	62	0	0	2	0
MARA21QA/QC1	2003	18	346	0	0	0	0	0	0	0	0	0	0	66	0	0	0	34	70	0	0	1	0
MARA22	2003	8	322	0	1	0	0	0	0	0	7	0	0	27	0	0	0	1	113	0	0	1	0
MARA23	2003	25	325	1	0	0	0	0	0	0	0	0	0	0	0	0	0	38	79	0	0	0	0
MARA26	2003	45	330	0	0	0	0	1	0	0	20	4	0	1	0	0	0	11	5	0	0	1	0
MARA29	2003	19	377	0	0	0	0	0	0	0	1	0	0	56	0	0	0	2	141	0	0	3	0
MARA30	2003	15	403	0	0	0	0	1	0	0	3	0	0	51	0	0	0	4	241	0	0	4	0
MARA33	2003	103	144	0	0	0	0	0	0	0	0	0	0	1	0	0	0	3	44	0	0	0	0
MARA34	2003	9	350	0	0	0	0	0	0	0	0	0	0	1	0	0	0	11	48	0	0	0	0
MARA35	2003	17	332	0	0	0	1	0	0	0	1	0	0	8	0	1	0	173	70	0	0	2	0
MARA36	2003	50	305	0	0	0	0	0	0	0	0	0	0	21	0	0	0	22	179	0	0	0	0
MARA37	2003	14	323	0	0	0	0	0	0	0	6	0	0	72	0	0	0	16	119	0	0	0	0
MARA38	2003	18	333	0	0	0	1	0	0	0	2	0	0	18	0	0	0	48	172	0	0	0	0
MARA39	2003	20	319	0	0	0	1	0	0	0	0	0	0	2	0	0	0	28	29	0	0	0	0
MARA40	2003	26	327	0	0	0	0	0	0	0	42	0	0	3	0	0	0	39	63	0	0	0	0
MARA41	2003	5	229	0	0	0	1	0	0	0	4	0	0	0	0	0	0	37	124	0	0	4	0
MARA42	2003	11	400	0	4	0	0	0	0	0	5	0	0	69	0	0	0	20	192	0	0	1	0
MARA43	2003	42	346	0	1	0	0	0	0	0	0	0	0	75	0	1	0	18	187	0	0	0	0
MARA44	2003	14	365	0	0	0	1	1	0	0	17	0	0	5	0	0	0	34	161	0	0	1	0
MARA45	2003	15	329	0	0	0	2	0	0	0	4	0	0	0	0	1	0	27	113	0	0	3	0
PAN01	2003	23	358	0	0	0	0	0	0	0	0	0	0	3	0	0	0	16	254	0	0	2	0

Appendix 4B - Lake benthic community data (contn)

Site	Year	Corduliidae	Corixidae	Corydalidae	Crangonyctidae	Curculionidae	Dixidae	Dolichopodidae	Dytiscidae	Elmidae	Empididae	Enchytraeidae	Entomobryidae	Ephemeroptera	Ephemeroptera	Erpobdellidae	Gammaridae	Glossiphoniidae	Gomphidae	Gyrinidae	Halictidae	Halipidae
Reference lakes																						
HEM02	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	2
HEM04	2003	0	0	0	1	1	0	0	0	0	0	1	0	2	0	0	4	0	2	0	0	0
HEM06	2003	0	0	0	0	0	0	0	1	0	2	8	0	81	0	0	2	2	1	0	0	0
HEM18	2003	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0	0
HEM20	2003	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0	0
HEM24	2003	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
HEM28	2003	0	0	0	0	0	0	0	0	13	1	2	0	8	0	0	0	0	4	0	0	0
HEM30	2003	0	0	0	0	0	0	0	0	2	0	12	0	6	0	0	0	0	5	0	0	4
HEM32	2003	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	2	2
HEM34	2003	0	0	0	1	0	0	0	0	0	0	6	0	0	0	0	0	0	0	0	4	0
HEM38	2003	0	0	0	0	0	0	0	0	0	0	3	0	6	1	0	0	0	0	0	4	0
HEM40	2003	0	0	0	0	0	0	0	0	7	0	5	0	19	0	0	1	0	0	0	0	0
HEM44	2003	0	0	0	0	0	0	0	0	0	0	5	0	3	0	0	0	0	0	0	0	0
HEM46	2003	0	0	0	0	0	0	0	0	1	0	26	0	0	0	0	0	0	0	0	0	0
HEM50	2003	0	10	0	0	0	0	0	0	0	0	0	0	2	0	0	1	0	0	0	0	0
HEM52	2003	0	0	0	0	0	0	0	0	0	2	19	0	2	0	1	0	0	6	0	0	0
HEM52QA/QC1	2003	0	2	0	0	0	0	0	0	0	3	16	0	0	0	0	0	0	6	0	0	0
HEM56	2003	0	1	0	0	0	0	0	1	0	0	3	0	0	0	0	4	1	0	0	0	6
HEM58	2003	0	0	0	0	0	0	0	0	19	0	13	0	3	2	0	0	1	1	0	0	0
HEM70	2003	0	0	0	0	0	0	0	0	43	0	14	0	16	3	0	0	1	0	0	1	0
HEM72	2003	0	0	0	0	0	0	0	0	41	0	2	0	3	0	0	0	0	0	0	0	0
HEM80	2003	0	4	0	0	0	0	0	3	11	0	3	0	45	0	0	5	2	0	0	0	1
HEM82	2003	0	0	0	0	0	0	0	0	0	0	4	0	6	0	0	0	0	0	0	1	0
HEM84	2003	0	0	0	0	0	0	0	2	0	0	5	0	1	0	0	0	1	0	0	0	0
LEA01	2003	0	0	0	0	0	0	0	0	2	0	2	0	7	0	0	0	0	0	0	2	0
LEA02	2003	0	0	0	0	0	0	0	0	0	0	13	0	26	0	0	0	0	2	0	0	0
LEA03	2003	0	1	0	0	0	0	0	0	0	0	3	0	2	0	0	0	0	0	0	0	0
LSP01	2003	0	0	0	0	0	0	0	0	17	0	45	0	3	0	0	0	0	6	0	0	0
LSP01QA/QC1	2003	1	0	0	0	0	0	0	0	16	0	42	0	2	0	0	0	0	5	0	0	0
MARA07	2003	0	4	0	0	0	0	0	8	0	0	5	0	1	0	0	9	2	0	0	0	0
MARA09	2003	0	0	0	0	0	0	0	8	0	0	7	0	0	0	0	7	1	0	5	0	0
MARA11	2003	0	0	0	1	0	0	2	1	0	0	12	0	0	0	0	2	0	0	2	0	0
MARA13	2003	0	0	0	0	0	0	1	1	54	2	43	0	5	0	0	0	0	0	3	1	0
MARA14	2003	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
MARA15	2003	0	0	0	0	0	0	0	2	0	0	3	0	2	0	0	2	0	0	1	1	3
MARA16	2003	0	0	0	0	0	0	0	0	36	0	5	0	0	9	0	2	0	0	0	0	0
MARA20	2003	0	1	0	0	0	0	0	2	0	0	4	0	18	2	0	0	0	2	0	3	0
MARA21	2003	0	0	0	0	0	0	0	1	1	0	5	0	12	2	0	2	0	0	0	0	0
MARA21QA/QC1	2003	0	0	0	0	0	0	0	0	0	1	8	0	5	1	1	2	0	0	0	1	0
MARA22	2003	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0	0	0	0	0
MARA23	2003	0	1	0	0	0	0	0	0	0	1	8	0	4	0	0	4	0	0	0	3	0
MARA26	2003	0	8	0	0	4	0	5	6	0	4	114	0	2	0	0	1	0	0	0	0	1
MARA29	2003	0	0	0	1	0	0	0	0	0	1	0	0	1	0	0	2	0	1	0	0	0
MARA30	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
MARA33	2003	0	3	0	0	0	0	2	10	0	0	8	0	1	0	0	0	1	0	0	0	8
MARA34	2003	0	2	0	0	0	0	0	4	11	0	20	0	0	0	1	1	1	0	1	0	2
MARA35	2003	0	0	0	0	0	0	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0
MARA36	2003	0	2	0	0	0	0	0	0	0	0	8	0	2	0	0	0	0	0	0	0	0
MARA37	2003	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	2	1	0	0	0	0
MARA38	2003	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	4	0	0	0	0	0
MARA39	2003	0	1	0	0	0	0	0	5	1	0	89	0	3	0	0	0	0	0	2	0	2
MARA40	2003	0	10	0	0	0	0	0	1	0	0	36	0	1	0	0	2	0	0	2	0	0
MARA41	2003	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	1	0	0	0	1
MARA42	2003	0	0	0	0	0	0	0	1	0	0	2	0	8	0	0	0	0	0	0	2	0
MARA43	2003	0	0	0	0	0	0	0	0	0	0	9	0	1	0	0	0	0	0	1	0	0
MARA44	2003	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	7	1	0	0	5	0
MARA45	2003	0	13	0	0	0	0	0	0	0	1	5	0	1	4	1	0	0	0	0	0	0
PAN01	2003	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0

Appendix 4B - Lake benthic community data (contn)

Site	Year	Helicopsychidae	Heptageniidae	Hyalellidae	Hydrobiidae	Hydrodromidae	Hydrophiliidae	Hydropsychidae	Hydroptilidae	Hydrozetidae	Hydryphantidae	Hygrobatidae	Hypogasturidae	Isotomidae	Krendowskidae	Lebertidae	Lepidostomatidae	Leptoceridae	Leptohyphidae	Leptophlebiidae	Leuctridae	Libellulidae
Reference lakes																						
HEM02	2003	0	0	10	0	0	0	0	0	1	0	0	0	0	0	0	0	4	0	10	0	0
HEM04	2003	0	0	12	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	86	0	3
HEM06	2003	0	0	28	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	45	0	0
HEM18	2003	0	0	49	1	0	0	0	0	0	0	0	0	0	0	0	0	4	0	14	0	0
HEM20	2003	0	0	26	0	0	0	0	0	0	1	0	0	0	0	0	0	2	0	17	0	0
HEM24	2003	0	0	13	0	0	0	0	1	0	0	0	0	0	0	0	0	4	0	11	0	3
HEM28	2003	0	2	44	0	0	0	0	0	0	0	0	0	0	0	0	0	7	0	47	0	0
HEM30	2003	0	4	50	0	0	0	0	0	0	0	1	0	1	0	0	0	9	0	27	0	1
HEM32	2003	0	0	34	0	0	0	0	5	0	0	1	0	0	0	0	0	1	0	18	0	1
HEM34	2003	0	1	20	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	10	0	0
HEM38	2003	0	4	56	3	0	0	0	0	0	0	0	0	0	0	0	0	5	0	14	0	0
HEM40	2003	0	10	66	1	0	0	0	0	0	0	0	0	0	0	0	0	3	0	16	0	0
HEM44	2003	0	0	12	0	0	0	0	0	0	0	2	0	0	0	0	0	3	0	4	0	0
HEM46	2003	0	0	21	0	0	0	0	0	1	1	0	0	0	0	0	0	7	0	0	0	0
HEM50	2003	0	0	48	0	0	0	0	0	1	0	0	0	0	0	0	0	11	0	24	0	2
HEM52	2003	0	0	110	8	0	0	0	0	1	0	0	0	0	0	0	0	20	0	62	0	0
HEM52QA/QC1	2003	0	1	81	1	0	0	0	0	0	0	0	0	0	0	0	0	9	0	54	0	0
HEM56	2003	0	3	40	0	0	0	0	0	0	0	19	0	0	0	0	0	1	0	10	3	0
HEM58	2003	1	26	14	0	0	0	0	0	0	0	18	0	0	0	0	0	2	0	23	3	0
HEM70	2003	2	3	46	0	0	0	0	0	1	0	1	1	0	0	4	0	2	0	6	0	0
HEM72	2003	0	7	48	2	0	0	0	0	0	0	0	0	0	0	4	12	0	0	16	0	0
HEM80	2003	0	0	115	0	0	0	0	0	0	0	8	0	0	0	0	0	0	0	16	0	0
HEM82	2003	0	3	74	0	0	0	0	2	1	0	2	0	0	0	0	0	2	0	55	0	0
HEM84	2003	0	1	32	0	0	0	0	0	0	0	0	0	0	0	0	0	7	0	18	0	0
LEA01	2003	0	6	17	0	1	0	0	2	0	0	2	0	0	0	1	0	0	0	9	0	0
LEA02	2003	0	2	27	0	1	0	0	1	0	0	4	0	0	1	0	3	0	0	12	0	0
LEA03	2003	0	0	68	6	0	0	0	13	0	0	11	0	0	0	0	4	0	0	5	0	0
LSP01	2003	0	0	28	2	0	0	0	0	0	0	0	0	0	0	0	10	0	0	13	0	0
LSP01QA/QC1	2003	0	0	42	1	1	0	0	0	0	0	0	0	0	0	0	14	0	0	5	0	0
MARA07	2003	0	1	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0
MARA09	2003	0	0	40	0	0	0	0	0	0	1	0	0	5	0	0	0	0	0	11	0	0
MARA11	2003	0	0	56	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	2	0	1
MARA13	2003	0	14	18	0	0	0	0	0	0	0	1	0	0	2	0	1	0	0	67	0	0
MARA14	2003	0	0	4	0	0	0	0	2	0	1	0	0	0	0	0	0	0	0	1	0	0
MARA15	2003	0	0	24	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	7	0	0
MARA16	2003	0	0	102	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	29	0	0
MARA20	2003	0	0	27	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	25	0	1
MARA21	2003	0	0	115	0	0	0	0	1	0	0	1	0	0	0	2	0	9	0	5	1	0
MARA21QA/QC1	2003	0	1	101	3	1	0	0	0	0	0	0	1	0	0	0	2	0	0	6	0	0
MARA22	2003	0	0	100	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	36	0	0
MARA23	2003	0	2	69	0	0	0	0	0	2	0	16	0	0	0	4	0	2	0	7	0	0
MARA26	2003	0	0	18	0	0	3	0	0	5	0	0	0	1	0	0	0	0	0	78	0	0
MARA29	2003	0	1	106	0	0	0	0	1	0	0	1	0	0	0	0	3	0	0	25	0	5
MARA30	2003	0	0	33	0	0	0	0	0	0	1	0	0	0	0	0	2	0	0	47	0	1
MARA33	2003	0	0	105	1	0	0	0	0	0	0	5	0	0	0	0	2	0	0	30	0	0
MARA34	2003	0	1	167	0	0	0	0	0	0	0	5	0	2	0	0	3	0	0	30	0	0
MARA35	2003	0	0	26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
MARA36	2003	0	0	40	0	0	0	0	0	0	0	1	0	0	0	0	5	0	0	3	0	0
MARA37	2003	0	2	36	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	11	0	0
MARA38	2003	0	0	32	0	0	0	0	0	0	0	1	0	1	0	0	1	0	0	12	0	0
MARA39	2003	0	1	44	0	0	0	0	0	0	0	27	0	0	0	2	0	1	0	32	0	0
MARA40	2003	0	0	49	0	0	0	0	0	0	0	1	1	0	0	3	0	0	0	39	0	0
MARA41	2003	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
MARA42	2003	0	16	27	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0	15	0	0
MARA43	2003	0	0	4	0	0	0	0	0	0	0	2	0	0	0	0	9	0	0	1	0	0
MARA44	2003	0	2	76	0	0	0	0	1	0	0	5	0	0	0	0	0	0	1	21	0	0
MARA45	2003	0	3	87	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0	24	0	0
PAN01	2003	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0	62	0	0

Appendix 4B - Lake benthic community data (contn)

Site	Year	Limnephilidae	Limnesiidae	Limnocharidae	Lumbriculidae	Lymnaeidae	Metropodidae	Molannidae	Muscidae	Naididae	Neocaridae	Nepidae	Notonectidae	Odontoceridae	Onychiuridae	Oxidae	Peridae	Philopotamidae	Phoridae	Phrygaenidae	Physidae	Pionidae	Planorbidae
Reference lakes																							
HEM02	2003	0	0	0	0	0	0	0	0	25	0	0	0	0	0	0	0	0	0	0	0	1	21
HEM04	2003	0	0	0	0	0	0	0	0	7	0	0	0	0	0	0	0	0	0	4	0	0	10
HEM06	2003	3	0	0	2	0	0	0	0	16	0	0	1	0	0	0	0	0	0	1	0	1	0
HEM18	2003	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	1	0	0	0
HEM20	2003	0	1	0	0	0	0	0	0	26	0	0	0	0	0	0	0	0	0	0	1	0	2
HEM24	2003	0	0	0	1	0	0	0	0	7	0	0	0	0	0	0	0	0	0	0	0	0	0
HEM28	2003	1	0	0	4	0	0	1	0	8	0	0	0	0	0	0	0	0	0	2	0	0	2
HEM30	2003	0	0	0	0	1	0	0	0	32	0	0	0	0	0	0	0	0	0	0	0	1	5
HEM32	2003	0	0	0	0	1	0	0	0	3	0	0	0	0	0	0	0	0	0	2	0	0	10
HEM34	2003	1	0	0	2	2	0	0	0	13	0	0	0	0	0	0	0	0	0	2	0	0	5
HEM38	2003	0	0	0	0	0	0	0	0	6	0	0	0	0	0	0	0	0	0	2	0	0	3
HEM40	2003	0	0	0	1	3	0	0	0	33	0	0	0	0	0	0	0	0	0	2	0	0	3
HEM44	2003	0	0	0	0	0	0	0	0	10	0	0	0	0	0	0	0	0	0	0	0	0	0
HEM46	2003	0	0	0	0	0	0	0	0	7	0	0	0	0	0	0	0	0	0	0	0	0	3
HEM50	2003	0	0	0	1	0	0	0	0	6	0	0	4	0	0	0	0	0	0	1	0	0	1
HEM52	2003	0	0	0	3	0	0	0	0	7	0	0	0	0	0	0	0	0	0	0	0	0	9
HEM52QA/QC1	2003	0	0	0	3	0	0	0	0	16	0	0	0	0	0	0	0	0	0	0	0	0	12
HEM56	2003	0	0	0	6	1	0	0	0	15	0	0	0	0	0	0	0	0	0	3	0	0	1
HEM58	2003	0	0	0	12	1	0	0	0	13	0	0	0	0	0	0	0	0	0	0	0	0	15
HEM70	2003	0	0	0	2	2	0	0	0	30	0	0	0	0	0	0	0	0	0	0	0	0	2
HEM72	2003	0	0	0	4	0	0	0	0	17	0	0	0	0	0	0	0	0	0	0	0	0	1
HEM80	2003	0	0	0	0	0	1	0	0	4	0	0	0	0	0	0	0	0	0	2	3	0	8
HEM82	2003	3	1	0	0	1	1	0	0	29	0	0	0	0	0	0	0	0	0	3	0	0	4
HEM84	2003	0	0	0	0	0	0	0	0	6	0	0	0	0	0	0	0	0	0	2	0	0	3
LEA01	2003	0	0	0	1	0	0	0	0	21	0	0	0	0	0	1	0	0	0	0	0	1	5
LEA02	2003	0	0	0	0	0	0	0	0	31	0	0	0	0	0	1	0	0	0	2	0	0	0
LEA03	2003	0	0	0	0	0	0	1	0	11	0	0	0	0	0	0	0	0	0	1	0	0	0
LSP01	2003	0	0	0	1	0	0	0	0	5	0	0	0	1	0	2	0	0	0	0	2	0	6
LSP01QA/QC1	2003	0	0	0	0	0	0	0	0	3	0	0	0	1	0	1	0	0	0	0	1	1	4
MARA07	2003	0	1	0	2	0	0	0	0	18	0	0	0	0	0	0	0	0	0	0	0	0	2
MARA09	2003	1	0	0	0	0	0	0	0	7	0	0	4	0	0	0	0	0	0	0	0	0	6
MARA11	2003	2	0	0	4	0	0	0	0	8	0	0	1	0	0	0	0	0	0	1	0	0	0
MARA13	2003	3	0	0	10	0	0	0	0	15	0	1	0	0	0	0	0	0	0	0	0	0	4
MARA14	2003	0	0	0	0	0	0	0	0	5	0	0	0	0	0	1	0	0	0	0	0	0	0
MARA15	2003	1	0	0	1	26	0	0	1	66	0	0	1	0	0	0	0	0	0	1	1	0	6
MARA16	2003	2	0	0	0	2	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	2
MARA20	2003	0	0	0	4	0	0	0	0	13	0	0	0	0	0	0	0	0	0	2	0	1	0
MARA21	2003	0	0	0	5	0	0	0	0	13	0	0	0	0	1	0	0	0	0	0	0	0	1
MARA21QA/QC1	2003	4	0	0	1	0	0	0	0	22	0	0	0	0	0	0	0	0	0	0	0	0	2
MARA22	2003	2	0	0	1	0	0	0	0	14	0	0	0	0	0	0	0	2	0	1	0	1	1
MARA23	2003	0	0	0	1	1	1	0	0	63	0	0	0	0	0	0	0	0	0	1	0	0	0
MARA26	2003	0	0	0	1	10	6	0	1	4	0	0	0	0	0	0	0	0	2	4	0	0	1
MARA29	2003	0	0	0	3	0	0	0	0	11	0	0	0	0	0	0	0	0	0	0	0	0	5
MARA30	2003	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	8
MARA33	2003	6	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	2
MARA34	2003	5	0	0	2	0	0	0	0	6	0	0	0	0	0	0	0	0	0	0	0	0	9
MARA35	2003	0	0	0	2	2	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0
MARA36	2003	0	0	0	0	0	0	0	0	11	0	0	0	0	0	0	0	1	0	0	0	0	0
MARA37	2003	4	0	0	0	0	0	0	0	14	0	0	0	0	0	0	0	0	0	0	0	0	1
MARA38	2003	0	0	0	0	2	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	2
MARA39	2003	10	0	0	1	11	0	0	0	7	0	0	2	0	0	0	0	0	0	0	0	0	5
MARA40	2003	2	0	0	0	3	0	0	0	3	0	0	0	0	0	0	0	0	0	4	0	0	5
MARA41	2003	3	0	0	1	2	0	0	0	142	0	0	0	0	0	0	0	0	0	1	0	0	2
MARA42	2003	0	1	0	7	1	0	0	0	8	0	0	0	0	0	0	0	0	0	3	0	0	5
MARA43	2003	0	0	0	1	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0
MARA44	2003	4	0	0	1	0	0	0	0	5	0	0	0	0	0	0	0	0	0	3	0	2	0
MARA45	2003	0	0	0	0	1	4	1	0	9	0	0	0	0	0	0	0	0	0	2	0	0	7
PAN01	2003	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6	0	0	0

Appendix 4B - Lake benthic community data (contn)

Site	Year	Poduridae	Polycentropodidae	Psephenidae	Psychodidae	Psychomyiidae	Pyralidae	Rhyacophilidae	Sciomyzidae	Sericostomatidae	Sialidae	Simuliidae	Sisyridae	Sperchontidae	Sphaeriidae	Stratiomyidae	Tabanidae	Tetrastrimatidae	Tipulidae	Torrenticolidae	Trhypachthoniidae	Tubificidae	Unionicolidae	Unionidae	Valvatidae
Reference lakes																									
HEM02	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	4
HEM04	2003	0	13	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
HEM06	2003	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
HEM18	2003	0	5	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0
HEM20	2003	0	4	0	0	0	0	0	0	0	0	1	0	0	10	0	0	0	0	0	0	2	0	0	0
HEM24	2003	0	5	0	0	0	0	0	0	0	0	0	0	0	21	0	0	0	0	0	0	0	0	0	0
HEM28	2003	0	0	0	0	0	0	0	0	0	1	0	0	0	3	0	0	0	0	0	0	0	0	0	0
HEM30	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	3	0	0	0	0	0	0
HEM32	2003	0	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
HEM34	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	1	2	0	0	0
HEM38	2003	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	4	2	0	0
HEM40	2003	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0	0	0	1	0	0	2	0	0	1
HEM44	2003	0	2	0	0	0	0	0	0	0	0	0	0	0	30	0	0	0	0	0	0	0	5	0	0
HEM46	2003	0	2	0	0	0	0	0	0	0	0	0	0	0	29	0	2	0	0	0	0	0	2	0	1
HEM50	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	0	0	0	3	0	0	1
HEM52	2003	0	3	0	0	0	0	0	0	0	0	0	0	0	12	0	0	0	0	0	0	0	0	0	2
HEM52QA/QC1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	6	0	1	0	0	0	0	2	0	0	8
HEM56	2003	0	0	0	0	0	1	1	0	0	0	0	0	0	6	0	0	0	0	0	0	13	1	0	0
HEM58	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	36	0	0	0	0	0	0	8	0	0	0
HEM70	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	10	1	0	0	6	0	2	17	0	0	0
HEM72	2003	0	3	0	0	0	0	0	0	0	0	0	0	0	9	0	0	0	1	0	0	3	0	0	0
HEM80	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	12	0	0	0	0	1	0	5	1	0	0
HEM82	2003	0	1	0	0	0	0	0	0	0	0	0	0	0	21	0	0	1	3	0	1	5	2	0	0
HEM84	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	80	0	1	0	0	0	0	2	0	0	0
LEA01	2003	0	2	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0	0	1	1	14	0	0
LEA02	2003	0	1	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	4	4	0	2
LEA03	2003	0	1	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	4	5	0	9
LSP01	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	18	0	0	0	0	0	0	1	0	0	5
LSP01QA/QC1	2003	0	1	0	0	0	0	0	0	0	0	0	0	0	20	0	0	0	0	0	1	0	1	0	2
MARA07	2003	0	0	0	0	0	0	0	0	0	0	1	0	0	64	0	1	0	0	0	0	31	1	0	0
MARA09	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	59	0	1	0	1	0	0	11	0	0	0
MARA11	2003	0	0	0	3	0	0	0	0	0	0	0	0	0	15	0	0	0	3	0	0	5	0	0	0
MARA13	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	7	0	0	0	1	0	0	1	0	0	0
MARA14	2003	0	1	0	0	0	1	0	0	0	0	0	0	0	4	0	1	0	0	0	0	1	2	0	0
MARA15	2003	0	0	0	1	0	0	0	0	0	0	0	0	0	3	1	0	0	1	0	0	5	0	0	0
MARA16	2003	0	2	0	0	0	0	0	0	0	0	0	0	0	9	3	5	0	0	0	0	6	0	2	5
MARA20	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	6	0	0	0	1	0	0	3	7	0	0
MARA21	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0	1	0	0	0	0	2	0	0	1
MARA21QA/QC1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	6	0	0	0	1	0	0	5	0	0	0
MARA22	2003	0	1	0	0	0	0	0	0	0	0	0	1	1	2	0	0	0	1	0	0	3	0	0	0
MARA23	2003	0	1	0	0	0	0	0	0	0	0	0	1	4	0	0	0	0	0	1	1	9	0	0	0
MARA26	2003	0	1	0	0	0	2	0	1	0	0	1	0	0	1	0	0	0	1	0	1	0	0	0	0
MARA29	2003	0	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	2	0	0	1
MARA30	2003	0	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0
MARA33	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	6	0	0	3	0	0	1
MARA34	2003	0	0	0	0	0	1	0	0	0	0	0	0	1	7	0	0	0	2	0	0	3	0	0	3
MARA35	2003	0	0	0	33	0	0	0	0	0	0	0	0	0	3	0	3	0	1	0	0	0	0	0	0
MARA36	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	1	0	0	0	0	6	0	0	0
MARA37	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	30	0	0	0	0	0	0	7	0	0	0
MARA38	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	26	0	0	0	3	0	0	0	0	0	0
MARA39	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	6	0	0	0	4	0	1	0	2	0	0
MARA40	2003	0	0	0	1	0	1	0	0	0	0	0	1	10	0	1	0	3	0	0	1	0	0	0	0
MARA41	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	13	0	0	0	0	0	0	0	0	0	0
MARA42	2003	0	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	2	0	0	0	3	0	0
MARA43	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	6	0	1	0	3	0	0	18	0	0	0
MARA44	2003	0	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	3	0	1
MARA45	2003	0	0	0	1	0	0	0	0	0	0	0	0	0	2	0	0	0	1	0	0	0	1	0	7
PAN01	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	3	0	0	0

Appendix 4B - Lake benthic community data.

Site	Year	# cells sorted	Total # benthos	Aeolosomatidae	Aeshnidae	Ancyliidae	Anisitsiellidae	Arrenuridae	Athericidae	Aturidae	Baetidae	Baetiscidae	Belostomatidae	Caenidae	Calopterygidae	Cambaridae	Capniidae	Ceratopogonidae	Chironomidae	Chloroperlidae	Chrysomelidae	Coenagrionidae	Cordulegastridae
PAN02	2003	11	377	0	0	0	0	0	0	0	0	0	0	5	0	0	0	7	338	0	0	0	0
RED02	2003	20	322	0	0	0	0	0	0	0	0	0	0	25	0	0	0	5	61	0	0	0	0
RED03	2003	9	490	0	3	0	0	0	1	0	0	0	0	16	0	0	0	13	143	0	0	0	0
RED04	2003	28	470	0	0	2	0	1	0	0	3	0	0	15	0	0	0	6	182	0	0	2	0
RED05	2003	48	384	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	144	0	0	0	0
RED07	2003	27	347	0	1	5	0	0	0	0	1	0	0	29	0	0	0	2	157	0	0	1	0
RED08	2003	16	372	0	0	0	0	0	0	0	2	0	0	13	0	0	0	9	268	0	1	0	0
RED08QA/QC1	2003	15	306	0	0	0	0	0	0	0	3	0	0	11	0	0	0	4	186	0	2	0	0
RED11	2003	15	226	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	124	0	0	0	0
RED13	2003	19	312	0	0	0	0	0	0	0	0	0	0	0	0	0	0	13	156	0	0	0	0
RED14	2003	10	402	0	0	1	0	0	0	0	1	0	0	74	0	0	0	2	193	0	0	0	0
RED16	2003	5	449	0	0	0	0	0	0	0	0	0	0	83	0	0	0	4	229	0	0	0	0
RED18	2003	8	332	0	0	0	1	1	0	0	0	0	0	2	0	0	0	68	85	0	0	0	0
RED19	2003	11	335	0	0	0	0	0	0	0	1	0	0	23	0	0	0	4	194	0	1	6	0
RED20	2003	16	333	0	0	0	0	0	0	0	2	0	0	11	0	0	0	22	181	0	0	1	0
RED21	2003	17	351	0	0	0	0	2	0	0	1	0	0	44	0	0	0	4	180	0	0	2	0
RED23	2003	12	242	0	0	0	0	3	0	0	0	0	0	6	0	0	0	12	249	0	0	1	0
RED24	2003	43	303	0	1	0	3	0	0	0	4	0	0	41	0	0	0	16	122	0	0	2	0
RED25	2003	17	338	0	0	0	0	0	0	0	0	0	0	26	0	0	0	8	171	0	0	0	0
RED25QA/QC1	2003	21	319	0	0	0	0	0	0	0	0	0	0	19	0	0	0	23	135	0	0	2	0
RED27	2003	75	330	0	0	0	0	0	0	0	3	0	0	12	0	0	0	3	63	0	0	0	0
RED28	2003	20	348	0	0	0	0	0	0	0	1	0	0	70	0	0	0	9	199	0	0	0	0
RED29	2003	18	362	0	0	0	0	0	0	1	0	0	0	1	0	0	0	6	60	0	0	0	0
RED29QA/QC1	2003	9	448	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	62	0	0	0	0
RED30	2003	7	225	0	0	0	0	1	0	0	1	0	0	8	0	0	0	4	89	0	0	2	0
RED31	2003	8	377	0	0	0	0	1	0	0	2	0	0	87	0	0	0	8	167	0	0	2	0
RED32	2003	29	338	0	2	0	1	2	0	0	0	0	0	11	0	0	0	8	85	0	0	0	0
RED33	2003	7	389	0	0	0	0	3	0	0	1	0	0	1	0	0	0	11	101	0	0	0	0
RED40	2003	15	350	0	0	0	0	0	0	0	3	0	0	3	0	0	0	10	132	0	0	0	0
RED41	2003	13	425	0	0	0	0	0	0	0	0	0	0	20	0	0	0	9	216	0	0	0	0
RED42	2003	10	435	0	0	6	1	0	0	0	2	0	0	9	0	0	0	9	271	0	0	2	0
RED43	2003	10	346	0	0	0	0	0	0	0	0	0	0	3	0	0	0	7	165	0	0	0	0
RED44	2003	4	253	0	0	1	0	0	0	0	16	0	0	26	0	0	0	7	123	0	0	1	0
RED46	2003	11	330	0	0	0	0	0	0	0	46	0	0	36	0	0	0	3	132	0	0	3	0
RED51	2003	9	325	0	0	0	0	0	0	0	1	0	0	8	0	0	0	5	139	0	0	0	0
RED52	2003	22	323	0	0	0	0	0	0	0	0	0	0	11	0	0	0	15	181	0	0	0	0
RED53	2003	11	486	0	0	0	0	0	0	0	2	0	0	14	0	0	0	21	250	0	0	0	0
RED54	2003	10	387	0	0	0	1	0	0	0	0	0	0	1	0	0	0	72	105	1	0	0	0
RED56	2003	22	366	1	0	0	0	0	0	0	2	0	0	16	0	0	0	3	197	0	0	0	0
RED58	2003	25	324	0	0	2	0	0	0	0	1	0	0	59	0	0	0	6	107	0	0	0	0
RED69	2003	11	251	0	0	0	0	0	0	0	15	0	0	4	0	0	0	5	97	0	0	6	0
RED71	2003	6	437	0	0	0	0	0	0	0	68	0	0	55	0	0	0	17	87	0	0	4	0
STO01	2003	8	344	0	0	0	0	2	0	0	2	0	0	51	0	0	0	5	164	0	0	1	0
STO02	2003	4	280	0	0	0	0	0	0	0	17	0	0	16	0	0	0	2	44	0	0	1	0
TIM02	2003	8	351	0	0	0	3	0	0	0	6	0	0	13	0	0	0	27	141	0	0	2	0
TIM04	2003	8	398	0	0	0	1	1	0	1	5	0	0	6	0	0	0	29	155	0	0	2	0
TIM06	2003	8	366	0	0	0	0	0	0	0	0	0	0	0	0	0	0	12	240	0	0	0	0
TIM08	2003	7	348	0	1	0	0	0	0	0	1	0	0	0	0	0	0	3	301	0	0	0	0
TIM10	2003	8	462	0	0	1	0	0	0	0	5	0	1	36	0	0	0	21	274	0	0	6	0
TIM14	2003	17	328	0	0	0	0	0	0	0	0	0	0	4	0	0	0	9	219	0	0	2	0
TIM50	2003	20	316	0	0	0	0	0	0	0	1	0	0	23	0	0	0	4	103	0	0	0	0
TIM52	2003	7	251	0	0	1	0	0	0	0	0	0	0	15	0	0	0	16	109	0	0	1	0
TIM52QA/QC1	2003	15	338	0	0	0	1	0	0	0	1	0	0	17	0	0	0	14	125	0	0	1	0
TIM53	2003	17	314	0	0	0	4	0	0	0	0	0	0	13	0	0	0	12	93	0	0	0	0
TIM54	2003	26	330	0	1	0	0	0	0	0	0	0	0	22	0	0	0	6	201	0	0	4	0
TIM55	2003	40	313	0	0	0	0	0	0	1	3	0	0	15	0	0	0	13	148	0	0	0	0
TIM58	2003	11	415	0	0	0	0	0	0	0	0	0	0	12	0	1	0	2	49	0	0	0	0
TIM59	2003	25	314	0	0	0	0	1	0	0	1	0	0	20	0	0	0	18	165	0	0	1	0
TIM60	2003	140	291	0	0	1	2	0	0	0	0	0	0	1	0	0	0	5	104	0	0	2	0
TIM61	2003	16	222	0	1	1	0	0	0	0	1	0	0	27	0	0	0	1	184	0	0	1	0

Appendix 4B - Lake benthic community data (contn)

Site	Year	Corduliidae	Corixidae	Corydalidae	Crangonyctidae	Curculionidae	Dixidae	Dolichopodidae	Dytiscidae	Elmidae	Empididae	Enchytraeidae	Entomobryidae	Ephemeroptera	Ephemeroptera	Erpobdellidae	Gammaridae	Glossiphoniidae	Gomphidae	Gyrinidae	Halicanidae	Halipidae
PAN02	2003	1	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0	0	0	0	0	0
RED02	2003	0	0	0	0	0	0	0	0	3	2	2	0	88	5	0	0	0	5	0	0	0
RED03	2003	0	0	0	0	0	0	0	0	6	2	4	0	32	2	0	0	0	2	0	1	0
RED04	2003	0	2	0	0	0	0	0	0	1	1	0	0	11	0	0	3	0	0	0	2	0
RED05	2003	0	0	0	0	0	0	0	0	2	1	6	0	17	0	0	0	1	0	0	0	0
RED07	2003	0	0	0	0	0	0	0	0	0	0	5	0	3	0	0	0	0	0	0	0	0
RED08	2003	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	1	0	0
RED08QA/QC1	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
RED11	2003	0	0	0	0	0	0	0	0	0	0	35	0	1	0	0	1	2	0	3	0	0
RED13	2003	0	0	0	0	0	0	0	0	0	0	19	0	3	0	0	0	0	0	0	0	0
RED14	2003	0	0	0	1	0	0	0	0	0	0	0	0	4	0	0	0	1	0	0	0	0
RED16	2003	0	0	0	0	0	0	0	0	0	0	0	0	7	0	0	2	1	0	0	0	0
RED18	2003	0	0	0	0	0	0	0	5	9	1	20	0	4	0	0	0	0	2	0	0	0
RED19	2003	0	0	0	0	0	0	0	1	0	0	0	0	17	0	0	0	0	0	1	0	0
RED20	2003	0	0	0	0	0	0	0	1	0	0	5	0	2	0	0	1	0	0	0	0	2
RED21	2003	0	0	0	0	0	0	0	0	0	0	2	0	3	0	0	4	0	0	0	0	0
RED23	2003	0	2	0	0	0	0	0	1	0	0	0	0	1	0	0	3	5	0	0	0	0
RED24	2003	0	1	0	0	0	0	0	0	2	0	0	0	1	0	0	0	3	0	0	0	1
RED25	2003	0	0	0	0	0	0	0	0	0	0	1	0	7	1	1	1	0	0	0	0	0
RED25QA/QC1	2003	0	0	0	5	0	0	0	0	0	1	0	0	3	0	0	0	1	0	0	0	0
RED27	2003	0	0	0	0	0	0	0	0	15	0	0	0	3	2	0	0	2	0	0	0	19
RED28	2003	0	0	0	2	0	0	0	0	0	0	3	0	1	0	0	0	0	0	0	4	0
RED29	2003	0	0	0	0	0	0	0	0	5	1	14	0	8	0	0	0	0	0	0	3	0
RED29QA/QC1	2003	0	0	0	0	0	0	0	0	1	1	16	0	4	1	0	0	0	0	0	1	0
RED30	2003	0	0	0	0	0	0	0	0	22	0	4	0	21	0	0	0	1	3	0	0	0
RED31	2003	1	0	0	1	0	0	0	0	0	0	4	0	0	0	0	1	0	0	1	1	1
RED32	2003	0	0	0	0	0	0	0	5	6	1	1	0	41	0	0	1	0	0	0	0	0
RED33	2003	0	0	0	0	0	0	0	0	36	1	3	0	5	6	0	0	0	0	0	0	0
RED40	2003	0	0	0	1	0	0	0	0	7	0	1	0	8	0	0	1	0	0	1	0	0
RED41	2003	0	1	0	3	0	0	0	0	0	0	0	0	11	10	0	0	0	0	1	0	0
RED42	2003	0	0	0	2	0	0	0	1	0	0	6	0	3	0	0	2	0	0	0	1	0
RED43	2003	1	3	0	0	0	0	0	0	15	0	1	0	2	0	0	0	0	1	0	1	0
RED44	2003	0	0	0	0	0	0	0	0	20	0	1	0	47	1	0	0	0	1	0	0	0
RED46	2003	0	0	0	0	0	0	0	1	0	0	2	0	10	0	0	0	0	0	0	1	1
RED51	2003	0	0	0	0	0	0	0	0	0	0	5	0	21	0	1	0	3	0	0	2	0
RED52	2003	0	0	0	0	0	0	0	0	0	0	8	0	4	0	0	1	0	1	0	1	0
RED53	2003	0	0	0	0	0	0	0	1	0	0	10	0	4	1	0	0	0	0	0	1	1
RED54	2003	0	0	0	0	0	0	0	1	5	3	2	0	31	0	0	0	0	0	0	0	0
RED56	2003	0	0	0	0	0	0	0	0	0	0	0	0	13	0	0	4	0	0	0	2	0
RED58	2003	0	0	0	0	0	0	0	0	0	0	2	0	11	0	0	4	0	0	0	4	0
RED69	2003	0	0	0	0	0	1	0	2	0	0	17	0	0	0	0	6	1	0	1	0	6
RED71	2003	0	2	0	1	0	0	0	0	1	0	2	0	37	1	0	0	0	0	0	0	2
STO01	2003	0	0	0	1	0	0	0	0	4	0	0	0	17	1	0	0	0	0	0	0	0
STO02	2003	0	0	0	0	0	0	0	0	1	0	0	0	27	2	0	0	0	0	2	0	1
TIM02	2003	0	2	0	0	0	0	0	1	3	0	1	0	9	18	0	0	0	0	0	0	1
TIM04	2003	0	8	0	0	0	0	0	0	14	0	1	0	14	4	0	0	0	1	0	0	0
TIM06	2003	0	0	0	0	0	0	0	0	6	0	0	0	2	0	0	0	0	0	0	0	0
TIM08	2003	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	1
TIM10	2003	0	0	0	0	0	0	0	0	0	1	3	0	2	0	0	0	0	0	0	1	0
TIM14	2003	0	0	0	0	0	0	0	0	0	0	1	0	3	0	0	0	0	0	3	0	0
TIM50	2003	0	2	0	0	0	0	0	1	0	0	1	0	0	0	1	1	2	0	0	0	0
TIM52	2003	0	1	0	0	0	0	0	0	21	1	6	0	13	1	0	0	1	0	1	0	1
TIM52QA/QC1	2003	0	1	0	0	0	0	0	2	9	0	3	0	7	1	0	0	0	2	1	0	0
TIM53	2003	0	2	0	0	0	0	0	0	23	0	11	0	11	1	0	0	0	1	0	0	0
TIM54	2003	0	6	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0	0	0	3
TIM55	2003	0	0	0	0	0	0	0	1	3	1	16	0	0	1	0	0	0	0	1	1	1
TIM58	2003	0	0	0	0	0	0	0	2	0	1	18	0	51	9	0	0	0	6	0	0	0
TIM59	2003	0	2	0	0	0	0	0	1	0	0	2	0	4	1	1	0	1	0	0	0	1
TIM60	2003	0	0	0	5	0	0	0	2	3	0	3	1	13	0	0	13	0	0	1	0	0
TIM61	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	2	1	0	0

Appendix 4B - Lake benthic community data (contn)

Site	Year	Helicopsychidae	Heptageniidae	Hyalinellidae	Hydrobiidae	Hydrodromidae	Hydrophiliidae	Hydropsychidae	Hydroptilidae	Hydrozetidae	Hydryphantidae	Hygrobatidae	Hypogasturidae	Isotomidae	Krendowskiiidae	Lebertiidae	Lepidostomatidae	Leptoceridae	Leptohyphidae	Leptophlebiidae	Leuctridae	Libellulidae
PAN02	2003	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	2	0	4	0	2	
RED02	2003	1	29	13	1	1	0	0	1	0	0	3	0	0	0	1	1	3	0	13	0	0
RED03	2003	0	0	115	14	0	0	0	2	1	0	3	0	0	0	2	0	10	0	29	0	0
RED04	2003	0	1	95	1	0	0	0	0	1	0	2	0	0	0	2	0	3	0	11	0	0
RED05	2003	0	9	40	0	15	0	0	0	0	0	0	0	0	0	1	2	9	0	22	0	0
RED07	2003	0	0	77	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0	1
RED08	2003	0	0	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
RED08QA/QC1	2003	0	0	14	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	2
RED11	2003	0	0	43	0	0	0	0	16	0	0	0	0	0	0	0	0	6	0	11	0	0
RED13	2003	0	1	24	1	0	0	0	6	0	0	0	0	0	0	0	0	10	0	9	0	0
RED14	2003	0	1	29	12	1	0	0	2	0	0	0	0	0	0	0	0	3	0	18	0	0
RED16	2003	0	1	28	0	2	0	0	7	0	0	0	0	0	0	0	0	5	0	7	0	0
RED18	2003	0	0	14	1	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0
RED19	2003	0	5	25	0	2	0	0	1	0	0	0	0	0	0	0	0	0	0	12	0	0
RED20	2003	0	1	26	3	0	0	0	0	2	0	0	0	0	0	0	0	4	0	4	0	0
RED21	2003	0	0	36	0	2	0	0	1	0	0	0	0	0	0	0	0	1	0	20	0	1
RED23	2003	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	46	0	0
RED24	2003	0	0	33	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	15	0	1
RED25	2003	0	0	47	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	30	0	2
RED25QA/QC1	2003	0	0	65	0	0	1	0	0	1	0	0	0	2	0	0	0	0	0	25	0	1
RED27	2003	0	0	2	0	0	0	0	0	0	0	26	0	0	0	2	0	2	0	4	0	0
RED28	2003	0	0	3	0	0	0	0	0	3	0	0	1	0	0	1	0	0	0	2	0	3
RED29	2003	0	1	16	5	0	0	0	7	0	1	1	0	0	0	1	0	7	0	14	0	0
RED29QA/QC1	2003	0	0	19	6	0	0	0	7	0	0	1	0	0	0	0	1	4	0	10	0	0
RED30	2003	0	4	58	0	2	0	0	1	0	0	0	0	0	0	0	0	4	0	21	0	0
RED31	2003	0	0	44	0	0	0	0	0	2	0	0	0	0	0	0	0	11	0	12	0	0
RED32	2003	0	7	31	0	0	0	0	0	0	0	2	0	0	0	1	0	3	0	40	0	0
RED33	2003	0	0	93	9	0	0	0	3	1	0	3	0	0	0	0	0	12	0	9	0	0
RED40	2003	0	3	74	0	0	0	0	0	0	0	12	0	0	0	1	0	2	0	30	0	0
RED41	2003	0	3	59	8	1	0	0	1	0	0	0	0	0	0	0	0	6	0	30	0	0
RED42	2003	0	0	34	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	14	0	0
RED43	2003	0	1	46	0	1	0	0	1	0	0	3	0	0	0	0	0	0	0	38	0	0
RED44	2003	0	7	44	5	0	0	0	0	0	0	0	0	0	0	0	0	2	0	35	0	0
RED46	2003	0	1	59	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	7	0	0
RED51	2003	0	24	17	0	1	0	0	0	1	0	2	0	0	0	0	0	4	0	14	0	0
RED52	2003	0	0	33	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	10	0	0
RED53	2003	0	1	39	0	0	0	0	1	0	1	5	0	0	0	1	0	1	0	2	0	0
RED54	2003	0	10	29	0	2	0	0	1	0	0	0	0	0	0	0	1	3	0	28	0	0
RED56	2003	0	0	32	1	1	0	0	2	0	0	3	0	0	0	1	0	4	0	17	0	0
RED58	2003	0	6	34	0	0	0	0	0	1	0	6	0	0	0	1	0	4	0	13	0	0
RED69	2003	0	0	111	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0	19	0	0
RED71	2003	0	8	39	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	11	0	0
STO01	2003	0	3	29	3	1	0	0	2	0	0	0	0	0	0	0	0	3	0	26	0	0
STO02	2003	0	10	226	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	30	0	0
TIM02	2003	0	2	63	1	1	0	0	0	0	0	0	0	0	0	2	0	8	0	4	0	0
TIM04	2003	0	0	35	1	0	0	0	0	0	0	5	1	0	0	0	0	14	0	4	0	0
TIM06	2003	0	1	78	0	0	0	0	0	0	0	0	0	0	0	0	0	7	0	7	0	1
TIM08	2003	0	0	16	0	0	0	0	0	0	0	1	0	0	0	1	0	3	0	0	0	0
TIM10	2003	0	1	38	0	0	0	0	1	0	0	0	0	0	0	0	0	5	0	42	0	0
TIM14	2003	0	0	27	5	0	0	0	0	0	0	0	0	0	0	0	0	4	0	36	0	0
TIM50	2003	0	0	3	4	0	0	0	1	0	0	0	0	0	0	0	0	1	0	2	0	0
TIM52	2003	0	2	62	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	74	0	0
TIM52QA/QC1	2003	1	2	47	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	57	0	0
TIM53	2003	0	1	41	0	0	0	0	0	0	0	0	0	0	0	4	0	7	0	22	0	0
TIM54	2003	0	0	31	0	1	0	0	0	0	0	0	0	0	0	0	0	13	0	0	0	0
TIM55	2003	0	2	66	0	1	0	0	1	3	0	2	0	0	0	0	0	0	0	20	0	0
TIM58	2003	0	145	11	0	0	0	0	0	0	0	4	0	0	0	0	1	2	0	66	0	0
TIM59	2003	0	3	38	2	0	0	0	0	0	0	0	0	2	0	0	0	2	0	18	0	1
TIM60	2003	0	0	17	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	70	0	0
TIM61	2003	0	2	38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	26	0	0

Appendix 4B - Lake benthic community data (contn)

Site	Year	Limnephilidae	Limnesiidae	Limnocharidae	Lumbriculidae	Lymnaeidae	Metropodidae	Molannidae	Muscidae	Naididae	Neocaridae	Nepidae	Notonectidae	Odontoceridae	Onychiuridae	Oxidae	Peridae	Philopotamidae	Phoridae	Phrygaenidae	Physidae	Pionidae	Planorbidae
PAN02	2003	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
RED02	2003	0	0	0	1	1	0	0	0	34	0	0	0	0	0	0	0	0	0	0	0	0	2
RED03	2003	0	0	0	2	6	0	0	0	42	0	0	0	0	0	0	0	0	0	1	0	0	9
RED04	2003	0	0	0	3	0	0	0	0	105	0	0	0	0	0	0	0	0	0	0	0	0	2
RED05	2003	1	0	0	6	0	0	1	0	43	0	0	0	0	0	0	0	0	0	1	0	0	7
RED07	2003	0	0	0	1	0	0	0	0	29	0	1	0	0	0	0	0	0	0	3	0	0	3
RED08	2003	0	0	0	2	0	0	0	0	9	0	0	0	0	0	0	0	0	0	0	0	0	3
RED08QA/QC1	2003	0	0	0	0	0	0	1	0	11	0	0	0	0	0	0	0	0	0	0	0	0	0
RED11	2003	4	0	0	6	0	0	0	0	19	0	0	0	0	0	0	0	0	0	0	0	0	5
RED13	2003	0	17	0	7	0	0	0	0	8	0	0	0	0	0	0	0	0	0	0	0	0	3
RED14	2003	0	0	0	0	0	0	0	0	20	0	0	1	0	0	0	0	0	0	1	0	2	6
RED16	2003	0	0	0	1	0	0	0	0	47	0	0	0	0	0	0	0	0	0	0	0	0	1
RED18	2003	0	23	0	26	0	0	0	0	21	0	0	0	0	0	0	0	0	0	0	0	0	9
RED19	2003	0	0	0	1	1	0	0	0	15	0	0	0	0	0	0	0	0	0	2	0	0	10
RED20	2003	2	0	0	0	0	0	0	0	32	0	0	0	0	0	0	0	0	0	2	0	1	4
RED21	2003	0	0	0	3	0	0	0	0	18	0	0	0	0	0	0	0	0	0	2	0	1	2
RED23	2003	0	0	0	7	0	0	0	0	12	0	0	0	0	0	0	0	0	0	0	0	0	0
RED24	2003	2	0	0	0	0	0	2	0	5	0	0	0	0	0	0	0	0	0	4	0	0	6
RED25	2003	0	0	0	2	0	0	0	0	19	0	0	0	0	0	0	0	0	0	1	0	0	1
RED25QA/QC1	2003	2	0	0	6	0	0	0	0	12	0	0	0	0	1	0	0	0	0	2	0	0	1
RED27	2003	0	2	0	0	0	0	0	0	139	0	0	0	0	0	0	0	0	0	1	0	1	3
RED28	2003	2	0	0	0	0	0	0	0	19	0	0	0	0	0	2	0	0	0	1	0	1	0
RED29	2003	0	1	0	0	0	0	0	0	187	0	0	0	0	0	0	0	0	0	0	0	1	11
RED29QA/QC1	2003	1	0	0	0	0	0	0	0	283	0	0	0	0	0	0	0	0	0	0	0	2	12
RED30	2003	0	0	0	2	0	0	0	0	69	0	0	0	0	0	0	0	0	0	1	0	0	3
RED31	2003	2	0	0	0	0	0	0	0	7	0	0	0	0	0	0	0	0	0	0	0	0	2
RED32	2003	1	0	0	1	0	0	0	0	75	0	0	0	0	0	0	0	0	0	0	0	0	0
RED33	2003	0	28	0	1	0	1	0	0	27	0	0	0	0	0	0	0	0	0	0	0	0	9
RED40	2003	4	0	0	1	3	0	0	0	23	0	0	0	0	0	0	0	0	0	1	4	0	4
RED41	2003	4	0	0	3	0	0	0	1	21	0	0	0	0	0	0	0	0	0	0	0	0	3
RED42	2003	3	14	0	0	2	0	0	0	28	0	0	0	0	0	0	0	0	0	1	1	0	2
RED43	2003	0	0	0	1	0	0	0	0	35	0	0	0	0	0	0	0	0	0	2	0	0	0
RED44	2003	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0	0	0	0	0	0	2
RED46	2003	0	0	0	2	0	0	0	0	6	0	0	1	0	0	0	0	0	0	2	1	0	7
RED51	2003	0	0	0	3	0	0	0	0	65	0	0	0	0	0	0	0	0	0	0	0	0	0
RED52	2003	3	0	0	4	0	0	0	0	14	0	0	0	0	0	0	0	0	0	0	0	0	6
RED53	2003	1	2	0	2	0	0	0	0	111	0	0	0	0	0	0	0	0	0	0	0	0	7
RED54	2003	0	0	0	2	0	0	0	0	67	0	0	0	0	0	0	0	0	0	0	0	0	1
RED56	2003	3	4	0	1	0	0	1	0	44	0	0	0	0	0	0	0	0	0	0	0	0	1
RED58	2003	5	3	0	8	0	0	0	0	23	0	0	0	0	0	1	0	0	0	0	0	0	9
RED69	2003	1	0	0	1	1	0	0	0	22	0	0	0	0	0	0	0	0	0	4	0	1	13
RED71	2003	1	0	0	1	0	0	0	0	91	0	0	0	0	0	0	0	0	0	0	0	0	1
STO01	2003	5	0	0	0	0	0	0	0	11	0	0	0	0	0	0	0	0	0	0	0	0	2
STO02	2003	1	0	0	0	0	0	0	0	21	0	0	3	0	0	0	0	0	0	2	0	0	2
TIM02	2003	0	5	0	0	0	0	1	0	12	0	0	0	0	0	0	0	0	0	0	0	0	2
TIM04	2003	3	4	1	0	33	0	1	0	17	0	0	0	0	0	0	0	0	0	0	1	0	4
TIM06	2003	0	0	0	0	0	0	0	0	6	0	0	0	0	0	0	0	0	0	0	0	0	3
TIM08	2003	0	2	0	0	0	0	0	0	9	0	0	0	0	0	0	0	0	0	0	0	0	0
TIM10	2003	0	0	0	0	0	0	0	0	15	1	0	0	0	0	0	0	0	0	2	0	0	3
TIM14	2003	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	2
TIM50	2003	1	0	0	0	0	0	0	0	23	0	0	0	0	0	0	0	0	0	2	0	1	6
TIM52	2003	14	0	0	5	1	0	1	1	20	0	0	0	0	0	0	0	0	0	1	0	0	2
TIM52QA/QC1	2003	6	0	0	2	1	0	1	0	9	0	0	1	0	0	0	0	0	0	0	0	0	5
TIM53	2003	0	0	0	5	0	0	0	0	18	0	0	0	0	0	0	0	0	0	0	0	0	33
TIM54	2003	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0	0	0	7	0	0	0
TIM55	2003	1	0	0	1	0	0	0	0	4	0	0	0	0	0	0	0	0	0	1	0	1	0
TIM58	2003	0	0	0	0	0	0	0	0	11	0	0	0	0	0	0	5	0	0	0	0	0	0
TIM59	2003	0	0	0	1	1	0	0	0	8	0	0	0	0	0	0	0	0	0	1	0	0	5
TIM60	2003	6	0	0	0	0	0	0	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0
TIM61	2003	2	0	0	6	0	0	0	0	7	0	0	0	0	0	0	0	0	0	0	1	0	6

Appendix 4B - Lake benthic community data (contn)

Site	Year	Poduridae	Polycentropodidae	Psephenidae	Psychodidae	Psychomyiidae	Pyralidae	Rhyacophilidae	Sciomyzidae	Sericostomatidae	Sialidae	Simuliidae	Sisyridae	Sperchontidae	Sphaeriidae	Stratiomyidae	Tabanidae	Tetrastrimatidae	Tipulidae	Torrenticolidae	Trhypachthoniidae	Tubificidae	Unionicolidae	Unionidae	Valvatidae
PAN02	2003	0	0	0	0	0	0	0	0	0	0	0	0	10	0	0	0	0	0	0	0	1	0	0	
RED02	2003	0	2	0	0	0	0	0	0	0	0	0	3	8	0	0	0	2	1	0	0	0	0	5	
RED03	2003	0	0	0	0	1	0	0	0	0	0	0	1	21	0	0	0	0	0	1	3	0	0	2	
RED04	2003	0	0	0	0	0	0	0	0	0	0	0	1	9	0	0	0	0	0	0	2	1	0	0	
RED05	2003	0	4	4	0	0	0	0	0	0	0	0	2	34	0	0	0	1	0	2	5	0	0	0	
RED07	2003	0	7	0	0	0	0	0	0	0	0	0	0	12	0	0	0	0	0	0	1	0	0	3	
RED08	2003	0	0	0	0	0	0	0	0	0	0	0	0	41	0	0	0	0	0	0	3	0	0	0	
RED08QA/QC1	2003	0	1	0	0	0	0	0	0	0	0	0	0	65	0	0	0	0	0	0	3	0	0	0	
RED11	2003	0	0	0	0	0	0	0	0	0	0	0	0	52	0	0	0	0	0	0	0	0	0	3	
RED13	2003	0	0	0	0	0	0	0	0	0	0	0	0	35	0	0	0	0	0	0	0	0	0	0	
RED14	2003	0	2	0	0	0	0	0	0	0	0	2	0	18	0	0	0	0	0	0	1	3	0	3	
RED16	2003	0	2	0	0	0	0	0	0	0	0	1	0	19	0	1	0	0	0	0	0	1	0	0	
RED18	2003	0	0	0	0	0	0	0	0	0	0	0	0	31	0	0	0	0	0	0	0	0	0	6	
RED19	2003	0	6	0	0	0	1	0	0	0	1	0	1	2	0	0	0	1	0	0	0	1	0	0	
RED20	2003	0	0	0	0	0	0	0	0	0	0	0	0	18	0	0	0	0	0	0	5	0	0	1	
RED21	2003	0	4	0	0	0	0	0	0	0	0	0	0	13	0	0	0	0	0	0	5	0	0	0	
RED23	2003	0	4	0	0	0	0	0	0	0	0	0	0	31	0	0	0	0	0	0	5	1	0	0	
RED24	2003	0	2	0	0	0	0	0	0	0	0	1	0	1	24	0	1	0	1	0	0	4	3	0	0
RED25	2003	0	9	0	0	0	0	0	0	0	0	1	2	3	0	0	0	0	0	0	2	1	0	1	
RED25QA/QC1	2003	0	7	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	
RED27	2003	0	1	0	0	0	0	0	0	0	0	0	0	10	15	0	0	0	0	0	0	0	0	0	
RED28	2003	0	0	0	0	0	0	0	0	0	0	0	0	14	0	0	0	0	0	0	6	1	0	0	
RED29	2003	0	0	0	0	0	0	0	0	0	0	0	0	8	0	0	0	0	0	0	1	0	0	1	
RED29QA/QC1	2003	0	0	1	0	0	0	0	0	0	0	0	0	7	0	0	0	0	0	3	2	0	0	2	
RED30	2003	0	4	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	1	0	0	
RED31	2003	0	1	0	0	0	0	0	0	0	0	0	0	12	0	0	0	0	0	0	2	6	0	0	
RED32	2003	0	0	1	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	5	3	0	0	
RED33	2003	0	0	0	0	0	0	0	0	0	0	0	0	11	0	0	0	0	0	0	0	3	0	11	
RED40	2003	0	2	0	0	0	0	0	0	0	0	0	3	2	0	0	0	0	0	0	3	11	0	0	
RED41	2003	0	3	0	0	0	0	0	0	0	0	0	0	9	0	0	0	0	0	0	2	0	0	0	
RED42	2003	0	1	0	0	0	1	0	0	0	0	0	0	10	0	0	0	0	0	0	5	2	0	1	
RED43	2003	0	1	0	0	0	0	0	0	0	0	0	0	12	0	0	0	0	0	0	1	0	0	5	
RED44	2003	0	1	0	0	0	2	0	0	0	1	0	0	1	0	0	0	0	0	0	9	1	0	0	
RED46	2003	0	2	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
RED51	2003	0	2	1	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	1	2	0	0	1	
RED52	2003	0	0	0	0	0	0	0	0	0	0	0	0	19	0	0	0	0	0	0	7	0	0	1	
RED53	2003	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0	0	3	0	0	1	
RED54	2003	0	0	0	0	0	0	0	0	0	0	0	2	7	0	1	0	0	0	0	11	0	0	0	
RED56	2003	0	2	1	0	0	0	0	0	1	0	0	0	4	0	0	0	0	0	0	4	1	0	0	
RED58	2003	0	0	3	0	0	0	0	0	0	0	0	2	2	0	0	0	0	1	1	4	1	0	0	
RED69	2003	0	0	0	0	0	0	0	0	0	0	0	0	9	0	0	0	1	0	0	6	1	0	0	
RED71	2003	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	3	0	0	0	
STO01	2003	0	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	7	0	0	
STO02	2003	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	2	1	0	3	
TIM02	2003	0	1	0	0	0	0	0	0	0	0	0	0	13	0	0	0	0	0	0	6	0	0	3	
TIM04	2003	0	0	0	0	0	0	0	0	0	0	0	0	16	0	0	0	0	0	0	15	1	0	0	
TIM06	2003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
TIM08	2003	0	1	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	1	3	0	0	
TIM10	2003	0	1	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	
TIM14	2003	0	0	0	0	0	0	0	0	0	0	0	0	7	0	0	0	0	0	0	0	3	0	0	
TIM50	2003	0	0	0	0	0	0	0	0	0	0	0	0	114	0	0	0	0	0	0	0	0	0	19	
TIM52	2003	0	0	0	0	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	4	0	0	0	
TIM52QA/QC1	2003	0	0	0	0	0	0	0	0	0	0	0	0	14	0	1	0	0	0	0	2	1	0	0	
TIM53	2003	0	1	0	0	0	0	0	0	0	0	0	0	9	0	1	0	0	0	0	0	1	0	0	
TIM54	2003	0	13	0	0	0	0	0	0	6	0	0	0	3	0	0	0	0	0	0	2	0	0	0	
TIM55	2003	0	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
TIM58	2003	0	3	0	0	0	0	0	0	0	0	0	0	9	0	0	0	0	0	0	7	0	0	0	
TIM59	2003	0	0	0	0	0	0	0	0	0	0	0	0	10	0	0	0	0	0	0	1	0	0	2	
TIM60	2003	1	11	0	0	0	0	0	0	0	0	0	0	18	0	0	0	0	0	0	1	0	0	0	
TIM61	2003	0	7	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	5	1	0	0	

Appendix 4B - Lake benthic community data.

Site	Year	# cells sorted	Total # benthos	Aeolosomatidae	Aeshnidae	Ancylidae	Anisitsiellidae	Arrenuridae	Athericidae	Aturidae	Baetidae	Baetiscidae	Belostomatidae	Caenidae	Caloptenygidae	Cambaridae	Capniidae	Ceratopogonidae	Chironomidae	Chloroperidae	Chrysomelidae	Coenagrionidae	Cordulegastridae
USR01	2003	3	345	0	0	0	1	1	0	0	1	0	0	23	0	0	0	4	71	0	0	30	0
USR02	2003	15	232	0	0	2	0	0	0	1	0	0	0	27	0	0	0	3	124	0	0	7	0
USR10	2003	12	378	0	0	1	0	0	0	0	0	0	0	0	0	0	0	11	150	0	0	2	0
USR11	2003	20	349	0	0	1	0	0	0	0	0	0	0	3	0	0	0	8	133	0	0	4	0
USR13	2003	10	411	0	0	1	0	2	0	3	0	0	0	6	0	0	0	6	128	0	0	2	0
Historically impacted sites																							
Test01		12	374	0	0	0	0	0	0	0	0	0	0	44	0	0	0	27	252	0	0	2	0
Test02		16	299	0	0	0	0	0	0	0	0	0	0	39	0	0	0	10	222	0	0	0	0
Test03		24	312	0	0	0	0	0	0	0	5	0	0	37	0	0	0	10	201	0	0	2	0
Test04		47	334	0	0	0	0	0	0	0	0	0	0	85	0	0	0	5	210	0	0	0	0
Test05		12	351	0	0	0	0	0	0	0	0	0	0	3	0	0	0	56	82	2	0	0	0
Test06		6	393	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	331	0	0	2	0
Test07		14	203	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	226	0	0	0	0
Test08		8	418	0	0	0	0	0	0	0	0	0	0	2	0	0	0	2	263	0	0	0	0
Test09		22	379	0	2	1	1	0	0	0	1	0	0	114	0	0	0	10	91	0	0	4	0
Test11		15	357	0	0	1	0	0	0	0	34	0	0	57	0	0	0	1	97	0	0	4	0
Test38		8	386	0	0	0	0	0	0	0	23	0	0	149	0	0	0	8	110	0	0	4	0
Test12		21	327	0	1	0	0	0	0	0	0	0	0	11	0	0	0	31	100	0	0	3	0

Appendix 4B - Lake benthic community data (contn)

Site	Year	Corduliidae	Corixidae	Corydalidae	Crangonyctidae	Curculionidae	Dixidae	Dolichopodidae	Dytiscidae	Elmidae	Empididae	Enchytraeidae	Entomobryidae	Ephemerellidae	Ephemeridae	Erpobdellidae	Gammaridae	Glossiphoniidae	Gomphidae	Gyrinidae	Halicaridae	Halplidae	
USR01	2003	0	0	0	0	0	0	0	0	0	0	0	0	7	0	0	0	0	0	0	0	0	0
USR02	2003	2	0	0	0	0	0	0	0	0	0	2	0	7	0	0	0	1	3	0	0	0	0
USR10	2003	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0
USR11	2003	0	0	0	0	0	0	0	3	0	1	1	0	18	1	1	0	0	2	0	0	0	1
USR13	2003	0	0	0	0	0	0	0	1	0	0	16	0	6	0	0	1	0	0	0	0	0	2
Historically impacted sites																							
Test01		0	0	0	0	0	0	0	0	0	0	26	0	0	0	0	0	0	0	0	3	0	0
Test02		0	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	1	2	0	0	0
Test03		0	0	0	0	0	0	0	0	0	2	8	0	0	0	0	0	0	0	0	0	0	0
Test04		0	0	0	0	0	0	0	0	0	0	7	0	0	0	0	0	0	3	0	0	0	0
Test05		0	0	0	0	0	0	0	10	3	2	2	0	28	0	2	0	1	0	0	0	0	0
Test06		0	0	0	0	0	0	0	0	0	0	26	0	1	0	1	0	0	0	0	0	0	0
Test07		0	1	0	0	0	0	0	0	0	0	35	0	0	0	0	0	0	0	0	1	0	0
Test08		0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	2	0	1	0	0
Test09		0	0	0	0	0	0	0	2	0	0	7	0	0	0	0	8	1	0	1	0	1	0
Test11		0	0	1	0	0	0	0	3	0	0	0	0	5	0	0	5	0	1	0	0	0	0
Test38		0	0	0	5	0	0	0	1	0	0	1	0	8	0	0	0	1	1	0	0	0	0
Test12		0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0	2	0	0

Appendix 4B - Lake benthic community data (contn)

Site	Year	Helicopsychidae	Heptageniidae	Hyalellidae	Hydrobiidae	Hydrodromidae	Hydrophiliidae	Hydropsychidae	Hydroptilidae	Hydrozetiidae	Hydryphantidae	Hygrobatae	Hypogastruridae	Isotomidae	Krendowskiidae	Lebertidae	Lepidostomatidae	Leptoceridae	Leptohyphidae	Leptophlebiidae	Leuctridae	Libellulidae
USR01	2003	0	0	98	7	0	0	0	4	0	0	1	0	0	0	0	0	2	0	1	0	0
USR02	2003	0	1	133	1	0	0	0	1	0	0	0	0	0	0	1	0	1	0	19	0	1
USR10	2003	0	0	158	0	0	0	0	1	0	0	0	0	0	0	0	2	3	0	29	0	0
USR11	2003	0	10	103	0	1	0	0	1	1	0	2	0	0	0	1	1	4	0	11	0	3
USR13	2003	0	0	37	30	0	0	0	2	1	0	1	0	0	0	3	0	1	0	11	0	5
Historically impacted sites																						
Test01		0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0
Test02		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Test03		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Test04		0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	3	0	0	0	0
Test05		1	24	36	0	0	0	0	17	1	0	2	0	0	0	3	2	0	0	6	0	0
Test06		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Test07		0	0	14	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0
Test08		0	0	1	5	0	0	0	0	0	0	1	0	0	0	0	0	8	0	0	0	0
Test09		0	2	51	8	0	0	0	0	0	0	1	0	0	0	0	0	5	0	3	0	0
Test11		0	0	64	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	29	0	0
Test38		0	0	12	6	0	0	0	4	0	0	0	0	0	0	0	0	2	0	16	0	0
Test12		0	0	50	0	1	0	0	0	2	0	0	0	0	0	1	0	2	0	0	0	2

Appendix 4B - Lake benthic community data (contn)

Site	Year	Limnephiliidae	Limnesiidae	Limnocharidae	Lumbriculidae	Lymnaeidae	Metretropodidae	Molannidae	Muscidae	Naididae	Neocaridae	Nepidae	Notonectidae	Odontoceridae	Onychiuridae	Oxidae	Peridae	Philopotamidae	Phoridae	Phrygaenidae	Physidae	Pionidae	Planorbidae
USR01	2003	0	1	0	1	0	0	0	0	1	0	0	0	0	0	1	0	0	0	6	0	0	4
USR02	2003	0	0	0	0	0	0	0	0	6	0	0	0	0	0	0	0	0	0	2	0	1	4
USR10	2003	0	0	1	0	0	0	1	0	5	0	0	0	0	0	1	0	0	0	0	0	0	0
USR11	2003	1	0	0	1	0	0	0	0	11	0	0	0	0	0	1	0	0	0	3	0	1	0
USR13	2003	0	2	0	2	0	0	0	0	82	0	0	0	0	0	0	0	0	0	3	0	0	3
Historically impacted sites																							
Test01		0	0	0	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8
Test02		0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0	1	0	0	1
Test03		0	0	0	2	1	0	0	0	8	0	0	0	0	0	0	0	0	0	0	0	0	5
Test04		0	0	0	1	0	0	0	0	10	0	0	0	0	0	0	0	0	0	0	0	0	0
Test05		0	1	0	4	0	0	0	0	42	0	0	0	0	0	0	1	0	0	1	0	0	10
Test06		0	0	0	0	0	0	0	0	29	0	0	0	0	0	0	0	0	0	0	0	0	1
Test07		0	0	0	1	0	0	0	0	34	0	0	0	0	0	0	0	0	0	0	0	0	0
Test08		0	0	0	0	1	0	0	0	60	0	0	0	0	0	0	0	0	0	0	0	0	2
Test09		0	0	0	0	0	0	0	0	43	0	0	1	0	0	0	0	0	0	0	0	0	7
Test11		0	0	0	2	1	0	0	0	30	0	0	1	0	0	0	0	0	0	1	0	0	3
Test38		2	0	0	1	0	0	0	0	14	0	0	0	0	0	0	0	0	0	2	0	0	4
Test12		0	0	0	0	0	0	0	0	59	0	0	0	0	0	0	0	0	0	0	0	5	20

Appendix 4B - Lake benthic community data (contn)

Site	Year	Poduridae	Polycentropodidae	Psephenidae	Psychodidae	Psychomyiidae	Pyrilidae	Rhyacophilidae	Sciomyzidae	Sericostomatidae	Sialidae	Simuliidae	Sisyridae	Sperchontidae	Sphaeriidae	Stratiomyidae	Tabanidae	Tetrastrimatidae	Tipulidae	Torrenticolidae	Trhypachthoniidae	Tubificidae	Unionicolidae	Unionidae	Valvatidae
USR01	2003	0	3	0	0	0	0	0	0	0	0	0	0	0	7	0	0	0	0	0	0	2	3	0	65
USR02	2003	0	1	0	0	0	1	0	0	0	0	0	0	0	6	0	0	0	0	0	0	1	0	0	7
USR10	2003	0	2	0	0	0	0	0	0	0	0	0	0	0	7	0	0	0	0	0	0	1	0	0	0
USR11	2003	0	5	1	0	0	0	0	0	0	0	0	0	0	5	0	0	0	1	0	0	3	0	0	1
USR13	2003	0	1	0	0	0	1	0	0	0	0	0	0	1	18	0	1	0	0	0	0	9	3	0	20
Historically impacted sites																									
Test01		0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	5	0	0	0
Test02		0	1	0	0	0	0	0	0	0	0	0	0	0	10	0	0	0	0	0	0	3	0	0	0
Test03		0	17	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	12	0	0	0
Test04		0	6	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Test05		0	2	1	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	2	3	0	0	0
Test06		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Test07		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Test08		0	0	0	0	0	0	0	0	0	0	0	0	2	50	0	0	0	0	0	0	12	0	0	4
Test09		0	3	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	1	0	0	5
Test11		0	3	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	3	0	0	4
Test38		0	2	0	0	0	0	0	0	0	0	0	0	0	3	0	1	0	0	0	0	6	0	0	0
Test12		0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	31	0	0	0	1

Appendix 5 - Reference Group Habitat Characteristics

Site	Group	Inflow/ Outflow	Ecoregion	Stream order	MAP	Slope	Distance from Source	Drainage Area	Perimeter	BaseFlow Index	%Water	%Wetland
STREAMS												
Abalard Cr.	1		1	2	591.19	3.86	7.37	12.02	23.32	0.90	0.70	3.25
CMR01	1		5	1	703.13	7.49	0.77	0.43	3.96	0.00	7.24	0.00
HEM124	1		4	3	692.95	2.12	16.90	59.12	54.60	0.74	9.31	6.98
LET01	1		1	1	595.33	5.61	5.49	4.30	15.00	0.86	6.53	10.89
LSP02	1		5	1	703.13	12.21	0.56	0.38	4.00	0.00	7.24	0.00
LSR07	1		6	2	761.81	9.71	4.99	7.67	18.48	0.64	1.16	0.09
OPR02	1		5	2	755.22	20.334	2.436	2.81	13.12	0.603	2.89	0
RED10	1		1	2	595.06	7.28	7.56	12.34	30.92	0.88	15.95	2.17
RED26	1		1	1	586.23	23.77	1.12	0.73	4.84	0.88	1.62	0.00
RED48	1		1	1	593.33	6.31	6.18	7.92	22.44	0.89	18.90	4.33
RED50	1		1	2	593.20	5.52	4.74	6.84	17.48	0.89	4.50	9.52
SUD03	1		5	3	744.28	6.52	10.19	15.73	26.88	0.54	4.78	0.32
SUD06	1		5	6	727.50	0.88	216.61	4426.06	830.80	0.61	11.55	1.91
SUD08	1		5	3	703.13	5.29	34.00	315.43	115.14	0.70	7.24	0.00
SUD10	1		6	3	744.30	6.45	17.52	22.28	62.92	0.54	3.61	0.22
SUD15	1		5	4	745.82	1.46	59.24	358.65	226.40	0.66	13.43	0.70
SUD16	1		5	3	781.68	6.62	17.68	47.40	60.76	0.68	5.43	0.50
SUD17	1		5	4	780.60	3.35	47.45	161.34	166.00	0.68	6.28	0.36
SUD20	1		5	3	781.68	4.64	24.11	80.32	78.12	0.72	8.41	0.00
SUD21	1		5	5	783.13	1.86	61.69	305.08	169.60	0.69	6.49	0.86
	mean		5	3	695.13	6.36	28.64	307.58	101.67	0.66	7.39	2.22
	stdev		2	1	76.92	5.08	49.37	1004.24	187.83	0.26	4.81	3.37
	count		19	19	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00
Mar-32	2		4	3	718.90	1.96	52.81	421.05	201.12	0.74	9.24	0.89
Chikuni R.	2		1	4	591.46	0.64	92.75	1479.04	279.80	0.87	16.79	6.34
HEM10	2		4	4	744.30	2.46	20.38	98.38	95.80	0.72	5.76	1.51
HEM126	2		4	5	703.01	1.08	136.48	2163.34	397.00	0.73	5.44	2.19
HEM127	2		4	6	689.87	0.86	199.87	3993.84	743.20	0.72	5.09	1.15
HEM22	2		4	3	750.76	3.57	22.11	70.32	82.68	0.74	5.16	0.31
HEM36	2		4	6	744.86	1.00	122.87	2011.88	474.60	0.74	7.75	1.09
RAP01	2		5	3	740.94	3.66	29.65	70.65	100.32	0.55	6.82	0.36
RED06	2		1	4	603.99	1.94	24.88	174.54	85.80	0.89	0.25	2.75
RED12	2		1	2	594.14	2.84	12.66	24.03	38.52	0.88	4.24	4.09
SUD01	2		6	3	733.82	2.80	17.03	57.41	55.60	0.58	4.14	1.10
	mean		4	4	692.37	2.07	66.50	960.41	232.22	0.74	6.43	1.98
	stdev		2	1	64.35	1.08	62.67	1301.96	223.33	0.11	4.13	1.82
	count		11	11	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00
Mar-31	3		4	3	717.37	5.71	6.38	10.95	25.60	0.75	7.11	1.42
Mar-46	3		4	1	717.55	3.39	6.11	9.04	22.00	0.74	2.71	1.06
Mar-05	3		4	4	703.48	19.46	6.66	7.93	19.72	0.72	6.61	3.80
Mar-24	3		4	2	729.99	5.59	8.69	19.08	31.88	0.73	7.24	0.00
HEM08	3		4	1	734.35	15.36	1.64	1.48	7.40	0.75	7.78	0.93
HEM26	3		4	1	737.43	12.94	4.52	5.73	17.36	0.75	1.70	3.61
HEM48	3		4	1	743.18	10.69	1.72	2.11	8.68	0.75	4.05	0.00
LSR08	3		6	3	757.54	4.91	13.60	51.91	63.20	0.61	6.81	1.26
RDL15	3		1	2	584.41	3.59	12.63	35.06	47.04	0.89	26.55	1.95
RED22	3		1	2	586.01	3.01	7.39	11.69	22.24	0.88	27.03	1.18
RED59	3		1	1	592.20	0.15	1.27	1.84	8.80	0.89	20.65	4.82
RED73	3		1	3	594.38	1.93	21.31	90.56	63.00	0.88	18.94	2.76
RLT01	3		1	2	602.52	16.36	0.91	0.56	4.84	0.90	7.24	0.00
RLT02	3		1	1	605.08	4.45	3.89	5.71	17.12	0.89	0.25	1.79
SUD07	3		5	3	703.13	5.29	34.00	315.43	115.14	0.70	7.24	0.00
SUD11	3		6	4	740.59	2.89	39.69	168.54	156.40	0.05	6.68	0.46
SUD12	3		6	3	741.28	4.17	35.38	80.10	106.40	0.55	6.59	0.32
SUD22	3		5	5	773.00	2.19	69.47	652.90	235.40	0.65	9.91	0.73
SUD23	3		5	5	736.89	0.84	121.39	1473.19	398.40	0.59	12.48	0.87
SUD24	3		5	4	738.20	3.02	33.65	149.44	147.24	0.60	9.88	0.34
USR12	3		5	3	727.58	1.22	26.51	113.44	82.24	0.60	10.93	0.72
	mean		4	3	693.63	6.05	21.75	152.70	76.20	0.71	9.92	1.33
	stdev		2	1	66.46	5.52	28.76	338.33	95.85	0.19	7.41	1.36
	count		21	21	21.00	21.00	21.00	21.00	21.00	21.00	21.00	21.00

Appendix 5 - Reference Group Habitat Characteristics (contn)

Site	Group	%Deciduous Forest	%Coniferous Forest	Dominant Substrate	2ndDominant Substrate	Surrounding Material	Embedded- ness	Bankfull Width	Channel Width	Channel Depth	Velocity
STREAMS											
Abalard Cr.	1	51.55	29.44	1	0	10	1	4.6	2.6	23.7	0.156
CMR01	1	25.92	69.84	3	2	6	2	1.9	1.55	18.25	0
HEM124	1	14.62	42.96	1	10	2	1	10.5	9	89.3	0.16
LET01	1	1.18	69.18	10	1	0	1	2.25	1.65	78.6	0.204
LSP02	1	49.59	50.41	3	2	10	1	1.1	1	8	0.03
LSR07	1	86.14	4.60	7	6	3	5	5.3	2.3	5.33	0.038
OPR02	1	34.8	61.1	0	1	2	1	2.5	2	15.5	0
RED10	1	9.68	38.04	1	10	2	1	3.75	3.75	33.7	0.193
RED26	1	14.88	64.45	8	0	1	3	1.05	1.05	19.2	0.1
RED48	1	65.07	9.32	6	3	7	4	2.3	1.15	8.3	0.12
RED50	1	62.38	21.18	8	2	1	1	1.72	1.72	26.4	0.208
SUD03	1	35.70	55.94	7	6	2	4	4.8	3.15	16.3	0.06
SUD06	1	24.15	52.85	7	6	5	0	60	50	66	0.7
SUD08	1	0.00	0.00	6	4	3	3	12.4	12.4	65	0.02
SUD10	1	16.91	74.58	6	4	7	4	7.83	5.63	20.3	0.02
SUD15	1	17.80	66.76	7	6	2	5	17.6	12.75	33	0.4
SUD16	1	14.56	75.62	6	5	2	4	11.1	9.4	20.8	0.06
SUD17	1	33.02	46.47	6	5	2	4	18.5	16.4	43.7	0.04
SUD20	1	45.93	35.18	6	5	1	3	7.9	4.8	23.2	0.01
SUD21	1	22.18	54.94	2	1	10	1	19	19	69	0.02
	mean	31.12	45.36	5	4	4	3	10.19	8.38	35.16	0.13
	stdev	23.37	23.65	3	3	3	2	13.45	11.50	25.72	0.17
	count	19.00	19.00	19	19	19	19	19	19	19	19
Mar-32	2	14.27	56.52	2	1	3	1	65	40	50.00	0.00
Chikuni R.	2	8.60	55.44	7	6	3	2	50	40	14.3	0.22
HEM10	2	35.75	53.00	8	7	6	5	12	12	27	0.886
HEM126	2	16.83	57.99	10	10	1	1	35	30	78	0.04
HEM127	2	20.36	58.77	1	10	2	1	85	75	77.3	0.09
HEM22	2	14.21	62.32	8	2	7	1	13.6	13.6	32	0.355
HEM36	2	27.55	50.48	8	7	6	5	60	60	45.7	0.05
RAP01	2	39.30	28.32	7	6	4	3	25	10.8	18.2	0.93
RED06	2	42.75	49.69	10	1	0	1	27.5	27.5	86.2	0.067
RED12	2	35.51	56.04	10	1	0	1	3.7	3.7	57.7	0.292
SUD01	2	22.77	55.74	6	5	4	4	9.26	6.36	8.6	0.57
	mean	25.26	53.12	7	5	3	2	35.10	29.00	45.00	0.32
	stdev	11.60	8.98	3	3	2	2	26.52	23.09	27.38	0.34
	count	11.00	11.00	11	11	11	11	11	11	11	11
Mar-31	3	31.53	59.87	1	0	2	1	10	4	73.5	0.018
Mar-46	3	16.56	64.40	1	0	2	1	5.1	3.9	48	0.09
Mar-05	3	54.00	35.43	10	1	2	1	3.8	2.5	99.7	0.19
Mar-24	3	100.00	0.00	0	1	3	1	25	10	85	0.11
HEM08	3	19.45	71.83	8	7	6	5	2.7	2	25.8	0.282
HEM26	3	10.96	63.77	8	2	0	1	2.1	1.8	21.4	0.38
HEM48	3	22.94	62.51	0	0	1	1	0.9	0.9	39.4	0.134
LSR08	3	67.35	19.58	1	3	2	1	7.6	6	50	0.086
RDL15	3	12.43	35.27	7	2	0	4	5.9	4.3	19.7	0.32
RED22	3	25.26	39.65	8	2	1	4	2.1	2.1	26	0.36
RED59	3	70.69	2.20	0	1	0	1	15	5	67	0.03
RED73	3	49.83	27.99	0	1	0	1	75	50	52.5	0
RLT01	3	76.09	23.91	10	1	0	1	9.4	7.8	80.25	0.185
RLT02	3	96.62	0.73	10	1	0	1	8.7	6.6	42.84	0.22
SUD07	3	0.00	0.00	4	2	1	1	8.6	5.6	44.5	0.01
SUD11	3	16.12	55.37	6	7	5	4	13.05	11.6	16.9	0.12
SUD12	3	44.50	25.98	4	5	3	4	7.33	3.5	8.9	0.28
SUD22	3	19.74	63.49	6	5	3	4	23.8	20.2	40.1	0.3
SUD23	3	34.88	44.59	7	6	3	4	25.4	20.2	31	0.17
SUD24	3	23.49	62.24	2	1	0	1	18	17	99.5	0.16
USR12	3	18.13	48.05	2	4	0	1	11.3	4.7	25.25	0.00375
	mean	38.60	38.42	5	2	2	2	13.37	9.03	47.49	0.16
	stdev	28.79	24.11	4	2	2	2	15.96	11.01	27.14	0.12
	count	21.00	21.00	21	21	21	21	21	21	21	21

Appendix 5 - Reference Group Habitat Characteristics (contn)

Site	Group	Inflow/ Outflow	Ecoregion	Stream order	MAP	Slope	Distance from Source	Drainage Area	Perimeter	BaseFlow Index	%Water	%Wetland
STREAMS												
Mar-47	4		4	3	712.00	5.51	16.96	88.32	77.36	0.74	4.63	2.63
Mar-01	4		4	2	688.12	7.16	10.82	15.81	30.80	0.72	3.29	0.63
Mar-17	4		4	1	715.05	22.80	4.39	3.92	14.04	0.72	2.93	0.00
Mar-18	4		4	2	722.81	13.16	12.50	24.11	38.00	0.73	1.96	4.91
Mar-28	4		4	2	730.41	4.86	5.14	10.81	25.56	0.75	5.73	1.46
Balmer Trib	4		1	2	591.20	5.43	7.95	16.29	27.04	0.90	1.14	3.48
DIX01	4		1	4	595.14	1.56	40.28	353.77	157.80	0.88	5.69	4.82
HEM116	4		4	5	717.90	1.51	89.81	835.11	278.28	0.75	8.98	5.94
HEM128	4		4	3	735.01	1.47	35.41	10.44	91.44	0.75	10.86	1.38
HEM129	4		4	3	726.18	6.49	45.52	52.11	54.60	0.75	11.83	0.52
HEM130	4		4	5	746.14	1.24	70.88	1013.13	292.60	0.74	9.65	1.10
HEM74	4		4	3	731.18	9.82	11.90	34.35	39.88	0.75	10.95	0.55
LSP03	4		6	6	777.72	2.30	122.01	1335.28	382.00	0.68	7.30	0.58
LSR06	4		6	3	765.36	5.89	11.12	33.63	46.20	0.69	1.74	1.71
RDL16	4		1	1	703.13	10.68	0.64	0.42	3.92	0.00	7.24	2.65
RED09	4		1	1	585.11	4.00	6.33	6.00	21.12	0.89	5.04	2.61
SUD05	4		5	3	774.23	7.93	9.85	19.65	30.36	0.68	1.23	0.37
SUD25	4		5	5	717.19	0.97	80.67	593.29	263.24	0.62	6.58	2.85
	mean		4	3	707.44	6.27	32.34	247.02	104.12	0.71	5.93	2.12
	stdev		2	1	58.64	5.43	35.71	413.04	117.43	0.19	3.50	1.75
	count		18	18	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00
Mar-48	5		4	3	712.25	3.51	15.00	43.00	46.20	0.74	7.39	0.86
Mar-03	5		4	2	687.38	4.84	10.00	9.00	30.40	0.72	5.69	0.82
HEM117	5		4	4	723.77	2.52	48.83	366.43	144.12	0.75	9.58	9.81
HEM12	5		4	3	740.75	4.12	20.13	43.35	54.32	0.74	2.57	1.69
HEM120	5		4	3	688.59	2.12	27.55	124.69	100.56	0.72	3.90	1.10
HEM121	5		4	3	686.51	1.59	55.70	286.05	168.24	0.73	3.68	2.09
HEM123	5		4	3	695.98	1.34	38.93	190.80	117.64	0.74	4.79	4.45
HEM14	5		4	1	737.89	8.31	2.99	4.53	12.32	0.74	12.30	0.28
HEM16	5		4	3	737.64	6.00	11.58	53.09	52.24	0.74	8.23	2.55
HEM54	5		4	3	748.47	4.55	18.84	52.30	59.88	0.74	5.11	0.35
ILD01	5		5	4	748.92	6.56	12.50	40.38	56.44	0.56	5.84	0.20
ILD02	5		5	5	745.81	6.37	26.36	143.79	118.44	0.55	4.83	0.46
RED45	5		1	2	597.88	8.27	13.76	28.96	46.12	0.90	7.24	4.89
SUD02	5		6	4	728.94	1.67	60.72	355.14	208.80	0.58	7.86	1.56
SUD18	5		5	5	766.07	1.98	85.38	752.96	281.20	0.66	6.45	0.56
SUD19	5		5	5	787.83	4.20	41.35	175.11	126.84	0.70	5.23	0.54
VER01	5		5	4	731.38	1.65	62.94	545.52	262.20	0.58	7.78	1.28
	mean		4	3	721.53	4.09	32.50	189.12	110.94	0.70	6.38	1.97
	stdev		1	1	42.58	2.34	23.34	211.22	80.28	0.09	2.39	2.44
	count		17	17	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
Mar-50	6		4	4	735.16	1.16	50.45	235.74	128.36	0.75	10.78	1.02
HEM122	6		4	3	690.50	8.56	12.00	25.00	44.68	0.72	3.08	1.19
SUD09	6		5	3	755.57	2.59	9.88	12.64	24.88	0.62	1.23	1.07
SUD13	6		6	5	734.46	1.59	90.09	679.18	272.00	0.58	7.08	1.25
SUD14	6		6	5	736.76	1.46	105.99	1012.09	321.20	0.56	6.48	1.01
	mean		5	4	730.49	3.07	53.68	392.93	158.22	0.64	5.73	1.11
	stdev		1	1	24.00	3.12	43.96	438.75	133.30	0.08	3.71	0.11
	count		5	5	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
LAKES												
HEM02	1	1	4.0	1.0	716.15	2.51	3.17	2.38	10.96	0.72	6.88	0.53
HEM04	1	2	4.0	1.0	715.84	2.63	4.43	3.28	14.40	0.72	9.40	0.38
HEM52	1	2	4.0	3.0	748.07	4.22	12.81	38.68	48.88	0.73	6.40	0.32
HEM82	1	2	4.0	2.0	762.76	1.61	37.72	254.31	139.60	0.73	13.12	0.49
RED03	1	1	1.0	5.0	592.94	5.15	15.78	37.01	48.12	0.88	16.70	3.62
RED04	1	2	1.0	5.0	591.69	0.49	144.10	3575.08	490.60	0.88	19.95	4.76
RED16	1	2	1.0	1.0	597.35	4.46	2.97	4.18	14.36	0.87	20.63	6.09
RED33	1	2	1.0	3.0	586.02	1.93	25.07	87.96	72.00	0.89	21.60	1.65

Appendix 5 - Reference Group Habitat Characteristics (contn)

Site	Group	%Deciduous Forest	%Coniferous Forest	Dominant Substrate	2ndDominant Substrate	Surrounding Material	Embedded- ness	Bankfull Width	Channel Width	Channel Depth	Velocity
STREAMS											
Mar-47	4	20.54	57.03	8	7	0	1	20	17	30	0.222
Mar-01	4	7.22	44.91	10	1	2	1	3.9	3.1	67.7	0.14
Mar-17	4	27.27	67.83	2	10	3	1	4.8	2.6	27.3	0.18
Mar-18	4	5.40	82.33	5	6	4	1	12.2	9.5	44	0.34
Mar-28	4	10.04	82.24	2	1	0	1	7.5	2.8	63.6	0.196
Balmer Trib	4	52.29	36.75	10	0	1	1	1.9	1.8	38.4	0.03
DIX01	4	27.37	45.78	10	1	0	1	31	25	42.84	0.22
HEM116	4	18.34	56.46	1	10	2	1	27	26	72.2	0
HEM128	4	26.31	41.91	6	5	3	4	20.1	12	46	0.35
HEM129	4	32.78	54.35	8	7	5	5	9.5	7.8	25.7	0.52
HEM130	4	34.42	42.29	8	7	6	5	50	25	58.8	0.38
HEM74	4	52.60	32.87	8	7	6	4	9.8	7	31.8	0.419
LSP03	4	24.67	55.07	2	10	0	1	15	13	64	0.023
LSR06	4	61.47	8.17	10	0	2	1	7.8	7.6	70.2	0.03
RDL16	4	10.46	86.90	7	0	2	1	1.8	1.7	23.4	0.066
RED09	4	38.68	0.00	1	2	0	1	3.4	2.6	45.6	0.22
SUD05	4	52.45	45.95	8	6	5	4	5.45	1.8	12.8	0.24
SUD25	4	30.22	48.41	5	4	3	4	27.7	21.2	28	0.27
	mean	29.59	49.40	6	5	2	2	14.38	10.42	44.02	0.21
	stdev	16.78	22.75	3	4	2	2	12.84	8.82	18.31	0.15
	count	18.00	18.00	18	18	18	18	18	18	18	18
Mar-48	5	16.73	46.04	6	5	3	4	4.1	2.8	34	0.297
Mar-03	5	5.72	34.83	4	5	3	1	6.8	3	31	0.23
HEM117	5	21.24	51.33	1	2	10	1	14.5	11.8	79.6	0.22
HEM12	5	12.94	57.80	2	1	3	1	12	12.9	80.2	0.202
HEM120	5	7.41	55.33	10	1	2	1	11.5	8	76	0.1
HEM121	5	16.39	55.51	8	7	3	3	17.1	13.8	60	0.42
HEM123	5	14.42	56.65	1	2	0	1	16	14	70.17	0.11
HEM14	5	2.16	64.63	8	2	1	4	4.5	3.8	43.1	0.0975
HEM16	5	21.37	54.58	6	7	3	5	7.7	7.7	41.5	1.06
HEM54	5	18.30	46.27	2	3	0	1	9.8	9.8	67.7	0.27
ILD01	5	48.19	43.62	7	6	3	5	8.7	4.6	9.5	0.24
ILD02	5	34.35	58.01	7	6	4	4	12.82	12.12	22.3	0.172
RED45	5	29.53	58.25	10	1	0	1	5.1	5	49.6	0.111
SUD02	5	40.98	48.81	8	7	4	3	34	17.2	20.5	0.33
SUD18	5	18.15	62.76	7	6	5	5	30.8	29	20.4	0.33
SUD19	5	28.25	54.83	6	5	2	4	15.2	9.3	14.1	0.21
VER01	5	37.47	45.99	7	6	4	4	35	30	27.33	0.705
	mean	21.98	52.66	6	4	3	3	14.45	11.46	43.94	0.30
	stdev	12.83	7.57	3	2	2	2	9.85	8.01	24.18	0.25
	count	17.00	17.00	17	17	17	17	17	17	17	17
Mar-50	6	37.70	38.76	3	2	4	1	27.4	21.3	57.3	0.29
HEM122	6	21.14	36.71	4	3	2	4	8.2	5.8	26.4	0.37
SUD09	6	15.03	68.95	4	0	2	5	9.75	9.75	52	0.02
SUD13	6	41.52	42.24	2	3	1	1	22.55	19.35	64.7	0.19
SUD14	6	38.32	42.97	2	3	1	1	35.5	15.2	54.5	0.3
	mean	30.74	45.93	3	2	2	2	20.68	14.28	50.98	0.23
	stdev	11.84	13.12	1	1	1	2	11.66	6.49	14.54	0.14
	count	5.00	5.00	5	5	5	5	5	5	5	5
LAKES											
HEM02	1	19.51	58.55	0.0	0.0	1.0	1.0				
HEM04	1	25.76	51.24	4.0	1.0	5.0	1.0				
HEM52	1	12.37	46.80	2.0	1.0	0.0	1.0				
HEM82	1	25.53	49.37	2.0	1.0	10.0	1.0				
RED03	1	44.19	33.50	2.0	3.3	2.3	2.0				
RED04	1	23.03	41.83	3.3	0.3	3.0	1.0				
RED16	1	10.12	49.12	8.7	3.7	0.3	1.0				
RED33	1	15.39	17.35	2.0	1.0	0.0	1.0				

Appendix 5 - Reference Group Habitat Characteristics (contn)

Site	Group	Inflow/ Outflow	Ecoregion	Stream order	MAP	Slope	Distance from Source	Drainage Area	Perimeter	BaseFlow Index	%Water	%Wetland
LAKES												
RED42	1	2	1.0	2.0	592.03	12.04	6.16	21.31	35.04	0.88	19.86	2.41
RED53	1	1	1.0	1.0	679.40	4.63	0.18	0.17	2.00	0.80	13.50	0.00
RED71	1	2	1.0	4.0	594.79	2.18	26.21	182.64	110.20	0.88	8.62	3.70
TIM04	1	2	5.0	1.0	728.10	5.03	3.99	5.50	17.04	0.67	18.04	0.41
TIM10	1	2	5.0	1.0	719.11	6.86	1.62	0.46	3.60	0.64	30.51	3.51
TIM52	1	2	4.0	2.0	703.98	2.89	4.55	9.13	18.08	0.64	20.35	1.16
USR01	1	1	5.0	4.0	753.31	0.23	10.15	42.35	44.60	0.60	14.21	0.34
USR13	1	1	5.0	4.0	735.44	5.32	15.46	53.53	59.76	0.60	8.19	0.29
	mean	2	3	3	676.06	3.89	19.65	269.87	70.58	0.76	15.50	1.85
	stdev	0	2	2	69.63	2.86	34.83	884.30	118.45	0.11	6.66	1.91
	count	16	16	16	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00
HEM58	2	2	4.0	3.0	735.59	2.69	12.52	34.52	45.44	0.74	9.00	0.24
HEM70	2	1	4.0	3.0	726.23	16.44	5.67	6.16	16.52	0.74	6.35	0.41
HEM80	2	1	4.0	2.0	763.30	2.10	47.68	249.62	156.84	0.73	13.09	0.49
MARA07	2	1	4.0	1.0	715.05	27.96	3.29	3.08	11.44	0.72	2.11	0.00
MARA13	2	2	4.0	1.0	717.10	7.10	7.21	12.88	23.12	0.73	12.63	0.52
MARA15	2	1	4.0	2.0	718.45	14.08	9.88	20.12	28.20	0.72	2.98	1.94
MARA16	2	2	4.0	2.0	718.38	12.30	11.53	24.32	46.00	0.72	5.01	1.62
MARA21	2	2	4.0	1.0	724.16	1.80	3.15	4.97	14.64	0.73	13.25	4.35
MARA23	2	1	4.0	2.0	721.94	4.89	14.69	46.83	64.20	0.74	11.32	1.88
MARA26	2	2	4.0	3.0	732.65	10.43	9.81	29.05	33.24	0.75	9.31	2.04
MARA33	2	1	4.0	2.0	728.13	2.80	4.84	10.83	23.12	0.75	10.92	1.17
MARA34	2	2	4.0	2.0	729.15	2.67	10.30	40.43	52.52	0.75	12.94	1.62
MARA35	2	1	4.0	2.0	713.60	8.00	3.80	7.14	18.08	0.74	10.49	1.33
MARA39	2	2	4.0	3.0	718.41	1.86	55.82	443.49	207.56	0.74	9.31	0.96
MARA40	2	1	4.0	3.0	718.27	1.82	57.40	451.25	201.76	0.74	9.46	0.97
RED02	2	1	1.0	5.0	585.61	3.33	12.68	25.97	40.88	0.88	8.00	3.49
RED18	2	2	1.0	1.0	585.99	0.00	0.86	1.21	6.28	0.88	52.32	1.29
RED27	2	1	1.0	2.0	584.03	4.79	1.00	0.83	5.00	0.89	13.50	10.96
RED29	2	2	1.0	2.0	583.92	2.70	6.77	15.12	32.80	0.89	32.08	3.13
RED32	2	2	1.0	3.0	587.88	1.95	21.83	155.33	105.40	0.88	23.20	2.58
RED54	2	2	1.0	3.0	588.01	2.09	17.29	80.34	73.60	0.88	22.67	1.94
RED69	2	1	1.0	4.0	595.29	2.67	21.40	126.69	90.40	0.88	6.30	3.67
STO02	2	2	1.0	2.0	594.45	3.80	16.97	38.19	60.92	0.88	12.10	1.27
TIM50	2	1	4.0	1.0	703.21	2.63	2.58	2.62	10.28	0.64	14.32	0.29
TIM58	2	2	5.0	4.0	716.15	0.33	179.80	4397.10	825.40	0.69	9.63	0.91
TIM60	2	2	4.0	2.0	734.15	0.84	5.26	11.49	23.48	0.61	19.84	0.96
	mean	2	3	2	682.27	5.46	20.92	239.98	85.27	0.77	13.54	1.92
	stdev	1	1	1	64.89	6.29	35.97	856.88	160.93	0.08	10.25	2.16
	count	26	26	26	26.00	26.00	26.00	26.00	26.00	26.00	26.00	26.00
HEM06	3	2	4.0	1.0	735.22	15.26	2.71	2.54	8.96	0.75	12.63	0.00
HEM28	3	1	4.0	1.0	731.35	9.12	3.90	3.51	12.04	0.75	2.69	1.32
HEM30	3	2	4.0	1.0	731.35	8.34	4.51	3.68	13.08	0.75	5.04	1.26
HEM32	3	1	4.0	3.0	740.72	2.07	0.58	0.69	4.16	0.75	9.91	0.00
HEM34	3	2	4.0	3.0	741.44	10.17	5.20	11.26	22.56	0.74	5.25	2.26
HEM38	3	1	4.0	1.0	679.40	7.88	1.14	0.68	5.52	0.80	4.04	3.03
HEM40	3	2	4.0	1.0	679.40	6.20	11.70	104.70	44.80	0.80	13.50	0.00
HEM46	3	2	4.0	1.0	679.40	6.20	11.70	104.70	44.80	0.80	13.50	0.00
HEM50	3	1	4.0	3.0	750.92	9.41	4.64	2.97	10.60	0.75	1.85	0.23
HEM56	3	1	4.0	3.0	740.44	11.24	3.56	4.91	14.12	0.74	5.35	0.00
HEM72	3	2	4.0	3.0	726.14	7.38	12.21	50.38	52.00	0.75	11.51	0.54
HEM84	3	2	4.0	1.0	763.32	7.25	0.81	0.52	3.40	0.73	12.00	0.00
LEA01	3	1	1.0	3.0	595.40	11.56	1.76	1.40	7.24	0.86	2.67	10.15
LEA02	3	2	1.0	3.0	595.44	2.47	11.67	24.31	43.80	0.86	20.85	8.27
LEA03	3	1	1.0	3.0	595.31	3.66	12.35	31.38	46.24	0.87	8.70	10.55
LSP01	3	2	5.0	1.0	787.23	2.66	2.81	3.40	12.36	0.73	29.42	0.00
MARA09	3	2	4.0	1.0	715.05	26.61	3.51	3.11	11.92	0.72	13.50	0.00
MARA11	3	1	4.0	1.0	715.96	26.61	3.51	5.95	17.28	0.72	4.64	0.42
MARA20	3	1	4.0	1.0	722.31	2.72	1.31	2.36	11.24	0.73	0.32	8.84
MARA22	3	2	4.0	2.0	723.15	3.92	18.34	57.08	69.24	0.74	13.47	1.88
MARA29	3	1	4.0	2.0	730.13	6.77	1.54	1.26	8.04	0.75	0.30	3.73

Appendix 5 - Reference Group Habitat Characteristics (contn)

Site	Group	%Deciduous Forest	%Coniferous Forest	Dominant Substrate	2ndDominant Substrate	Surrounding Material	Embedded- ness	Bankfull Width	Channel Width	Channel Depth	Velocity
LAKES											
RED42	1	45.94	28.33	1.3	0.7	7.0	1.0				
RED53	1	8.55	91.45	1.3	1.7	0.0	1.0				
RED71	1	28.20	44.40	0.0	1.0	4.7	1.0				
TIM04	1	13.35	9.30	1.3	1.7	0.0	1.0				
TIM10	1	0.00	12.67	1.0	0.3	1.0	1.0				
TIM52	1	5.09	10.76	2.0	1.0	2.0	1.0				
USR01	1	13.25	13.79	0.7	1.3	1.0	1.0				
USR13	1	28.03	61.40	1.0	2.0	0.0	1.0				
	mean	19.89	38.74	2	1	2	1				
	stdev	12.87	22.68	2	1	3	0				
	count	16.00	16.00	16	16	16	16				
HEM58	2	14.89	67.85	2.0	2.0	1.0	1.0				
HEM70	2	5.21	85.38	3.7	3.7	3.7	4.0				
HEM80	2	25.33	49.63	2.0	1.0	10.0	1.0				
MARA07	2	31.30	66.58	0.0	1.0	0.0	1.0				
MARA13	2	37.28	49.34	6.0	5.0	4.3	3.0				
MARA15	2	21.36	69.25	0.0	1.0	5.7	1.0				
MARA16	2	18.26	70.54	10.0	1.0	0.0	1.0				
MARA21	2	7.33	75.07	2.0	1.0	2.7	1.0				
MARA23	2	6.80	72.63	10.0	1.0	0.0	1.0				
MARA26	2	13.53	73.99	2.0	1.0	0.0	1.0				
MARA33	2	41.11	46.55	2.0	3.0	0.7	1.0				
MARA34	2	29.39	54.84	2.0	2.3	1.7	1.0				
MARA35	2	27.00	61.18	0.0	0.0	0.0	1.0				
MARA39	2	14.51	57.07	8.0	5.3	3.7	1.0				
MARA40	2	14.36	57.37	0.0	0.0	0.0	1.0				
RED02	2	38.04	1.38	7.3	4.7	1.7	4.0				
RED18	2	19.20	22.09	2.0	2.7	1.0	1.7				
RED27	2	27.82	0.00	2.0	3.0	0.0	1.0				
RED29	2	12.28	0.05	2.0	3.0	0.0	1.0				
RED32	2	19.21	49.86	8.0	4.3	0.7	3.0				
RED54	2	22.30	51.53	6.0	7.0	1.3	4.0				
RED69	2	20.02	48.31	0.0	1.0	0.0	1.0				
STO02	2	36.03	50.48	4.0	3.3	3.0	1.0				
TIM50	2	4.93	20.96	0.0	0.0	0.0	1.0				
TIM58	2	9.54	16.67	5.0	6.0	3.7	1.0				
TIM60	2	8.95	12.90	0.0	0.0	0.0	1.0				
	mean	20.23	47.37	3	2	2	2				
	stdev	10.76	25.23	3	2	2	1				
	count	26.00	26.00	26	26	26	26				
HEM06	3	6.32	81.06	8.0	0.0	1.0	1.0				
HEM28	3	4.99	89.87	2.0	0.0	1.0	1.0				
HEM30	3	4.76	87.82	2.0	0.0	1.0	1.0				
HEM32	3	8.09	60.90	0.0	0.0	1.0	1.0				
HEM34	3	10.65	75.97	0.0	0.0	1.0	1.0				
HEM38	3	29.00	63.95	1.3	0.3	4.7	1.0				
HEM40	3	0.00	0.00	2.0	1.0	0.0	1.0				
HEM46	3	0.00	0.00	0.0	0.3	1.0	1.0				
HEM50	3	8.93	52.94	1.0	1.3	3.3	1.0				
HEM56	3	46.95	44.44	0.0	0.5	1.5	1.0				
HEM72	3	31.56	55.88	5.3	5.0	4.3	3.0				
HEM84	3	23.64	54.18	5.7	5.3	3.0	2.3				
LEA01	3	5.61	67.50	8.7	0.3	3.7	1.0				
LEA02	3	0.50	69.08	8.7	0.3	0.7	1.3				
LEA03	3	12.36	49.00	3.7	4.0	3.3	1.0				
LSP01	3	20.66	36.88	7.7	2.3	2.0	3.0				
MARA09	3	0.00	100.00	0.0	1.0	0.0	1.0				
MARA11	3	54.36	40.33	0.0	0.0	0.0	1.0				
MARA20	3	4.25	86.60	0.0	8.0	2.0	1.0				
MARA22	3	6.91	76.63	0.0	1.0	0.0	1.0				
MARA29	3	16.15	75.25	0.0	1.0	0.0	1.0				

Appendix 5 - Reference Group Habitat Characteristics (contn)

Site	Group	Inflow/ Outflow	Ecoregion	Stream order	MAP	Slope	Distance from Source	Drainage Area	Perimeter	BaseFlow Index	%Water	%Wetland
LAKES												
MARA37	3	1	4.0	2.0	708.66	8.14	4.08	3.26	14.28	0.74	13.50	0.00
MARA38	3	2	4.0	2.0	708.97	6.32	7.38	14.66	25.24	0.74	8.20	3.24
MARA42	3	2	4.0	2.0	717.34	5.83	5.17	6.59	16.08	0.74	10.85	2.08
MARA44	3	1	4.0	2.0	709.02	12.73	0.58	0.67	4.32	0.74	0.65	0.00
MARA45	3	2	4.0	2.0	679.40	6.20	11.70	104.70	44.80	0.80	13.50	0.00
RED05	3	2	1.0	1.0	585.75	3.71	4.30	6.53	19.24	0.88	20.71	6.90
RED07	3	1	1.0	2.0	585.44	4.00	6.33	11.66	29.52	0.89	4.70	2.95
RED11	3	2	1.0	1.0	584.86	4.81	2.93	3.58	14.88	0.89	20.32	2.96
RED13	3	1	1.0	1.0	584.84	5.32	2.03	2.49	11.48	0.89	18.46	4.19
RED14	3	1	1.0	1.0	597.97	5.04	2.41	3.17	11.92	0.87	22.64	6.61
RED19	3	2	1.0	1.0	679.40	11.01	0.34	0.27	2.96	0.80	23.23	0.00
RED20	3	1	1.0	1.0	585.99	0.00	0.86	1.21	6.28	0.88	52.32	1.29
RED21	3	2	1.0	1.0	679.40	1.87	0.96	0.71	4.76	0.80	22.72	2.92
RED24	3	2	1.0	1.0	679.40	12.18	0.77	0.71	4.68	0.80	2.92	0.18
RED25	3	2	1.0	2.0	585.45	3.99	6.77	12.18	29.84	0.89	5.29	2.93
RED28	3	2	1.0	1.0	585.31	14.96	2.31	2.06	9.96	0.89	27.45	0.00
RED30	3	1	1.0	3.0	588.07	1.91	20.71	143.73	96.60	0.88	24.05	2.65
RED31	3	1	1.0	3.0	585.18	2.12	20.52	76.72	68.60	0.89	19.98	1.69
RED40	3	1	1.0	2.0	584.82	7.80	2.30	1.81	7.60	0.88	11.69	0.66
RED41	3	2	1.0	2.0	602.01	4.20	6.80	9.91	20.72	0.86	26.19	2.91
RED43	3	1	1.0	2.0	601.94	6.59	3.48	5.18	12.40	0.86	13.50	0.00
RED44	3	2	1.0	3.0	593.92	2.86	14.40	38.37	44.04	0.88	13.85	2.86
RED46	3	1	1.0	3.0	593.98	3.31	12.42	34.27	43.00	0.88	12.90	3.10
RED51	3	2	1.0	1.0	584.75	4.32	1.25	1.89	9.36	0.88	30.46	0.00
RED52	3	1	1.0	3.0	679.40	0.39	0.33	0.14	2.32	0.80	31.80	0.00
RED56	3	1	1.0	2.0	592.14	10.47	7.12	21.97	33.84	0.88	19.47	2.45
RED58	3	2	1.0	2.0	592.38	8.25	9.24	25.00	41.28	0.88	22.35	2.22
STO01	3	1	1.0	2.0	594.74	4.81	12.74	24.87	46.20	0.88	7.97	1.48
TIM02	3	1	5.0	1.0	728.18	6.99	2.56	3.39	12.28	0.67	17.93	0.66
TIM53	3	1	4.0	2.0	679.40	6.20	11.70	0.52	44.80	0.80	13.50	0.00
TIM55	3	1	4.0	2.0	716.66	2.60	20.58	54.13	56.08	0.64	13.50	0.00
TIM59	3	1	5.0	4.0	716.95	2.31	22.22	53.10	67.40	0.65	2.59	1.40
TIM61	3	1	4.0	2.0	733.98	1.53	2.88	5.67	14.32	0.62	9.66	0.36
USR02	3	2	5.0	4.0	753.34	0.21	11.31	44.81	45.80	0.60	14.75	0.35
USR10	3	2	5.0	1.0	733.33	5.13	2.82	5.02	13.76	0.59	11.72	0.82
USR11	3	2	5.0	4.0	735.59	4.66	18.07	58.76	63.12	0.60	10.48	0.31
	mean	1	3	2	668.89	6.67	6.70	21.13	25.56	0.79	13.81	1.98
	stdev	1	2	1	66.27	5.25	6.14	32.19	21.65	0.09	9.67	2.63
	count	57	57	57	57.00	57.00	57.00	57.00	57.00	57.00	57.00	57.00
HEM18	4	1	4.0	2.0	736.59	6.91	10.08	23.12	31.84	0.74	8.56	1.43
HEM20	4	2	4.0	2.0	736.59	6.78	10.27	23.18	31.96	0.74	8.64	1.45
HEM24	4	2	4.0	1.0	679.40	6.20	11.70	104.70	44.80	0.80	13.50	0.00
HEM44	4	1	4.0	1.0	679.40	6.20	11.70	104.70	44.80	0.80	13.50	0.00
MARA14	4	2	4.0	2.0	720.46	44.50	1.59	1.65	7.28	0.72	1.59	1.36
MARA25	4	1	4.0	3.0	733.49	13.39	5.58	6.21	16.68	0.75	7.29	1.29
MARA30	4	2	4.0	2.0	730.01	4.95	2.64	2.55	10.96	0.75	3.41	2.16
MARA36	4	2	4.0	2.0	714.08	7.06	4.51	8.82	24.64	0.74	10.63	1.34
MARA41	4	1	4.0	2.0	717.35	6.10	4.29	5.74	14.16	0.74	9.35	2.38
MARA43	4	2	4.0	2.0	717.67	5.95	0.78	0.71	5.60	0.75	8.84	1.23
PAN01	4	2	6.0	2.0	757.08	4.70	5.92	7.84	23.24	0.59	16.39	0.00
PAN02	4	1	6.0	2.0	757.08	5.67	4.56	6.63	21.20	0.59	14.20	0.00
RED08	4	2	1.0	1.0	679.40	6.20	11.70	104.70	44.80	0.80	13.50	0.00
RED23	4	2	1.0	1.0	593.65	9.00	0.71	0.55	4.64	0.89	12.05	2.03
TIM06	4	2	5.0	1.0	714.88	3.66	6.84	11.84	24.60	0.64	20.41	0.20
TIM08	4	1	5.0	1.0	714.78	3.66	11.70	0.25	2.68	0.64	1.99	0.00
TIM14	4	2	5.0	1.0	710.04	0.65	3.17	3.59	12.92	0.65	17.80	0.26
TIM54	4	2	4.0	2.0	717.60	2.33	24.10	74.82	70.96	0.64	13.50	0.00
	mean	2	4	2	711.64	8.00	7.32	27.31	24.32	0.72	10.84	0.84
	stdev	0	1	1	37.13	9.50	5.75	39.52	18.03	0.08	5.20	0.87
	count	18	18	18	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00

Appendix 5 - Reference Group Habitat Characteristics (contn)

Site	Group	%Deciduous Forest	%Coniferous Forest	Dominant Substrate	2ndDominant Substrate	Surrounding Material	Embedded-ness	Bankfull Width	Channel Width	Channel Depth	Velocity
LAKES											
MARA37	3	0.00	0.00	0.0	1.0	0.0	1.0				
MARA38	3	23.47	65.08	0.0	1.0	0.0	1.0				
MARA42	3	34.22	52.86	0.0	2.3	5.7	1.0				
MARA44	3	32.93	66.42	1.0	2.0	0.0	1.0				
MARA45	3	0.00	0.00	1.0	1.3	0.7	1.0				
RED05	3	33.72	2.09	6.3	5.7	2.7	1.7				
RED07	3	39.78	0.00	0.0	1.0	0.0	1.0				
RED11	3	36.74	0.00	0.0	1.3	1.7	1.0				
RED13	3	39.96	0.00	2.0	2.3	0.0	1.0				
RED14	3	8.53	44.49	0.0	8.0	1.0	1.0				
RED19	3	6.83	47.38	2.7	3.0	4.0	1.0				
RED20	3	19.20	22.09	0.0	0.3	1.3	1.0				
RED21	3	11.06	57.30	0.0	1.0	0.0	1.0				
RED24	3	3.09	31.98	0.0	0.3	3.3	1.0				
RED25	3	39.78	0.00	0.0	1.0	2.0	1.0				
RED28	3	21.77	31.58	0.0	0.0	1.0	1.0				
RED30	3	16.39	51.91	7.7	3.3	2.0	3.3				
RED31	3	14.51	18.04	0.0	1.0	0.7	1.0				
RED40	3	52.87	28.04	1.3	1.7	1.0	1.0				
RED41	3	15.05	54.24	2.0	0.0	7.0	1.0				
RED43	3	0.00	0.00	0.7	0.7	3.3	1.0				
RED44	3	42.37	39.72	3.7	3.7	2.0	1.0				
RED46	3	42.39	40.51	0.0	2.7	1.0	1.0				
RED51	3	33.37	29.80	6.3	6.7	4.0	1.7				
RED52	3	57.15	11.06	1.0	1.3	5.7	1.3				
RED56	3	45.97	28.75	0.0	0.3	1.7	1.0				
RED58	3	43.94	28.57	8.0	0.0	1.0	1.0				
STO01	3	24.36	66.19	2.7	0.7	2.7	1.7				
TIM02	3	12.48	11.72	1.0	2.0	3.3	1.0				
TIM53	3	0.00	0.00	2.0	1.0	0.0	1.0				
TIM55	3	0.00	0.00	1.0	2.0	0.0	1.0				
TIM59	3	13.62	16.20	0.0	1.0	0.0	1.0				
TIM61	3	13.45	11.50	0.0	0.0	0.0	1.0				
USR02	3	13.24	13.53	4.7	5.7	1.7	2.7				
USR10	3	1.86	17.86	7.7	6.7	2.0	2.0				
USR11	3	26.77	60.42	5.3	7.7	2.3	3.0				
	mean	19.59	38.91	2	2	2	1				
	stdev	16.71	29.09	3	2	2	1				
	count	57.00	57.00	57	57	57	57				
HEM18	4	35.22	49.32	0.3	0.3	7.0	1.0				
HEM20	4	35.14	49.22	0.0	0.7	7.0	1.0				
HEM24	4	0.00	0.00	0.0	0.7	4.0	1.0				
HEM44	4	0.00	0.00	0.0	0.0	1.0	1.0				
MARA14	4	41.26	54.80	0.0	0.0	0.0	1.0				
MARA25	4	18.09	73.34	2.0	1.0	0.0	1.0				
MARA30	4	23.21	68.97	0.0	0.0	0.0	1.0				
MARA36	4	28.05	59.98	0.0	2.7	3.0	1.0				
MARA41	4	37.20	51.08	0.0	0.0	0.0	1.0				
MARA43	4	31.52	58.40	0.0	1.0	8.0	1.0				
PAN01	4	11.58	1.65	4.7	6.7	2.7	2.3				
PAN02	4	11.63	1.54	0.0	0.0	0.0	1.0				
RED08	4	0.00	0.00	10.0	1.0	0.0	1.0				
RED23	4	13.52	38.29	0.0	1.0	8.0	1.0				
TIM06	4	13.35	25.08	2.0	1.0	0.0	1.5				
TIM08	4	14.51	18.16	1.0	1.3	0.7	1.0				
TIM14	4	8.45	32.41	1.0	1.0	1.0	1.0				
TIM54	4	0.00	0.00	0.0	10.0	1.0	1.0				
	mean	17.93	32.35	1	2	2	1				
	stdev	14.00	26.85	3	3	3	0				
	count	18.00	18.00	18	18	18	18				

Appendix 6 - Test Site Analysis results for reference, QA/QC, urban and historically impacted sites with D (4 metrics summarized). A non-central function $p < 0.05$ indicates impairment, $p > 0.95$ indicates reference condition and $p 0.05-0.95$ indicates potential impairment. Metrics Band: 1=reference 2=potentially impaired, 3=impaired.

Site Code	Original group in model	Predicted group	Prob of belonging to group	Density	Richness	Simpson's Diversity	Bray-Curtis Index	NCF D	NCF P	Metrics Band
Reference sites in predicted group										
Abalard Cr.	1	1	0.87	2654	13	0.62	0.40	2.05	1.00	1
CMR01	1	1	0.79	3080	17	0.53	0.36	1.44	1.00	1
HEM124	1	4	0.41	4871	0	0.00	0.00	10.30	0.00	3
LET01	1	4	0.36	2554	15	0.47	0.40	9.18	0.00	3
LSP02	1	1	0.95	2783	11	0.64	0.41	2.53	0.96	1
LSR07	1	1	0.74	7500	16	0.34	0.34	2.18	1.00	1
OPR02	1	3	0.58	1285	13	0.51	0.62	7.86	0.00	3
RED10	1	1	0.49	3956	16	0.33	0.41	1.58	1.00	1
RED26	1	1	0.62	927	12	0.33	0.35	2.23	0.99	1
RED48	1	1	0.93	5883	9	0.30	0.40	2.25	0.99	1
RED50	1	1	0.60	5157	13	0.37	0.41	1.38	1.00	1
SUD03	1	1	0.33	9075	21	0.48	0.41	1.97	1.00	1
SUD06	1	2	0.91	4444	21	0.48	0.45	12.63	0.00	3
SUD08	1	1	0.45	10300	13	0.27	0.39	2.63	0.93	2
SUD10	1	1	0.80	3100	16	0.30	0.36	1.77	1.00	1
SUD15	1	5	0.44	6533	22	0.50	0.43	9.49	0.00	3
SUD16	1	4	0.35	3911	24	0.44	0.41	10.63	0.00	3
SUD17	1	4	0.41	3589	19	0.48	0.35	8.86	0.00	3
SUD20	1	3	0.37	3578	20	0.45	0.36	2.70	0.91	2
SUD21	1	5	0.45	8300	16	0.60	0.38	7.65	0.00	3
MAR32	2	2	0.34	2721	19	0.87	0.73	2.55	0.95	2
Chikuni R.	2	2	1.00	2450	19	0.87	0.73	0.71	1.00	1
HEM10	2	2	0.48	704	19	0.87	0.73	2.61	0.94	2
HEM126	2	2	0.97	493	23	0.82	0.66	2.15	0.99	1
HEM127	2	2	1.00	432	17	0.73	0.87	1.88	1.00	1
HEM22	2	2	0.73	1967	23	0.82	0.66	1.79	1.00	1
HEM36	2	2	0.96	202	15	0.79	0.86	1.82	1.00	1
RAP01	2	2	0.42	4314	19	0.87	0.73	1.20	1.00	1
RED06	2	2	0.97	549	21	0.83	0.76	0.63	1.00	1
RED12	2	5	0.36	46	17	0.91	0.78	7.56	0.00	3
SUD01	2	5	0.44	9050	20	0.82	0.71	7.98	0.00	3
MAR31	3	3	0.68	2069	0	0.00	0.00	2.35	0.99	1
MAR46	3	5	0.30	3533	0	0.00	0.00	5.84	0.02	3
MAR05	3	3	0.82	1853	0	0.00	0.00	1.44	1.00	1
MAR24	3	3	0.96	2960	0	0.00	0.00	1.85	1.00	1
HEM08	3	1	0.74	945	24	0.61	0.32	3.70	0.38	2
HEM26	3	4	0.59	1034	25	0.79	0.34	3.64	0.43	2
HEM48	3	3	0.70	1023	23	0.69	0.33	1.18	1.00	1
LSR08	3	3	0.88	7140	20	0.61	0.41	1.87	1.00	1
RDL15	3	3	0.96	1780	24	0.74	0.25	2.34	0.99	1
RED22	3	3	0.98	2254	26	0.76	0.35	1.46	1.00	1
RED59	3	3	0.98	4857	15	0.72	0.40	2.35	0.99	1
RED73	3	2	0.82	2338	22	0.71	0.37	10.60	0.00	3
RLT01	3	3	0.87	4114	24	0.62	0.31	1.36	1.00	1
RLT02	3	4	0.59	8025	22	0.55	0.37	6.83	0.00	3

Appendix 6 - Test Site Analysis results (contn)

Site Code	group		of belonging		Diversity		Index	D	P	Band
	in model	group	to group	Density	Richness	Simpson's	Bray-Curtis	NCF	Metrics	
	Original	Predicted	Prob							
SUD07	3	3	0.43	4828	28	0.68	0.36	1.59	1.00	1
SUD11	3	1	0.60	4338	25	0.46	0.41	2.07	1.00	1
SUD12	3	3	0.30	4122	26	0.71	0.43	2.23	0.99	1
SUD22	3	5	0.58	8075	26	0.75	0.35	4.28	0.20	2
SUD23	3	1	0.37	1938	26	0.55	0.33	3.63	0.42	2
SUD24	3	3	0.90	3190	17	0.70	0.36	1.61	1.00	1
USR12	3	3	0.60	6180	23	0.73	0.33	1.75	1.00	1
MAR47	4	2	0.46	1931	19	0.87	0.73	5.28	0.17	2
MAR01	4	5	0.41	1277	0	0.00	0.00	3.51	0.52	2
MAR17	4	4	0.57	6080	0	0.00	0.00	2.45	0.97	1
MAR18	4	4	0.57	2364	0	0.00	0.00	2.23	0.99	1
MAR28	4	3	0.40	3820	0	0.00	0.00	5.08	0.03	3
Balmer Trib	4	4	0.46	8900	0	0.00	0.00	2.40	0.98	1
DIX01	4	2	0.65	11575	19	0.87	0.73	5.02	0.21	2
HEM116	4	4	0.66	10833	0	0.00	0.00	2.39	0.98	1
HEM128	4	5	0.45	3155	23	0.82	0.50	2.91	0.83	2
HEM129	4	6	0.61	8125	20	0.82	0.55	43.76	0.12	2
HEM130	4	4	0.69	882	22	0.85	0.58	1.40	1.00	1
HEM74	4	4	0.41	6340	16	0.81	0.58	2.23	0.99	1
LSP03	4	4	0.66	764	23	0.88	0.53	1.59	1.00	1
LSR06	4	3	0.67	1953	24	0.81	0.46	3.50	0.46	2
RDL16	4	4	0.91	882	17	0.83	0.56	1.88	1.00	1
RED09	4	3	0.32	2533	19	0.79	0.45	3.16	0.68	2
SUD05	4	4	0.58	3040	24	0.84	0.44	1.90	1.00	1
SUD25	4	6	0.83	6020	24	0.81	0.46	22.77	0.22	2
MAR48	5	5	0.58	3570	0	0.00	0.00	1.36	1.00	1
MAR03	5	4	0.00	2692	29	0.80	0.37	3.38	0.57	2
HEM117	5	1	0.74	2138	33	0.66	0.36	4.53	0.11	2
HEM12	5	5	0.58	3036	0	0.00	0.00	1.93	1.00	1
HEM120	5	5	0.54	532	0	0.00	0.00	2.56	0.95	2
HEM121	5	5	0.53	900	34	0.91	0.65	1.42	1.00	1
HEM123	5	6	0.55	3355	32	0.78	0.32	18.90	0.26	2
HEM14	5	3	0.65	1217	0	0.00	0.00	2.70	0.91	2
HEM16	5	5	0.82	3644	30	0.86	0.55	1.38	1.00	1
HEM54	5	5	0.44	3320	28	0.87	0.49	1.30	1.00	1
ILD01	5	5	0.31	552	30	0.92	0.65	2.09	1.00	1
ILD02	5	5	0.44	576	37	0.84	0.45	2.46	0.97	1
RED45	5	4	0.43	884	34	0.92	0.67	4.33	0.17	2
SUD02	5	4	0.42	4828	29	0.77	0.38	3.34	0.59	2
SUD18	5	5	0.55	2377	27	0.86	0.51	1.57	1.00	1
SUD19	5	4	0.48	4386	30	0.87	0.54	2.20	0.99	1
VER01	5	5	0.67	1600	29	0.85	0.44	1.74	1.00	1
MAR50	6	6	0.36	16050	23	0.64	0.37	1.82	1.00	1
HEM122	6	6	0.74	17900	26	0.64	0.55	1.77	1.00	1
SUD09	6	6	0.92	10150	21	0.40	0.46	1.80	1.00	1
SUD13	6	6	0.98	21250	19	0.35	0.51	1.71	1.00	1
SUD14	6	6	1.00	14967	21	0.34	0.54	1.54	1.00	1

Appendix 6 - Test Site Analysis results (contn)

Site Code	group	group	of belonging	Density	Richness	Diversity		Index	D	P	Band
	in model	Predicted	to group			Simpson's	Bray-Curtis	NCF	Metrics		
Reference sites compared to original model group											
Abalard Cr.	1	1	0.87	2654	13	0.62	0.40	2.05	1.00	1	1
CMR01	1	1	0.79	3080	17	0.53	0.36	1.44	1.00	1	1
HEM124	1	4	0.41	4871	23	0.44	0.39	1.54	1.00	1	1
LET01	1	4	0.36	2554	15	0.47	0.40	1.05	1.00	1	1
LSP02	1	1	0.95	2783	11	0.64	0.41	2.53	0.96	1	1
LSR07	1	1	0.74	7500	16	0.34	0.34	2.18	1.00	1	1
OPR02	1	3	0.58	1285	13	0.51	0.62	8.44	0.00	3	3
RED10	1	1	0.49	3956	16	0.33	0.41	1.58	1.00	1	1
RED26	1	1	0.62	927	12	0.33	0.35	2.23	0.99	1	1
RED48	1	1	0.93	5883	9	0.30	0.40	2.25	0.99	1	1
RED50	1	1	0.60	5157	13	0.37	0.41	1.38	1.00	1	1
SUD03	1	1	0.33	9075	21	0.48	0.41	1.97	1.00	1	1
SUD06	1	2	0.91	4444	21	0.48	0.45	2.30	0.99	1	1
SUD08	1	1	0.45	10300	13	0.27	0.39	2.63	0.93	2	2
SUD10	1	1	0.80	3100	16	0.30	0.36	1.77	1.00	1	1
SUD15	1	5	0.44	6533	22	0.50	0.43	1.70	1.00	1	1
SUD16	1	4	0.35	3911	24	0.44	0.41	1.93	1.00	1	1
SUD17	1	4	0.41	3589	19	0.48	0.35	1.57	1.00	1	1
SUD20	1	3	0.37	3578	20	0.45	0.36	1.48	1.00	1	1
SUD21	1	5	0.45	8300	16	0.60	0.38	2.52	0.96	1	1
MAR32	2	2	0.34	2721	19	0.87	0.73	2.55	0.95	2	2
Chikuni R.	2	2	1.00	2450	19	0.87	0.73	0.71	1.00	1	1
DIX01	2	4	0.65	11575	27	0.77	0.51	2.55	0.95	1	1
HEM10	2	2	0.48	704	19	0.87	0.73	2.61	0.94	2	2
HEM126	2	2	0.97	493	23	0.82	0.66	2.15	0.99	1	1
HEM127	2	2	1.00	432	17	0.73	0.87	1.88	1.00	1	1
HEM22	2	2	0.73	1967	23	0.82	0.66	1.79	1.00	1	1
HEM36	2	2	0.96	202	15	0.79	0.86	1.82	1.00	1	1
RAP01	2	2	0.42	4314	19	0.87	0.73	1.20	1.00	1	1
RED06	2	2	0.97	549	21	0.83	0.76	0.63	1.00	1	1
RED12	2	5	0.36	46	17	0.91	0.78	1.73	1.00	1	1
SUD01	2	5	0.44	9050	20	0.82	0.71	2.63	0.93	2	2
MAR31	3	3	0.68	2069	0	0.00	0.00	2.35	0.99	1	1
MAR46	3	5	0.30	3533	16	0.70	0.39	2.00	1.00	1	1
MAR05	3	3	0.82	1853	0	0.00	0.00	1.44	1.00	1	1
MAR24	3	3	0.96	2960	0	0.00	0.00	1.85	1.00	1	1
MAR28	3	4	0.40	3820	25	0.74	0.55	3.11	0.72	2	2
HEM08	3	1	0.74	945	24	0.61	0.32	1.53	1.00	1	1
HEM26	3	4	0.59	1034	25	0.79	0.34	1.80	1.00	1	1
HEM48	3	3	0.70	1023	23	0.69	0.33	1.18	1.00	1	1
LSR08	3	3	0.88	7140	20	0.61	0.41	1.87	1.00	1	1
RDL15	3	3	0.96	1780	24	0.74	0.25	2.34	0.99	1	1
RED22	3	3	0.98	2254	26	0.76	0.35	1.46	1.00	1	1
RED59	3	3	0.98	4857	15	0.72	0.40	2.35	0.99	1	1
RED73	3	2	0.82	2338	22	0.71	0.37	1.08	1.00	1	1
RLT01	3	3	0.87	4114	24	0.62	0.31	1.36	1.00	1	1
RLT02	3	4	0.68	2069	17	0.62	0.29	2.34	0.99	1	1
SUD07	3	3	0.43	4828	28	0.68	0.36	1.59	1.00	1	1

Appendix 6 - Test Site Analysis results (contn)

Site Code	group in model		group of belonging to group		Diversity		Index	D	P	Band
	Original	Predicted	Prob	Density	Richness	Simpson's	Bray-Curtis	NCF		Metrics
SUD11	3	1	0.60	4338	25	0.46	0.41	2.93	0.81	2
SUD12	3	3	0.30	4122	26	0.71	0.43	2.23	0.99	1
SUD22	3	5	0.58	8075	26	0.75	0.35	2.73	0.90	2
SUD23	3	1	0.37	1938	26	0.55	0.33	1.90	1.00	1
SUD24	3	3	0.90	3190	17	0.70	0.36	1.61	1.00	1
USR12	3	3	0.60	6180	23	0.73	0.33	1.75	1.00	1
MAR47	4	2	0.46	1931	22	0.84	0.51	0.87	1.00	1
MAR01	4	5	0.41	1277	24	0.80	0.50	1.49	1.00	1
MAR17	4	4	0.57	6080	0	0.00	0.00	2.45	0.97	1
MAR18	4	4	0.57	2364	0	0.00	0.00	2.23	0.99	1
Balmer Trib	4	4	0.46	8900	0	0.00	0.00	2.40	0.98	1
HEM116	4	4	0.66	10833	0	0.00	0.00	2.39	0.98	1
HEM128	4	5	0.45	3155	23	0.82	0.50	0.62	1.00	1
HEM129	4	6	0.61	8125	20	0.82	0.55	1.48	1.00	1
HEM130	4	4	0.69	882	22	0.85	0.58	1.40	1.00	1
HEM74	4	4	0.41	6340	16	0.81	0.58	2.23	0.99	1
LSP03	4	4	0.66	764	23	0.88	0.53	1.59	1.00	1
LSR06	4	3	0.67	1953	24	0.81	0.46	1.50	1.00	1
RDL16	4	4	0.91	882	17	0.83	0.56	1.88	1.00	1
RED09	4	3	0.32	2533	19	0.79	0.45	1.70	1.00	1
SUD05	4	4	0.58	3040	24	0.84	0.44	1.90	1.00	1
SUD25	4	6	0.57	6080	27	0.90	0.62	1.30	1.00	1
MAR48	5	5	0.58	3570	0	0.00	0.00	1.36	1.00	1
MAR03	5	4	0.39	2692	29	0.80	0.37	1.34	1.00	1
HEM117	5	1	0.74	2138	33	0.66	0.36	3.36	0.59	2
HEM12	5	5	0.58	3036	0	0.00	0.00	1.93	1.00	1
HEM120	5	5	0.54	532	0	0.00	0.00	2.56	0.95	2
HEM121	5	5	0.53	900	34	0.91	0.65	1.42	1.00	1
HEM123	5	6	0.30	3355	32	0.78	0.32	2.05	1.00	1
HEM14	5	3	0.65	1217	29	0.77	0.39	2.06	1.00	1
HEM16	5	5	0.82	3644	30	0.86	0.55	1.38	1.00	1
HEM54	5	5	0.44	3320	28	0.87	0.49	1.30	1.00	1
ILD01	5	5	0.31	552	30	0.92	0.65	2.09	1.00	1
ILD02	5	5	0.44	576	37	0.84	0.45	2.46	0.97	1
RED45	5	4	0.43	884	34	0.92	0.67	1.57	1.00	1
SUD02	5	4	0.42	4828	29	0.77	0.38	1.89	1.00	1
SUD18	5	5	0.55	2377	27	0.86	0.51	1.57	1.00	1
SUD19	5	4	0.48	4386	30	0.87	0.54	1.91	1.00	1
VER01	5	5	0.67	1600	29	0.85	0.44	1.74	1.00	1
MAR50	6	6	0.36	16050	23	0.64	0.37	1.82	1.00	1
HEM122	6	6	0.74	17900	26	0.64	0.55	1.77	1.00	1
SUD09	6	6	0.92	10150	21	0.40	0.46	1.80	1.00	1
SUD13	6	6	0.98	21250	19	0.35	0.51	1.71	1.00	1
SUD14	6	6	1.00	14967	21	0.34	0.54	1.54	1.00	1

Appendix 6 - Test Site Analysis results (contn)

Site Code	group in model		group of belonging to group		Density	Richness	Diversity		Index	D	P	Band
	Original	Predicted	Prob				Simpson's	Bray-Curtis				
QA/QC Repeat Reference sites compared to predicted group												
LSR07 QA/QC1	1	1	0.65		5400	18	0.28	0.39	1.57	1.00		1
LSR08 QA/QC1	3	3	0.43		25800	21	0.45	0.54	10.06	0.00		3
LSR06 QA/QC1	4	1	0.87		7600	19	0.83	0.69	10.20	0.00		3
MAR18 QA/QC1	4	5	0.70		8250	29	0.84	0.41	4.92	0.08		2
HEM16 QA/QC1	5	5	0.56		8850	18	0.40	0.43	12.97	0.00		3
HEM54 QA/QC1	5	5	0.41		7020	24	0.57	0.39	7.14	0.00		3
ILD02 QA/QC1	5	5	0.60		1013	36	0.83	0.46	1.84	1.00		1
MAR48 QA/QC1	5	5	0.61		5900	27	0.81	0.39	2.59	0.94		2
Urban Sites												
Test19		6	0.91		2006	16	0.63	0.39	38.29	0.13		2
Test20		3	0.59		1188	18	0.77	0.44	3.21	0.64		2
Test21		3	0.92		4828	18	0.68	0.42	1.81	1.00		1
Test22		1	0.43		1683	11	0.50	0.89	17.71	0.00		3
Test23		3	0.77		4011	28	0.80	0.43	2.81	0.87		2
Test24		1	0.83		1622	20	0.79	0.46	3.77	0.35		2
Test25		3	0.99		1510	17	0.65	0.35	1.93	1.00		1
Test27		3	0.39		1888	21	0.41	0.40	3.66	0.37		2
Test28		6	0.69		4436	12	0.47	0.56	52.73	0.10		2
Test29		3	0.90		4786	24	0.80	0.40	1.97	1.00		1
Test30		3	0.77		1684	21	0.73	0.52	4.80	0.05		3
Test31		4	0.35		4200	16	0.65	0.44	4.35	0.16		2
Test32		6	0.93		2617	23	0.45	0.37	5.16	0.78		2
Test33		4	0.54		4867	27	0.78	0.65	3.73	0.38		2
Test34		1	0.98		3750	21	0.78	0.39	3.17	0.68		2
Test35		4	0.45		4425	17	0.67	0.42	3.83	0.34		2
Test36		4	0.65		5700	20	0.73	0.40	2.59	0.94		2
Test37		4	0.57		7225	11	0.62	0.40	5.23	0.04		3
Historically Impacted Sites												
Test13-1		1	0.62		1853	15	0.59	0.30	3.71	0.38		2
Test13-2		4	0.40		2950	15	0.37	0.33	11.66	0.00		3
Test13-3		1	0.71		1663	13	0.42	0.36	1.69	1.00		1
Test14		3	0.74		2718	15	0.71	0.34	2.21	1.00		1
Test15		6	0.44		2654	14	0.65	0.37	44.98	0.11		2
Test16-03		1	0.95		228	7	0.32	0.52	6.16	0.01		3
Test16-04		1	0.70		562	13	0.45	0.39	1.94	1.00		1
Test17-03		1	0.73		228	5	0.68	0.77	13.96	0.00		3
Test17-04		1	0.62		1571	7	0.34	0.46	4.17	0.19		2
Test18		3	0.93		753	16	0.71	0.39	2.78	0.88		2

Appendix 6 - Test Site Analysis results (contn)

Site Code	group		of belonging		Diversity		Index	D	P	Band
	in model	group	to group	Density	Richness	Simpson's	Bray-Curtis	NCF	Metrics	
Original	Predicted	Prob								
LAKES										
Reference sites										
HEM02	1	3	0.404	33733	15	0.69	0.45	7.77	0.00	3
HEM04	1	4	0.499	41950	21	0.68	0.45	9.09	0.00	3
HEM06	3	3	0.419	8700	23	0.78	0.30	0.81	1.00	1
HEM18	4	4	0.426	8678	15	0.46	0.30	0.85	1.00	1
HEM20	4	4	0.589	6160	18	0.59	0.22	1.49	1.00	1
HEM24	4	4	0.833	8361	13	0.56	0.28	1.59	1.00	1
HEM28	3	3	0.469	10783	23	0.81	0.27	1.17	1.00	1
HEM30	3	3	0.319	11612	23	0.83	0.30	1.46	1.00	1
HEM32	3	3	0.557	11300	23	0.70	0.25	1.15	1.00	1
HEM34	3	3	0.306	5975	22	0.58	0.26	2.71	0.95	2
HEM38	3	4	0.478	7500	21	0.76	0.19	2.86	0.85	2
HEM40	3	4	0.634	13050	24	0.83	0.34	4.58	0.11	2
HEM44	4	4	0.489	5012	14	0.66	0.32	1.19	1.00	1
HEM46	3	4	0.722	5001	18	0.72	0.35	1.90	1.00	1
HEM50	3	3	0.501	14080	23	0.80	0.31	1.71	1.00	1
HEM52	1	3	0.323	23450	21	0.79	0.37	4.30	0.00	3
HEM56	3	3	0.445	2700	26	0.85	0.31	2.42	1.00	1
HEM58	2	1	0.403	12075	23	0.89	0.53	4.56	0.15	2
HEM70	2	2	0.641	14850	30	0.90	0.41	2.51	0.97	1
HEM72	3	2	0.581	7333	20	0.83	0.27	2.61	0.95	2
HEM80	2	2	0.714	9553	27	0.83	0.43	1.26	1.00	1
HEM82	1	1	0.333	19150	28	0.86	0.37	1.24	1.00	1
HEM84	3	3	0.487	9739	18	0.77	0.24	1.83	1.00	1
LEA01	3	3	0.478	9342	28	0.59	0.33	3.41	0.27	2
LEA02	3	1	0.499	7295	24	0.68	0.28	3.63	0.47	2
LEA03	3	3	0.515	14163	22	0.68	0.28	1.92	1.00	1
LSP01	3	2	0.655	5887	21	0.72	0.34	2.65	0.93	2
MARA07	2	4	0.429	1199	22	0.83	0.40	4.34	0.16	2
MARA09	3	4	0.367	1968	22	0.81	0.29	3.66	0.42	2
MARA11	3	4	0.453	3677	24	0.75	0.28	4.07	0.24	2
MARA13	2	2	0.489	11610	24	0.88	0.63	2.20	1.00	1
MARA14	4	4	0.797	8842	18	0.28	0.38	2.13	1.00	1
MARA15	2	4	0.515	18825	30	0.83	0.56	8.18	0.00	3
MARA16	2	2	0.435	4025	22	0.84	0.43	1.38	1.00	1
MARA20	3	3	0.618	8467	24	0.83	0.34	1.82	1.00	1
MARA21	2	1	0.267	5726	26	0.81	0.46	4.78	0.11	2
MARA22	3	2	0.677	13750	25	0.76	0.29	3.25	0.57	2
MARA23	2	2	0.747	4005	27	0.84	0.44	1.19	1.00	1
MARA25	4	3	0.513	4850	9	0.67	0.64	9.41	0.00	3
MARA26	2	1	0.348	2433	36	0.82	0.79	14.89	0.00	3
MARA29	3	3	0.516	6147	24	0.75	0.26	0.67	1.00	1
MARA30	4	3	0.289	15208	18	0.61	0.34	3.67	0.11	2
MARA33	2	3	0.449	4707	22	0.79	0.52	5.69	0.00	3
MARA34	2	2	0.439	11666	28	0.74	0.56	1.78	1.00	1
MARA35	2	3	0.389	8788	20	0.67	0.59	7.41	0.00	3
MARA36	4	4	0.431	2115	15	0.63	0.18	2.16	1.00	1
MARA37	3	3	0.485	8026	16	0.79	0.26	2.30	1.00	1

Appendix 6 - Test Site Analysis results (contn)

Site Code	group of belonging		Prob	Density	Richness	Diversity		D	P	Band
	group in model	group to group				Simpson's	Index			
	Original	Predicted				Bray-Curtis		NCF	Metrics	
MARA38	3	2	0.278	6158	18	0.69	0.22	4.05	0.14	2
MARA39	2	2	0.908	5020	27	0.87	0.60	1.57	1.00	1
MARA40	2	2	0.961	4687	27	0.88	0.50	1.26	1.00	1
MARA41	4	2	0.352	12333	17	0.68	0.45	2.85	0.85	2
MARA42	3	4	0.545	11667	24	0.73	0.30	3.97	0.28	2
MARA43	4	4	0.623	4206	18	0.65	0.36	1.86	1.00	1
MARA44	3	3	0.500	7835	28	0.75	0.29	1.31	1.00	1
MARA45	3	4	0.637	6763	27	0.80	0.33	5.47	0.03	3
PAN01	4	4	0.769	4921	13	0.47	0.43	1.55	1.00	1
PAN02	4	4	0.621	11895	15	0.20	0.45	2.32	0.99	1
RED02	2	2	0.585	5958	30	0.86	0.52	1.41	1.00	1
RED03	1	1	0.489	32933	31	0.84	0.33	2.59	0.94	2
RED04	1	1	0.999	26845	28	0.76	0.33	0.95	1.00	1
RED05	3	3	0.543	4768	27	0.82	0.27	1.73	1.00	1
RED07	3	3	0.590	3912	21	0.73	0.22	1.67	1.00	1
RED08	4	3	0.612	7725	14	0.47	0.35	5.56	0.00	3
RED11	3	3	0.422	6633	17	0.80	0.30	2.19	1.00	1
RED13	3	3	0.667	5139	15	0.72	0.26	2.50	0.99	1
RED14	3	3	0.795	13350	26	0.72	0.29	1.57	1.00	1
RED16	1	3	0.539	6160	18	0.59	0.22	5.48	0.00	3
RED18	2	3	0.411	13000	20	0.86	0.52	5.28	0.00	3
RED19	3	3	0.567	9275	26	0.65	0.25	1.70	1.00	1
RED20	3	3	0.447	8666	24	0.68	0.24	1.09	1.00	1
RED21	3	3	0.434	6571	23	0.70	0.19	1.64	1.00	1
RED23	4	4	0.609	11988	18	0.57	0.40	1.60	1.00	1
RED24	3	3	0.489	5388	29	0.80	0.23	1.98	1.00	1
RED25	3	4	0.462	6790	23	0.71	0.18	3.30	0.62	2
RED27	2	3	0.689	1971	22	0.77	0.61	7.90	0.00	3
RED28	3	3	0.433	7044	22	0.63	0.34	2.85	0.86	2
RED29	2	3	0.525	10338	25	0.70	0.59	7.22	0.00	3
RED30	3	2	0.949	11540	24	0.84	0.37	1.70	1.00	1
RED31	3	2	0.372	16000	23	0.73	0.24	4.03	0.14	2
RED32	2	2	0.945	3807	25	0.85	0.41	1.28	1.00	1
RED33	1	1	0.636	17133	25	0.85	0.41	1.87	1.00	1
RED40	3	3	0.609	8146	28	0.80	0.26	1.43	1.00	1
RED41	3	1	0.809	11425	23	0.71	0.27	3.39	0.60	2
RED42	1	4	0.363	26833	29	0.60	0.30	6.94	0.00	3
RED43	3	3	0.602	13143	23	0.73	0.23	1.56	1.00	1
RED44	3	1	0.496	16183	24	0.83	0.30	2.96	0.81	2
RED46	3	3	0.495	9300	24	0.78	0.27	0.50	1.00	1
RED51	3	3	0.650	10833	25	0.76	0.27	0.74	1.00	1
RED52	3	1	0.703	5333	19	0.67	0.18	6.17	0.02	3
RED53	1	3	0.616	19443	27	0.67	0.37	4.02	0.02	3
RED54	2	2	0.884	13423	24	0.84	0.41	1.64	1.00	1
RED56	3	3	0.436	8408	28	0.68	0.25	1.58	1.00	1
RED58	3	2	0.366	3978	29	0.84	0.30	2.78	0.88	2
RED69	2	2	0.544	6323	27	0.81	0.38	1.74	1.00	1
RED71	1	1	0.591	29217	23	0.86	0.46	1.64	1.00	1
STO01	3	2	0.550	18492	24	0.74	0.24	4.34	0.07	2

Appendix 6 - Test Site Analysis results (contn)

Site Code	group	group	of belonging	Diversity			Index	D	P	Band
	in model	in model	to group	Density	Richness	Simpson's	Bray-Curtis	NCF	Metrics	
	Original	Predicted	Prob							
STO02	2	3	0.333	18500	22	0.68	0.60	7.67	0.00	3
TIM02	3	4	0.649	14400	28	0.79	0.22	5.67	0.02	3
TIM04	1	4	0.644	21390	31	0.82	0.30	7.61	0.00	3
TIM06	4	4	0.438	15775	12	0.52	0.33	2.80	0.87	2
TIM08	4	4	0.701	15617	16	0.25	0.41	2.10	1.00	1
TIM10	1	4	0.478	27667	23	0.62	0.32	5.76	0.02	3
TIM14	4	4	0.502	6075	16	0.54	0.27	0.97	1.00	1
TIM50	2	4	0.356	5395	22	0.75	0.46	4.18	0.21	2
TIM52	1	1	0.610	22050	29	0.84	0.32	1.39	1.00	1
TIM53	3	3	0.480	8261	22	0.87	0.30	1.91	1.00	1
TIM54	4	4	0.599	4039	18	0.61	0.29	1.57	1.00	1
TIM55	3	1	0.349	5041	28	0.72	0.20	4.06	0.29	2
TIM58	2	2	0.995	13700	21	0.82	0.65	2.30	0.99	1
TIM59	3	1	0.601	3843	29	0.70	0.14	4.89	0.10	2
TIM60	2	1	0.650	757	23	0.80	0.40	4.77	0.11	2
TIM61	3	1	0.372	4098	22	0.65	0.22	4.94	0.09	2
USR01	1	1	0.672	34500	25	0.83	0.50	2.59	0.94	2
USR02	3	1	0.424	4582	28	0.74	0.30	3.43	0.57	2
USR10	3	4	0.646	11580	19	0.66	0.30	2.03	1.00	1
USR11	3	1	0.406	6118	36	0.76	0.27	3.31	0.64	2
USR13	1	1	0.726	14980	34	0.84	0.33	2.02	1.00	1
Reference sites compared to original model group										
HEM02	1	3	0.404	33733	15	0.69	0.45	2.16	0.99	1
HEM04	1	4	0.499	41950	21	0.68	0.45	2.31	0.98	1
HEM06	3	3	0.419	8700	23	0.78	0.30	0.81	1.00	1
HEM18	4	4	0.426	8678	15	0.46	0.30	0.85	1.00	1
HEM20	4	4	0.589	6160	18	0.59	0.22	1.49	1.00	1
HEM24	4	4	0.833	8361	13	0.56	0.28	1.59	1.00	1
HEM28	3	3	0.469	10783	23	0.81	0.27	1.17	1.00	1
HEM30	3	3	0.319	11612	23	0.83	0.30	1.46	1.00	1
HEM32	3	3	0.557	11300	23	0.70	0.25	1.15	1.00	1
HEM34	3	3	0.306	5975	22	0.58	0.26	2.71	0.95	2
HEM38	3	4	0.478	7500	21	0.76	0.19	1.95	1.00	1
HEM40	3	4	0.634	13050	24	0.83	0.34	1.94	1.00	1
HEM44	4	4	0.489	5012	14	0.66	0.32	1.19	1.00	1
HEM46	3	4	0.722	5001	18	0.72	0.35	2.61	0.98	1
HEM50	3	3	0.501	14080	23	0.80	0.31	1.71	1.00	1
HEM52	1	3	0.323	23450	21	0.79	0.37	1.80	1.00	1
HEM56	3	3	0.445	2700	26	0.85	0.31	2.42	1.00	1
HEM58	2	1	0.403	12075	23	0.89	0.53	1.87	1.00	1
HEM70	2	2	0.641	14850	30	0.90	0.41	2.51	0.97	1
HEM72	3	2	0.581	7333	20	0.83	0.27	1.80	1.00	1
HEM80	2	2	0.714	9553	27	0.83	0.43	1.26	1.00	1
HEM82	1	1	0.333	19150	28	0.86	0.37	1.24	1.00	1
HEM84	3	3	0.487	9739	18	0.77	0.24	1.83	1.00	1
LEA01	3	3	0.478	9342	28	0.59	0.33	3.41	0.27	2
LEA02	3	1	0.499	7295	24	0.68	0.28	1.25	1.00	1
LEA03	3	3	0.515	14163	22	0.68	0.28	1.92	1.00	1

Appendix 6 - Test Site Analysis results (contn)

Site Code	group	group	of belonging			Diversity		Index	D	P	Band
	in model		to group	Density	Richness	Simpson's	Bray-Curtis		NCF	Metrics	
	Original	Predicted	Prob								
LSP01	3	2	0.655	5887	21	0.72	0.34	2.12	1.00	1	
MARA07	2	4	0.429	1199	22	0.83	0.40	1.78	1.00	1	
MARA09	3	4	0.367	1968	22	0.81	0.29	2.13	1.00	1	
MARA11	3	4	0.453	3677	24	0.75	0.28	1.35	1.00	1	
MARA13	2	2	0.489	11610	24	0.88	0.63	2.20	1.00	1	
MARA14	4	4	0.797	8842	18	0.28	0.38	2.13	1.00	1	
MARA15	2	4	0.515	18825	30	0.83	0.56	2.47	0.98	1	
MARA16	2	2	0.435	4025	22	0.84	0.43	1.38	1.00	1	
MARA20	3	3	0.618	8467	24	0.83	0.34	1.82	1.00	1	
MARA21	2	1	0.267	5726	26	0.81	0.46	0.83	1.00	1	
MARA22	3	2	0.677	13750	25	0.76	0.29	1.44	1.00	1	
MARA23	2	2	0.747	4005	27	0.84	0.44	1.19	1.00	1	
MARA25	4	3	0.513	4850	9	0.67	0.64	3.44	0.53	2	
MARA26	2	1	0.348	2433	36	0.82	0.79	3.95	0.17	2	
MARA29	3	3	0.516	6147	24	0.75	0.26	0.67	1.00	1	
MARA30	4	3	0.289	15208	18	0.61	0.34	2.20	0.99	1	
MARA33	2	3	0.449	4707	22	0.79	0.52	1.14	1.00	1	
MARA34	2	2	0.439	11666	28	0.74	0.56	1.78	1.00	1	
MARA35	2	3	0.389	8788	20	0.67	0.59	2.45	0.98	1	
MARA36	4	4	0.431	2115	15	0.63	0.18	2.16	1.00	1	
MARA37	3	3	0.485	8026	16	0.79	0.26	2.30	1.00	1	
MARA38	3	2	0.278	6158	18	0.69	0.22	1.95	1.00	1	
MARA39	2	2	0.908	5020	27	0.87	0.60	1.57	1.00	1	
MARA40	2	2	0.961	4687	27	0.88	0.50	1.26	1.00	1	
MARA41	4	2	0.352	12333	17	0.68	0.45	2.25	0.99	1	
MARA42	3	4	0.545	11667	24	0.73	0.30	1.10	1.00	1	
MARA43	4	4	0.623	4206	18	0.65	0.36	1.86	1.00	1	
MARA44	3	3	0.500	7835	28	0.75	0.29	1.31	1.00	1	
MARA45	3	4	0.637	6763	27	0.80	0.33	1.76	1.00	1	
PAN01	4	4	0.769	4921	13	0.47	0.43	1.55	1.00	1	
PAN02	4	4	0.621	11895	15	0.20	0.45	2.32	0.99	1	
RED02	2	2	0.585	5958	30	0.86	0.52	1.41	1.00	1	
RED03	1	1	0.489	32933	31	0.84	0.33	2.59	0.94	2	
RED04	1	1	0.999	26845	28	0.76	0.33	0.95	1.00	1	
RED05	3	3	0.543	4768	27	0.82	0.27	1.73	1.00	1	
RED07	3	3	0.590	3912	21	0.73	0.22	1.67	1.00	1	
RED08	4	3	0.612	7725	14	0.47	0.35	0.83	1.00	1	
RED11	3	3	0.422	6633	17	0.80	0.30	2.19	1.00	1	
RED13	3	3	0.667	5139	15	0.72	0.26	2.50	0.99	1	
RED14	3	3	0.795	13350	26	0.72	0.29	1.57	1.00	1	
RED16	1	3	0.539	6160	18	0.59	0.22	1.57	1.00	1	
RED18	2	3	0.411	13000	20	0.86	0.52	2.16	1.00	1	
RED19	3	3	0.567	9275	26	0.65	0.25	1.70	1.00	1	
RED20	3	3	0.447	8666	24	0.68	0.24	1.09	1.00	1	
RED21	3	3	0.434	6571	23	0.70	0.19	1.64	1.00	1	
RED23	4	4	0.609	11988	18	0.57	0.40	1.60	1.00	1	
RED24	3	3	0.489	5388	29	0.80	0.23	1.98	1.00	1	
RED25	3	4	0.462	6790	23	0.71	0.18	1.85	1.00	1	
RED27	2	3	0.689	1971	22	0.77	0.61	2.04	1.00	1	

Appendix 6 - Test Site Analysis results (contn)

Site Code	group	group	of belonging			Diversity		Index	D	P	Band
	in model		to group	Density	Richness	Simpson's	Bray-Curtis		NCF	Metrics	
	Original	Predicted	Prob								
LSP01	3	2	0.655	5887	21	0.72	0.34	2.12	1.00	1	
MARA07	2	4	0.429	1199	22	0.83	0.40	1.78	1.00	1	
MARA09	3	4	0.367	1968	22	0.81	0.29	2.13	1.00	1	
MARA11	3	4	0.453	3677	24	0.75	0.28	1.35	1.00	1	
MARA13	2	2	0.489	11610	24	0.88	0.63	2.20	1.00	1	
MARA14	4	4	0.797	8842	18	0.28	0.38	2.13	1.00	1	
MARA15	2	4	0.515	18825	30	0.83	0.56	2.47	0.98	1	
MARA16	2	2	0.435	4025	22	0.84	0.43	1.38	1.00	1	
MARA20	3	3	0.618	8467	24	0.83	0.34	1.82	1.00	1	
MARA21	2	1	0.267	5726	26	0.81	0.46	0.83	1.00	1	
MARA22	3	2	0.677	13750	25	0.76	0.29	1.44	1.00	1	
MARA23	2	2	0.747	4005	27	0.84	0.44	1.19	1.00	1	
MARA25	4	3	0.513	4850	9	0.67	0.64	3.44	0.53	2	
MARA26	2	1	0.348	2433	36	0.82	0.79	3.95	0.17	2	
MARA29	3	3	0.516	6147	24	0.75	0.26	0.67	1.00	1	
MARA30	4	3	0.289	15208	18	0.61	0.34	2.20	0.99	1	
MARA33	2	3	0.449	4707	22	0.79	0.52	1.14	1.00	1	
MARA34	2	2	0.439	11666	28	0.74	0.56	1.78	1.00	1	
MARA35	2	3	0.389	8788	20	0.67	0.59	2.45	0.98	1	
MARA36	4	4	0.431	2115	15	0.63	0.18	2.16	1.00	1	
MARA37	3	3	0.485	8026	16	0.79	0.26	2.30	1.00	1	
MARA38	3	2	0.278	6158	18	0.69	0.22	1.95	1.00	1	
MARA39	2	2	0.908	5020	27	0.87	0.60	1.57	1.00	1	
MARA40	2	2	0.961	4687	27	0.88	0.50	1.26	1.00	1	
MARA41	4	2	0.352	12333	17	0.68	0.45	2.25	0.99	1	
MARA42	3	4	0.545	11667	24	0.73	0.30	1.10	1.00	1	
MARA43	4	4	0.623	4206	18	0.65	0.36	1.86	1.00	1	
MARA44	3	3	0.500	7835	28	0.75	0.29	1.31	1.00	1	
MARA45	3	4	0.637	6763	27	0.80	0.33	1.76	1.00	1	
PAN01	4	4	0.769	4921	13	0.47	0.43	1.55	1.00	1	
PAN02	4	4	0.621	11895	15	0.20	0.45	2.32	0.99	1	
RED02	2	2	0.585	5958	30	0.86	0.52	1.41	1.00	1	
RED03	1	1	0.489	32933	31	0.84	0.33	2.59	0.94	2	
RED04	1	1	0.999	26845	28	0.76	0.33	0.95	1.00	1	
RED05	3	3	0.543	4768	27	0.82	0.27	1.73	1.00	1	
RED07	3	3	0.590	3912	21	0.73	0.22	1.67	1.00	1	
RED08	4	3	0.612	7725	14	0.47	0.35	0.83	1.00	1	
RED11	3	3	0.422	6633	17	0.80	0.30	2.19	1.00	1	
RED13	3	3	0.667	5139	15	0.72	0.26	2.50	0.99	1	
RED14	3	3	0.795	13350	26	0.72	0.29	1.57	1.00	1	
RED16	1	3	0.539	6160	18	0.59	0.22	1.57	1.00	1	
RED18	2	3	0.411	13000	20	0.86	0.52	2.16	1.00	1	
RED19	3	3	0.567	9275	26	0.65	0.25	1.70	1.00	1	
RED20	3	3	0.447	8666	24	0.68	0.24	1.09	1.00	1	
RED21	3	3	0.434	6571	23	0.70	0.19	1.64	1.00	1	
RED23	4	4	0.609	11988	18	0.57	0.40	1.60	1.00	1	
RED24	3	3	0.489	5388	29	0.80	0.23	1.98	1.00	1	
RED25	3	4	0.462	6790	23	0.71	0.18	1.85	1.00	1	
RED27	2	3	0.689	1971	22	0.77	0.61	2.04	1.00	1	

Appendix 6 - Test Site Analysis results (contn)

Site Code	group of belonging		Prob	Density	Richness	Diversity		D	P	Band
	group in model	group to group				Simpson's	Index			
Original	Predicted					Bray-Curtis		NCF	Metrics	
QA/QC Repeated reference sites compared to predicted group										
TIM52 QA/QC1	1	1	0.426	8689	30	0.80	0.22	3.36	0.61	2
MARA21 QA/QC1	2	1	0.589	7956	25	0.80	0.43	3.89	0.35	2
LSP01 QA/QC1	3	2	0.426	11825	26	0.74	0.31	3.21	0.61	2
RED08 QA/QC1	4	2	0.589	6861	13	0.60	0.30	4.78	0.02	3
RED29 QA/QC1	2	3	0.426	16950	24	0.60	0.65	9.25	0.00	3
HEM52 QA/QC1	1	3	0.589	31400	21	0.79	0.27	6.21	0.00	3
RED25 QA/QC1	3	4	0.636	5770	22	0.75	0.18	3.09	0.73	2
QA/QC Repeated reference sites compared to original model group										
HEM52 QA/QC1		1	0.589	31400	21	0.79	0.27	4.44	0.18	2
MARA21 QA/QC1		2	0.426	7956	25	0.80	0.43	0.98	1.00	1
RED29 QA/QC1		2	0.589	16950	24	0.60	0.65	3.76	0.25	2
LSP01 QA/QC1		3	0.426	11825	26	0.74	0.31	1.31	1.00	1
RED25 QA/QC1		3	0.589	5770	22	0.75	0.18	2.02	1.00	1
RED08 QA/QC1		4	0.636	6861	13	0.60	0.30	1.37	1.00	1
Historically Impacted sites compared to predicted group										
Test08		1	0.833	16550	18	0.57	0.48	5.29	0.06	2
Test09		1	0.489	5670	23	0.81	0.42	4.09	0.28	2
Test01		3	0.833	9338	11	0.52	0.44	6.53	0.00	3
Test02		3	0.489	5886	12	0.42	0.34	6.31	0.00	3
Test05		3	0.797	9950	32	0.87	0.47	4.74	0.00	3
Test06		3	0.431	20250	7	0.29	0.50	10.81	0.00	3
Test07		3	0.623	4797	9	0.47	0.38	6.66	0.00	3
Test11		3	0.769	10569	25	0.81	0.38	2.35	1.00	1
Test12		3	0.621	5438	19	0.83	0.38	3.01	0.71	2
Test03		4	0.591	4102	14	0.57	0.35	1.12	1.00	1
Test04		4	0.610	2336	11	0.53	0.39	2.19	0.99	1
Test38		4	0.672	14716	25	0.76	0.41	5.04	0.05	2